

PARKLAND HUTCHINSON SUMMERLYS FOXES (NORTH & SOUTH)

No.	Species	Tag No	Height	Trunk Dia.	Radial Crown Spread	Life Stage	Physiology	Structure	Comments	Failure Potential	Risk Size	Risk Target	Re-Inspection Date	Works	Work Priority
T1	Leyland cypress (X Cupressocyparis leylandii)	2852	7m	x6 stems 400mm	2m	Semi-mature	Good	Fair	Crown has been heavily reduced or "topped" in past; heavy regrowth shading adjacent property.	Low	150-450mm	Occasional	20/11/2020	Facilitative: Reduce lateral limbs By 1.5m to improve light to adjacent property	
T2	Leyland cypress (X Cupressocyparis leylandii)	2852	7m	400mm est	2m	Semi-mature	Good	Fair	Crown has been heavily reduced or "topped" in past; crown overhangs adjacent building; asymmetrical crown due to shading and pruning.	Low		Constant		No Works	
T3	Sycamore (Acer pseudoplatanus)	2885	15m	1000mm	N2m E3m S5m W5m	Semi-mature	Good	Fair	Twin-stemmed from 2m; hollow trunk; cavity at base; slightly leaning trunk; ivy-covered; tight compression fork with evidence of included bark.X2; crown has been reduced in past.	Medium	150-450mm	Intermittent	20/05/2016	6 Months Safety: RB remove lowest branch west side originating at 4 m.	6 Months
T4	Sycamore (Acer pseudoplatanus)	2853	13m	660mm est	4m	Semi-mature	Good	Good	Twin stemmed from base; second stem removed and decaying; remaining stem swept from base with typical root flair.	Low		Constant	20/11/2020	No Works	
T5	Sycamore (Acer pseudoplatanus)	2857	10m	500mm est	N4m E1m S1m W5m	Semi-mature	Good	Fair	Protruding and wind-exposed branch to South with excessive end weight, at risk of failure; asymmetrical crown to west.	Medium	150-450mm	Intermittent	20/11/2017	Safety: Reduce lateral limbs To west by 2m Safety: RH: From ground level Of southern stem by 4m to suitable growth point	
T6	Sycamore (Acer pseudoplatanus)	2858	12m	500mm ivy est	3m	Semi-mature	Good	Fair	Ivy-covered.	Medium	>750mm	Occasional	20/12/2015	No Works	
T7	Sycamore (Acer pseudoplatanus)	2860	11m	300mm ivy	1.5m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Intermittent	20/12/2015	No Works	
T8	Sweet chestnut (Castanea sativa)	2859	10m	400mm est	N2m E5m S2m W1m	Semi-mature	Good	Good		Low	n/a	Frequent	20/11/2020	No Works	
T9	Sycamore (Acer pseudoplatanus)	2863	10m	300mm est	N1m E3m S1m W1m	Semi-mature	Good	Good	Asymmetrical crown to east.	Low	450-750mm	Constant	20/11/2020	No Works	
T10	Sycamore (Acer pseudoplatanus)	2862	7m	240mm ivy est	2m	Semi-mature	Good	Good		Low	150-450mm	Occasional	20/11/2020	No Works	
T11	Sycamore (Acer pseudoplatanus)	2861	10m	700mm ivy	N2m E2m S2m W4m	Semi-mature	Good	Good	Twin-stemmed from 1m; small cavities forming at sites of previous pruning wounds. Occluding; ivy-covered.	Low	450-750mm	Intermittent	20/11/2020	No Works	
T12	Sycamore (Acer pseudoplatanus)	2865	12m	600mm est	N1m E3m S1m W3m	Semi-mature	Good	Good		Low	>750mm	Intermittent	20/11/2020	No Works	
T13	Sycamore (Acer pseudoplatanus)	2866	13m	540mm	3m	Semi-mature	Good	Good		Low	>750mm	Intermittent	20/11/2020	No Works	
T14	Sycamore (Acer pseudoplatanus)	2868	8m	500mm est	N1m E1m S1m W3m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Intermittent	20/11/2020	No Works	
T15	Sycamore (Acer pseudoplatanus)	2869	12m	540mm est	N1m E3m S3m W3m	Semi-mature	Average	Good		Low	>750mm	Constant	20/11/2020	No Works	
T16	Sycamore (Acer pseudoplatanus)	2871	12m	400mm est	N1m E1m S2m W4m	Semi-mature	Good	Fair	Small cavities forming at sites of previous pruning wounds; ivy-covered.	Low	450-750mm	Intermittent	20/11/2020	No Works	
T17	Sycamore (Acer pseudoplatanus)	2872	10m	200mm est	2m	Semi-mature	Good	Good		Low	150-450mm	Intermittent	20/11/2020	No Works	
T18	Sycamore (Acer pseudoplatanus)	2873	12m	200mm est	N2m E0m S1m W5m	Semi-mature	Good	Good		Low	150-450mm	Intermittent	20/11/2020	No Works	
T19	Flowering cherry (Prunus sp.)	0	6m	100mm	1.5m	Young	Good	Good		Low	<150mm	Intermittent	20/11/2020	No Works	
T20	Sycamore (Acer pseudoplatanus)	2875	14m	600mm est	3m	Semi-mature	Good	Good	Slightly leaning trunk to north; occluding pruning wound at 1m on main trunk.	Low	>750mm	Constant	20/11/2020	No Works	
T21	Sycamore (Acer pseudoplatanus)	2874	10m	300mm est	N2m E0m S1m W5m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Intermittent	20/11/2020	Facilitative: CI	
T22	Sycamore (Acer pseudoplatanus)	2876	10m	400mm est	N1m E0m S1m W5m	Mature	Good	Fair	Ivy-covered.	Low	150-450mm	Intermittent	20/11/2020	Facilitative: CI	
T23	Sycamore (Acer pseudoplatanus)	2879	12m	450mm est	3m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Constant	20/11/2020	No Works	
T24	Sycamore (Acer pseudoplatanus)	2877	9m	150mm est	N1m E0m S1m W3m	Semi-mature	Good	Fair	Ivy-covered.	Low	150-450mm	Intermittent	20/11/2020	No Works	

T25	Sycamore (Acer pseudoplatanus)	2878	8m	300mm	N1m E1m S0m W3.5m	Semi-mature	Good	Good	Multi-stemmed from base.	Low	150-450mm	Intermittent	20/11/2020	No Works	
T26	Sycamore (Acer pseudoplatanus)	2880	13m	350mm est	3m	Semi-mature	Good	Good						No Works	
T27	Sycamore (Acer pseudoplatanus)	2881	16m	500mm	N2m E4m S2m W3m	Semi-mature	Good	Good		Low	450-750mm	Constant	20/11/2020	No Works	
T28	Sycamore (Acer pseudoplatanus)	2882	15m	450mm	N2m E3m S1m W3m	Semi-mature	Good	Good	Small cavities forming at sites of previous pruning wounds; slightly leaning trunk to east.	Low	>750mm	Constant	20/11/2020	No Works	
T29	Sycamore (Acer pseudoplatanus)	2883	11m	650mm est	N2m E2.5m S1m W1m	Semi-mature	Good	Fair	Small cavities forming at sites of previous pruning wounds; slightly leaning trunk to east	Low	>750mm	Constant	20/11/2020	No Works	
T30	Sycamore (Acer pseudoplatanus)	2889	11m	350mm est	2m	Mature	Average	Good		Low	>750mm	Constant	20/11/2020	No Works	
T31	Mountain Ash (Sorbus aucuparia)	2928	4m	120mm	1m	Young	Good	Fair	Mechanical wounding on trunk. Poss mammal damage.	Low	<150mm	Intermittent	20/11/2020	No Works	
T32	Ash (Fraxinus excelsior)	2886	6m	150mm est	1.5m	Young	Good	Good		Low	<150mm	Occasional	20/11/2020	No Works	
T33	Sycamore (Acer pseudoplatanus)	2884	7m	250mm est	N2m E3m S2m W4m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Occasional	20/05/2016	Facilitative: Ivy Sever/remove ivy	
T34	Flowering cherry (Prunus sp.)	2885	6m	100mm	N3m E1.5m S0m W2m	Young	Good	Good		Low	<150mm	Occasional	20/11/2020	No Works	
T35	Field maple (Acer campestre)	2925	5m	180mm est	N1m E1.5m S1m W0m	Young	Good	Good		Low	<150mm	Intermittent	20/11/2020	No Works	
T36	Sycamore (Acer pseudoplatanus)	2887	8m	x3 stems 900mm ivy est	N3m E2m S3m W5m	Semi-mature	Good	Fair	Ivy-covered; multi-stemmed from base.	Low	>750mm	Occasional	20/11/2020	No Works	
T37	Sycamore (Acer pseudoplatanus)	2889	12m	500mm ivy est	3m	Semi-mature	Good	Fair	Cavity at base. West.	Low	>750mm	Constant	20/11/2020	6 Months Safety: Reduce crown(s) reduce height by 2 to 3m	6 Months
T38	Sycamore (Acer pseudoplatanus)	2891	15m	600mm est	N2m E3m S2m W3m	Semi-mature	Good	Good	Small cavities forming at sites of previous pruning wounds. Occluding.	Low	>750mm	Constant	20/11/2020	No Works	
T39	Sycamore (Acer pseudoplatanus)	2890	7m	600mm ivy est	N4m E0m S2m W6m	Semi-mature	Good	Good	Slightly leaning trunk. To west; ivy-covered.	Low	>750mm	Frequent	20/05/2016	By Next Insp. Facilitative: Re-inspect	
T40	Sycamore (Acer pseudoplatanus)	2892	10m	400mm ivy est	2m	Semi-mature	Good	Good	Heavily ivy-covered.	Low	>750mm	Frequent	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy	By Next Insp.
T41	Sycamore (Acer pseudoplatanus)	2894	6.5m	340mm ivy est	N2.5m E2m S1m W3m	Semi-mature	Good	Good	Heavily ivy-covered.	Low	450-750mm	Frequent	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy	By Next Insp.
T42	Common Hawthorn (Crataegus monogyna)	2893	5.5m	120mm ivy est	2m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Frequent	20/11/2020	No Works	
T43	Common Oak (Quercus robur)	2895	8m	280mm est	2.5m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Frequent	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy	By Next Insp.
T44	Sycamore (Acer pseudoplatanus)	2898	13m	800mm est	N2m E1m S2m W4m	Semi-mature	Good	Poor	Twin-stemmed from 1m; ivy-covered; tight compression fork with evidence of included bark.	Medium	>750mm	Frequent	20/05/2016	6 Months Arboricultural: RH: From ground level reduce west stem 3 to 4m, east by 2m.	6 Months
T45	Sycamore (Acer pseudoplatanus)	2899	14m	600mm ivy est	N2.5m E0m S2m W6m	Semi-mature	Good	Fair	Heavily ivy-covered; asymmetrical crown as suppressed by adjacent specimens; west stem poss lost leader. Ivy preventing view.	Medium	>750mm	Frequent	20/05/2016	6 Months Safety: Further inspection To look for decay and decide if western crown needs reduction.	6 Months
T46	Sycamore (Acer pseudoplatanus)	2901	5m	180mm est	1.5m	Young	Good	Good	Ivy-covered.	Low	150-450mm	Occasional	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy	By Next Insp.
T47	Ash (Fraxinus excelsior)	2897	7m	300mm est	N2m E3.5m S2m W2m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T48	Flowering cherry (Prunus sp.)	2902	7m	300mm est	N1.5m E2m S2m W1m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T49	Sycamore (Acer pseudoplatanus)	1923	15m	1000mm est	N4m E4m S3m W7m	Mature	Good	Good	Heavily ivy-covered; dead wood in crown.	Low	>750mm	Frequent	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy 6 Months Safety: DW	By Next Insp.
T50	Sycamore (Acer pseudoplatanus)	917	15m	600mm est	N2m E3m S2m W4m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Frequent	20/05/2016	By Next Insp. Facilitative: CI	By Next Insp.

T51	Sycamore (Acer pseudoplatanus)	2905	15m	1100mm est	N4m E3m S3m W6m	Mature	Good	Good	Ivy-covered; three stemmed from base; tight compression forks with evidence of included bark.	Low	>750mm	Frequent	20/05/2016	6 Months Safety: End weight reduction reduce western stem by 2m	
T52	Sycamore (Acer pseudoplatanus)		7m	300mm est	2m	Semi-mature	Good	Good	No tag.	Low	150-450mm	Constant	20/11/2020	No Works	
T53	Common Oak (Quercus robur)	2806	12m	600mm est	N4m E6m S6m W5m	Semi-mature	Good	Good	Slightly leaning trunk to east.	Low	>750mm	Constant	20/11/2020	No Works	
T54	Sycamore (Acer pseudoplatanus)		6m	300mm est	2m	Semi-mature	Average	Fair	Multi-stemmed from base; squirrel damage in crown.	Low	<150mm	Occasional	20/11/2020	Arboricultural: RB with squirrel damage	
T55	Ash (Fraxinus excelsior)		5m	100mm est	1.5m	Young	Poor	Good	cambium damaged. Ring barked.	Medium	150-450mm	Intermittent		Safety: Fell: Ground level	
T56	Sycamore (Acer pseudoplatanus)		10m	400mm est	N3m E2m S2m W3m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T57	Sycamore (Acer pseudoplatanus)	2910	13m	500mm ivy est	N3m E5m S3m W3m	Semi-mature	Good	Good	Heavily ivy-covered; asymmetrical crown as suppressed by adjacent specimens.	Low	450-750mm	Constant	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy Safety: Re-inspect	By Next Insp.
T58	Beech (Fagus sylvatica)	2917	9m	600mm est	N4m E6m S4m W3m	Semi-mature	Good	Good	Squirrel damage in crown; ivy-covered; asymmetrical crown as suppressed by adjacent specimens; many occluding pruning wounds on trunk.	Low	>750mm	Constant	20/11/2020	No Works	
T59	Sycamore (Acer pseudoplatanus)	2914	0m	560mm ivy est	3m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Frequent	20/05/2016	6 Months Facilitative: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T60	Sycamore (Acer pseudoplatanus)	2912	11m	1100mm est	N3m E3m S5m SW5m W6m NW5m	Semi-mature	Good	Good	Multi-stemmed from base; three stemmed from base; asymmetrical crown as suppressed by adjacent specimens.	Low	>750mm	Constant	20/11/2020	No Works	
T61	Sycamore (Acer pseudoplatanus)		10m	400mm est	N2.5m E1m S1m W6m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; no tag.	Low	450-750mm	Constant	20/11/2020	No Works	
T62	Sycamore (Acer pseudoplatanus)	2915	10m	400mm ivy est	N2m E1m S1m W5m	Semi-mature	Good	Fair	Twin stemmed from base; heavily ivy-covered.	Low	150-450mm	Frequent	20/05/2016	Facilitative: Re-inspect Facilitative: Ivy Sever/remove ivy	
T63	Sweet chestnut (Castanea sativa)	2916	7m	400mm est	N2m E3m S2m W2m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; significant tear-out wound in upper crown.	Low	<150mm	Frequent	20/11/2020	6 Months Safety: Reduce faulted limbs/stems reduce leaving in decayed section as habitat	6 Months
T64	Sycamore (Acer pseudoplatanus)	2918	9m	500mm	N3m E2m S2m W4m NW5m	Semi-mature	Good	Good	Multi-stemmed from base; asymmetrical crown as suppressed by adjacent specimens; ivy-covered; tight compression fork with evidence of included bark.	Medium	150-450mm	Frequent	20/05/2016	6 Months Facilitative: Ivy Sever/remove ivy Safety: Reduce faulted limbs/stems remove northern ingrown stem	6 Months
T65	Sycamore (Acer pseudoplatanus)	2919	11m	600mm ivy est	3m	Semi-mature	Good	Good	Multi-stemmed from base; ivy-covered.	Low	>750mm	Intermittent	20/05/2016	6 Months Facilitative: Ivy Sever/remove ivy	6 Months
T66	Sycamore (Acer pseudoplatanus)	2921	7m	380mm ivy est	N3m E0m S2m W5m	Semi-mature	Good	Good	Minor dead wood; ivy-covered.	Low	<150mm	Frequent	20/05/2016	6 Months Safety: DW 6 Months Facilitative: Ivy Sever/remove ivy	6 Months
T67	Sycamore (Acer pseudoplatanus)	2922	12m	400mm ivy est	N3m E2m S2m W2m NW3m	Semi-mature	Good	Good	Ivy-covered.	Low	450-750mm	Frequent	20/05/2016	6 Months Facilitative: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T68	Common Oak (Quercus robur)	188?	15m	900mm est	N7m NE7m E6m S7m W4m	Semi-mature	Good	Good	Many non-occluded pruning wounds on trunk; crown has been severely lifted in past.	Low	>750mm	Constant	20/11/2020	No Works	
T69	Sycamore (Acer pseudoplatanus)		14m	900mm est	N4m E7m S4m SW5m W4m NW5m	Semi-mature	Good	Good	Ivy-covered.	Low	>750mm	Constant	20/11/2020	No Works	
T70	Flowering cherry (Prunus sp.)		5m	300mm est	N2m E3m S2m W1m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T71	Common Oak (Quercus robur)		5m	200mm est	N1m E2m S2m W1m	Young	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T72	Common Oak (Quercus robur)		4.5m	240mm est	N1m E3m S3m W0m					Low	150-450mm	Frequent	20/11/2020	No Works	
T73	Mountain Ash (Sorbus aucuparia)		4m	100mm	N1m E1m S1m W1m	Semi-mature	Average	Fair	Cavity at base; mechanical wounding on trunk.	Medium	<150mm	Frequent	20/11/2020	No Works	
T74	Mountain Ash (Sorbus aucuparia)		3m	80mm	1m	Young		Poor	Above average dead wood in crown; evidence of root plate movement.	Medium	<150mm	Frequent	20/11/2020	1 Month Safety: Fell: Ground level	1 Month
T75	Sycamore (Acer pseudoplatanus)		11m	500mm est	N3m E1m S3m W4m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; heavily ivy-covered; multi-stemmed from base.	Low	450-750mm	Frequent	20/05/2016	By Next Insp. Facilitative: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	By Next Insp.

T76	Sycamore (Acer pseudoplatanus)		5m	x3 stems 300mm	N1m E0m S2m W3m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens.	Low	150-450mm	Frequent	20/11/2020	No Works	
T77	Sycamore (Acer pseudoplatanus)		4m	300mm est	N1m E0m S1m W3m	Young	Good	Good	Asymmetrical crown as suppressed by adjacent specimens.	Low	150-450mm	Frequent	20/11/2020	No Works	
T78	Sycamore (Acer pseudoplatanus)		5m	x3 stems 300mm	2m	Young	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T79	Sycamore (Acer pseudoplatanus)		14m	600mm est	N5m E3m S4m W3m	Semi-mature	Good	Good	Ivy-covered; minor dead wood.	Low	450-750mm	Frequent	20/05/2016	6 Months Facilitative: Re-inspect 6 Months Facilitative: Ivy Sever/remove ivy	6 Months
T80	Sycamore (Acer pseudoplatanus)		8m	x4 stems 400mm	N3m E2m S3m W5m	Semi-mature	Good	Good	Multi-stemmed from base; ivy-covered.	Low	150-450mm	Frequent	20/11/2020	No Works	
T81	Sycamore (Acer pseudoplatanus)		11m	500mm est	N3m E2m S3m W5m	Semi-mature	Good	Good	Minor dead wood; ivy-covered.	Low	450-750mm	Frequent	20/05/2016	6 Months Facilitative: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T82	Sycamore (Acer pseudoplatanus)		4m	300mm est	N2m E0m S3m W4m	Semi-mature	Good	Good	Mechanical wounding on trunk; slightly leaning trunk.	Low	150-450mm	Frequent	20/11/2020	No Works	
T83	Sycamore (Acer pseudoplatanus)		13m	500mm est	N2.5m E2m S2m W4m	Semi-mature	Good	Good	Ivy-covered; minor dead wood.	Low	450-750mm	Frequent	20/05/2016	Facilitative: Re-inspect Safety: Ivy Sever/remove ivy	
T84	Sycamore (Acer pseudoplatanus)		14m	540mm est	N3m E5m S4m W3m	Semi-mature	Good	Good	Slightly leaning trunk; much epicormic growth on trunk; major dead wood in crown over desire line.	Medium	<150mm	Frequent	20/11/2020	6 Months Safety: DW	6 Months
T85	Ash (Fraxinus excelsior)		5m	200mm est	N1.5m E3m S3m W1m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T86	Ash (Fraxinus excelsior)		5m	300mm est	N2m E3.5m S3m W1m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; crown overhangs adjacent building.	Low	150-450mm	Frequent	20/11/2020	6 Months Facilitative: CR 2m, to boundary	6 Months
T87	Flowering cherry (Prunus sp.)		4m	400mm est	N1m E4m S1m W1m	Semi-mature	Good	Good	Crown overhangs adjacent building; slightly leaning trunk; heavily shading no 8.	Low	150-450mm	Frequent		6 Months Facilitative: Fell	6 Months
T88	Common Oak (Quercus robur)		4m	340mm est	N3m E3m S1m W2m	Young	Good	Good		Low	150-450mm	Frequent		6 Months Facilitative: Fell	6 Months
T89	Field maple (Acer campestre)		4m	400mm est	2m	Semi-mature	Good	Good	previously reduced.	Low	150-450mm	Frequent	20/11/2020	No Works	
T90	Ash (Fraxinus excelsior)		4m	200mm est	1.5m	Young	Good	Good	Previously pruned.	Low	150-450mm	Frequent	20/11/2020	No Works	
T91	Field maple (Acer campestre)		4m	300mm est	N2.5m E2.5m S1m W2m	Semi-mature	Good	Good	Previously pruned.	Low	150-450mm	Frequent	20/11/2020	No Works	
T92	Field maple (Acer campestre)		4m	300mm est	N2m E2m S2m W1m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T93	Field maple (Acer campestre)		5m	340mm est	N3m E3m S2m W1m	Semi-mature	Good	Fair	Squirrel damage in crown.	Low	150-450mm	Frequent	20/11/2020	No Works	
T94	Ash (Fraxinus excelsior)		4m	300mm est	3m	Semi-mature	Good	Good		Low	150-450mm	Frequent	20/11/2020	No Works	
T95	Sycamore (Acer pseudoplatanus)		11m	400mm est	N2m E4m S2m W1m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; broken branches hung up in crown.	Medium	<150mm	Frequent	14/12/2020	Safety: Remove broken branch	
T96	Sycamore (Acer pseudoplatanus)		10m	400mm est	N2m E3m S1m W3m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens.	Low	150-450mm	Frequent	14/12/2020	No Works	
T97	Sycamore (Acer pseudoplatanus)		8m	x4 stems 280mm est	N3m E0m S2.5m W5m	Semi-mature	Good	Poor	Tight compression fork with evidence of included bark; multi-stemmed from base.	Medium	150-450mm	Frequent	14/12/2020	6 Months Safety: Remove western included stem over path	6 Months
T98	Sycamore (Acer pseudoplatanus)		11m	600mm ivy est	N4m E2m S3m W4m NW5m	Semi-mature	Good	Fair	Multi-stemmed from base; evidence of lost stem at base. Remaining union sufficient to prevent failure.	Low	150-450mm	Frequent	14/12/2020	6 Months Facilitative: Reduce lateral limbs to nrth west by 3m	6 Months
T99	Sycamore (Acer pseudoplatanus)		9m	260mm	2m	Semi-mature	Good	Good		Low	150-450mm	Frequent	14/12/2020	No Works	
T100	Sweet chestnut (Castanea sativa)		8m	340mm est	N2m E3m S2.5m W1m	Semi-mature	Good	Good	Slightly leaning trunk; minor dead wood.	Low	150-450mm	Occasional	14/12/2020	No Works	
T101	Sycamore (Acer pseudoplatanus)		15m	640mm	N2m E4m S3m W3m	Semi-mature	Average	Good	Much epicormic growth on trunk; squirrel damage in crown at 4m; mechanical wounding at base, poss mammal damage; exudations on trunk. Black, leaving white residue.	Low	<150mm	Frequent	14/06/2016	6 Months Safety: Remove damaged branch over rd at 4m	6 Months

T102	Sycamore (Acer pseudoplatanus)		15m	600mm est	N4m E6m S2m W5m NW6m	Semi-mature	Good	Good	Asymmetrical crown.	Low	450-750mm	Constant	14/12/2020	No Works	
T103	Sycamore (Acer pseudoplatanus)		9m	x3 stems 400mm est	N4m E2m S2m W7m	Semi-mature	Good	Fair	Multi-stemmed from base; ivy-covered; minor dead wood Loose in tree.	Medium	<150mm	Occasional	14/12/2020	6 Months Safety: DW	6 Months
T104	Common Oak (Quercus robur)		15m	660mm est	N3m NE4m E5m SE4m S2m W2.5m	Semi-mature	Good	Good	Slightly leaning trunk to west; minor dead wood over parking spaces; much epicormic growth on trunk; previous pruning wounds on large limb removal points, not occluding.	Low	<150mm	Constant	14/12/2020	6 Months Safety: DW	6 Months
T105	Sycamore (Acer pseudoplatanus)		7m	300mm est	2.5m	Semi-mature	Good	Good		Low	150-450mm	Intermittent	14/12/2020	No Works	
T106	Sycamore (Acer pseudoplatanus)		6m	320mm est	N2m E0m S3m W5m	Semi-mature	Good	Fair	Heavily leaning trunk; ivy-covered.	Low	150-450mm	Frequent	14/12/2020	No Works	
T107	Sycamore (Acer pseudoplatanus)		8m	240mm est	N2m E3m S2m W3m	Semi-mature	Good	Good	Minor dead wood.	Low	150-450mm	Intermittent	14/12/2020	No Works	
T108	Common Oak (Quercus robur)		10m	460mm	N1.5m E5m S2m W2m NW3m	Semi-mature	Good	Fair	Asymmetrical crown as suppressed by adjacent specimens; disproportionate growth to east.	Low	150-450mm	Frequent	14/12/2020	6 Months Arboricultural: Reduce lateral limbs to east by 3m.	6 Months
T109	Sycamore (Acer pseudoplatanus)		10m	440mm ivy	3m	Semi-mature	Good	Good	Small cavities forming at sites of previous pruning wounds.	Low	150-450mm	Frequent	14/12/2020	No Works	
T110	Sycamore (Acer pseudoplatanus)	827	10m	500mm est	N4m E0m S3m W5m	Semi-mature	Good	Good	Ivy-covered; asymmetrical crown as suppressed by adjacent specimens; minor dead wood.	Low	<150mm	Frequent		No Works	
T111	Sycamore (Acer pseudoplatanus)		8m	400mm est	N2m E0m S2m W5m	Semi-mature	Good	Good	Heavily leaning trunk; cavity at base. Insufficient tension rooting.	Medium	150-450mm	Frequent	14/12/2015	No Works	
T112	Sycamore (Acer pseudoplatanus)		9m	300mm ivy est	1.5m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Frequent	14/12/2020	No Works	
T113	Sycamore (Acer pseudoplatanus)		7m	360mm est	N2m E1m S1m W4m	Semi-mature	Good	Good	Heavily ivy-covered.	Low	150-450mm	Frequent	14/06/2016	6 Months Safety: Re-inspect Safety: CI	6 Months
T114	Sycamore (Acer pseudoplatanus)		6m	300mm est	N2m E0m S0m W2m NW4m	Semi-mature	Good	Good	Ivy-covered; slightly leaning trunk.	Low	150-450mm	Frequent	14/12/2020	No Works	
T115	Sycamore (Acer pseudoplatanus)		12m	400mm est	N0m E3m S3m W3m	Semi-mature	Good	Good	Broken branches hung up in crown; squirrel damage in crown.	Medium	<150mm	Frequent	14/12/2020	6 Months Safety: Remove broken branches	6 Months
T116	Sycamore (Acer pseudoplatanus)		14m	500mm ivy est	N2m E4m S4m W4m	Semi-mature	Good	Good		Low	450-750mm	Frequent	14/12/2020	No Works	
T117	Sweet chestnut (Castanea sativa)		10m	x2 stems 500mm est	N3m E5m S3m W0m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; slightly leaning trunks over rd; minor dead wood.	Low	450-750mm	Constant	14/12/2020	Safety: DW over rd	
T118	Sweet chestnut (Castanea sativa)		13m	500mm est	N4m E5m S2m W4m	Semi-mature	Good	Good	Minor dead wood.	Low	450-750mm	Constant	14/12/2020	No Works	
T119	Sycamore (Acer pseudoplatanus)		6m	220mm est	N2m E0m S0m W2m NW5m	Semi-mature	Good	Good	Heavily leaning trunk.	Low	150-450mm	Intermittent	14/12/2020	No Works	
T120	Sycamore (Acer pseudoplatanus)		8m	380mm ivy est	N2m E1m S1m W2m NW4m	Semi-mature	Good	Good	Slightly leaning trunk; ivy-covered.	Low	150-450mm	Frequent	14/12/2020	No Works	
T121	Sycamore (Acer pseudoplatanus)		7m	360mm ivy est	N3m E1m S2m W5m	Semi-mature	Good	Good	Heavily ivy-covered.	Low	150-450mm	Frequent	14/12/2020	6 Months Safety: Ivy Sever/remove ivy	6 Months
T122	Sycamore (Acer pseudoplatanus)		4m	x2 stems 260mm est	N2m E1m S1m W5m	Young	Good	Good		Low	<150mm	Frequent	14/12/2020	No Works	
T123	Sycamore (Acer pseudoplatanus)		11m	x2 stems 400mm est	N3m E3m S3m W5m	Semi-mature	Good	Good		Low	150-450mm	Frequent	14/12/2020	No Works	
T124	Sycamore (Acer pseudoplatanus)		6m	260mm est	N3m E2m S2m W3m	Semi-mature	Average	Fair	Broken branches hung up in crown.	Medium	150-450mm	Occasional	14/12/2020	6 Months Safety: RB broken	6 Months

T125	Flowering cherry (Prunus sp.)		5m	300mm est	N2m NE4m E4m S1m W0m	Mature	Good	Good	Heavily leaning trunk over rd.	Low	150-450mm	Frequent	14/12/2020	No Works	
T126	Sycamore (Acer pseudoplatanus)		4m	x2 stems 200mm ivy est	3m				Dead tree.	Medium	150-450mm	Frequent	14/12/2015	6 Months Safety: Fell	6 Months
T127	Sycamore (Acer pseudoplatanus)		10m	500mm ivy est	3m	Semi-mature	Average	Good	Small cavities forming at sites of previous pruning wounds; ivy-covered; epicormic growths At base.	Low	150-450mm	Constant	14/12/2020	No Works	
T128	Sycamore (Acer pseudoplatanus)		5m	300mm est	2.5m	Semi-mature	Good	Good		Low	150-450mm	Intermittent	14/12/2020	No Works	
T129	Sycamore (Acer pseudoplatanus)		7m	300mm est	3m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Frequent	14/12/2020	No Works	
T130	Sycamore (Acer pseudoplatanus)		7m	0mm ivy est	N2m E0m S2m W5m	Semi-mature	Good	Good	Ivy-covered.	Low	150-450mm	Frequent	14/12/2020	6 Months Safety: Ivy Sever/remove ivy	6 Months
T131	Sycamore (Acer pseudoplatanus)		12m	500mm est	N3m E2m S3m W7m	Semi-mature	Good	Good		Low	450-750mm	Frequent	14/12/2020	No Works	
T132	Sycamore (Acer pseudoplatanus)		10m	220mm est	2m	Semi-mature	Good	Good		Low	150-450mm	Intermittent	14/12/2020	No Works	
T133	Common lime (Tilia x europaea)		12m	700mm ivy est	N3m E4m S3m W3m	Semi-mature	Good	Fair	Much epicormic growth on trunk; minor dead wood; minor dead wood Over rd.	n/a	450-750mm	Constant	14/06/2016	Safety: DW over rd 6 Months Facilitative: RBS 6 Months Safety: Re-inspect	
T134	Sycamore (Acer pseudoplatanus)		10m	360mm est	N2m E3m S3m W3m	Semi-mature	Good	Good		Low	150-450mm	Frequent	14/12/2020	No Works	
T135	Common lime (Tilia x europaea)		12m	x4 stems 400mm	3m N3m E3m	Semi-mature	Good	Good	Tight compression forks with evidence of included bark. Typical of sp; epicormic growths; minor dead wood.	Medium	150-450mm	Constant	14/12/2020	No Works	
T136	Sycamore (Acer pseudoplatanus)		5m	300mm est	N2m E0m S2m W5m	Semi-mature	Good	Good		Low	150-450mm	Frequent	14/12/2020	No Works	
T137	Ash (Fraxinus excelsior)		6m	200mm est	N2m E3m S2m W0m	Young	Good	Good	Squirrel damage in crown.	Low	<150mm	Frequent	16/12/2020	No Works	
T138	Sycamore (Acer pseudoplatanus)		15m	700mm est	N6m NE4m E6m S2m W3.5m NW7m	Semi-mature	Good	Good	Slightly leaning trunk.	Low	450-750mm	Constant	16/12/2020	No Works	
T139	Sycamore (Acer pseudoplatanus)		10m	x4 stems 450mm est	N4m NE1m E3m S4m W4m NW5m	Semi-mature	Good	Fair	Ivy-covered; multi-stemmed from base; minor dead wood; small cavities forming at sites of previous pruning wounds.	Low	150-450mm	Frequent	16/12/2020	No Works	
T140	Sycamore (Acer pseudoplatanus)		12m	500mm ivy est	N4.5m E2m S3m SW5m W6m	Semi-mature	Good	Fair	Small cavities forming at sites of previous pruning wounds; heavily ivy-covered; large dead wood in crown , low risk.	Low		Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T141	Sycamore (Acer pseudoplatanus)		5m	300mm est	N2.5m E0m S3m SW6m W5m	Semi-mature	Good	Fair	Crossing limb 2m west crown.	Low	<150mm	Frequent	16/12/2020	Arboricultural: RB crossing	
T142	Sycamore (Acer pseudoplatanus)		8m	300mm est	N3m E0m S0m W3m NW4m	Semi-mature	Good	Poor	severe squirrel damage in crown.	Medium	150-450mm	Frequent	16/12/2020	6 Months Safety: Fell	6 Months
T143	Sycamore (Acer pseudoplatanus)	1485	9m	x3 stems 400mm est	N4m E1m S0m W5m NW7m	Semi-mature	Average	Poor	Lowest stem has multiple severe wounds; large deadwood in crown, low risk, low target.	Medium	150-450mm	Frequent	16/12/2020	6 Months Safety: RB lowest stem	6 Months
T144	Sycamore (Acer pseudoplatanus)		11m	400mm est	N3m E2m S2m W1.5m	Semi-mature	Good	Good		Low	150-450mm	Frequent	16/12/2020	No Works	
T145	Sycamore (Acer pseudoplatanus)		8m	340mm est	3m	Semi-mature	Good	Good		Low	150-450mm	Occasional	16/12/2020	No Works	
T146	Ash (Fraxinus excelsior)		6m	300mm est	N2m E2.5m SE3m W1m	Semi-mature	Good	Good		Low	150-450mm	Frequent	16/12/2020	No Works	
T147	Common Oak (Quercus robur)		6m	300mm est	N2m E4m SE4m S2m W0m	Semi-mature	Good	Good	Minor dead wood.	Low	150-450mm	Frequent	16/12/2020	No Works	
T148	Common Oak (Quercus robur)		12m	600mm est	N3m NE5m E7m SE6m S5m W2m	Semi-mature	Good	Good	Heavily leaning trunk; epicormic growth on main stem.	Low	450-750mm	Constant	16/12/2020	No Works	
T149	Downy birch (Betula pubescens)		5.5m	300mm est	2.5m	Semi-mature	Good	Good		Low	150-450mm	Frequent	16/12/2020	No Works	

T150	Common Hawthorn (Crataegus monogyna)		5m	300mm ivy est	N4m E2m S0m W1m	Semi-mature	Good	Good	Leaning over rd.	Low	150-450mm	Frequent	16/12/2020	No Works	
T151	Ash (Fraxinus excelsior)		5m	300mm est	N4m E2m S0m W2m	Young	Good	Good	Low over rd.	Medium	<150mm	Frequent	16/12/2020	6 Months Facilitative: CL 5: Above ground	6 Months
T152	Sycamore (Acer pseudoplatanus)		15m	x2 stems 800mm est	N5m E8m S5m W8m	Semi-mature	Good	Fair	Twin-stemmed from 1m; minor dead wood.					No Works	
T153	Sycamore (Acer pseudoplatanus)		4m	340mm est	N3m S2m W4m	Semi-mature	Good	Good		Low	150-450mm	Frequent	16/12/2020	No Works	
T154	Sycamore (Acer pseudoplatanus)		3m	300mm est	N1m S2m W4m	Young	Good	Poor	Large wound at base.	Medium	150-450mm	Frequent		6 Months Safety: Fell	6 Months
T155	Sycamore (Acer pseudoplatanus)		9m	400mm ivy est	N1m E3m S3m W1m	Semi-mature	Average	Fair			150-450mm	Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy	6 Months
T156	Sycamore (Acer pseudoplatanus)		6m	360mm	N2m E1m S2m W4m	Semi-mature	Good	Fair	Heavily ivy-covered.	Low	150-450mm	Frequent	16/12/2020	6 Months Safety: Ivy Sever/remove ivy	6 Months
T157	Sycamore (Acer pseudoplatanus)		6m	340mm ivy est	N1m E1m S1m W3m	Semi-mature	Good	Good	Multi-stemmed from base.	Low	150-450mm	Frequent	16/12/2020	No Works	
T158	Sycamore (Acer pseudoplatanus)		6m	300mm ivy est	N2m W2m	Semi-mature	Good	Good	Slightly leaning trunk; heavily ivy-covered.	Low		Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T159	Sycamore (Acer pseudoplatanus)		6m	360mm ivy est	N3m S2m W2m NW4m	Semi-mature	Good	Good	Slightly leaning trunk; heavily ivy-covered.	Low		Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy	6 Months
T160	Common Beech (Fagus sylvatica)		14m	900mm est	7m	Semi-mature	Good	Good	Crossing branches through crown; major deadwood through crown.	Medium	150-450mm	Frequent	16/12/2020	6 Months Arboricultural: CC 6 Months Safety: DW over rd	6 Months
T161	Ash (Fraxinus excelsior)		10m	460mm est	N3m E2m SE2m S0m W2m NW5m	Semi-mature	Good	Poor	Squirrel damage in crown; slightly leaning trunk; asymmetrical crown as suppressed by adjacent specimens.	Low	150-450mm	Occasional	16/12/2020	6 Months Safety: RB remove squirrel damaged nw limb at 4m	6 Months
T162	Sycamore (Acer pseudoplatanus)		9m	300mm ivy est	2m	Semi-mature	Good		Heavily ivy-covered.	Low	150-450mm	Occasional	16/12/2020	6 Months Safety: Ivy Sever/remove ivy	6 Months
T163	Sycamore (Acer pseudoplatanus)		9m	400mm ivy est	N1.5m E3m S2m W3m	Semi-mature	Good	Poor	Tight compression fork with evidence of included bark.	Low	150-450mm	Frequent	16/12/2020	No Works	
T164	Common Oak (Quercus robur)		8m	300mm est	N3m E4m S2m W0m	Semi-mature	Good	Fair	Slightly leaning trunk; recently crown lifted.	Low	150-450mm	Frequent	16/12/2020	No Works	
T165	Sycamore (Acer pseudoplatanus)		9m	x4 stems 400mm	NE3m E3m SE1m S1m SW4m NW3m	Semi-mature	Good	Hazardous	Heavily ivy-covered; tight compression forks with evidence of included bark; cavity at base.	Medium	150-450mm	Frequent		6 Months Safety: Fell: Ground level	6 Months
T166	Common Hawthorn (Crataegus monogyna)		8m	400mm ivy est	3m	Semi-mature	Good	Good	Heavily ivy-covered.	Low		Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T167	Sycamore (Acer pseudoplatanus)		8m	440mm ivy est	N3m E2m S2m W3m NW4m	Semi-mature	Good	Hazardous		Medium	450-750mm	Frequent		6 Months Safety: Fell	6 Months
T168	Sycamore (Acer pseudoplatanus)		8m	300mm ivy	N3m E1m S2m W5m	Semi-mature	Good		Heavily ivy-covered; slightly leaning trunk; asymmetrical crown as suppressed by adjacent specimens.	Low	150-450mm	Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T169	Sycamore (Acer pseudoplatanus)		11m	440mm ivy est	N1m E3m S4m W3m	Semi-mature	Good		Heavily ivy-covered.	Low	150-450mm	Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T170	Common lime (Tilia x europaea)		6m	200mm est	2m	Young	Good	Poor	Former coppice; twisted stems.	Low	150-450mm	Frequent	16/12/2020	6 Months Safety: Reduce faulted limbs/stems remove twisted stem	6 Months
T171	Ash (Fraxinus excelsior)		7m	300mm ivy est	N0m E2m S3m W2m NW3m	Semi-mature	Good	Fair	Heavily ivy-covered.	Low	150-450mm	Frequent	16/12/2020	6 Months Safety: Re-inspect 6 Months Safety: Ivy Sever/remove ivy	6 Months
T172	Sycamore (Acer pseudoplatanus)		7m	300mm ivy est	N3m E0m S0m W3m NW4m	Semi-mature	Good		Heavily ivy-covered; slightly leaning trunk.	Low	150-450mm	Intermittent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T173	Beech (Fagus sylvatica)		15m	900mm	N10m E2m S5m W6m NW4m	Semi-mature	Average	Poor	Ivy-covered; crown has been heavily reduced or "topped" in past; crown has been heavily reduced on east over rd; epicormic growth regrowth from pruning wounds; stem die back at branch removal sites.	Medium	150-450mm	Constant	16/06/2016	6 Months Safety: Re-inspect remove ivy ad do aerial inspection of primary stem wounds.	6 Months

T174	Common lime (Tilia x europaea)		12m	440mm est	3m	Semi-mature	Good	Good		Low	150-450mm	Constant	16/12/2020	No Works	
T175	Sycamore (Acer pseudoplatanus)		6m	x2 stems 240mm est	N3m E0m S1m W3m	Semi-mature	Good	Fair	Slightly leaning trunk; heavily ivy-covered.	Low	150-450mm	Intermittent	16/06/2016	6 Months Safety: Re-inspect 6 Months Safety: Ivy Sever/remove ivy	6 Months
T176	Sycamore (Acer pseudoplatanus)		5m	x4 stems 300mm est	N2m E0m SE2m S3m SW4m W4m	Semi-mature	Poor	Good	Dead stems.	Medium	150-450mm	Constant	16/06/2016	6 Months Facilitative: Fell: Ground level dead stems	6 Months
T177	Sycamore (Acer pseudoplatanus)		7m	340mm ivy est	2.5m	Semi-mature	Good		Heavily ivy-covered.	Low	150-450mm	Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
T178	Sycamore (Acer pseudoplatanus)		12m	440mm ivy est	N3m E2m S2m W5m NW4m	Semi-mature	Good	Good	Heavily ivy-covered.	Low	150-450mm	Constant	16/06/2016	6 Months Safety: Re-inspect 6 Months Safety: Ivy Sever/remove ivy	6 Months
T179	Common Oak (Quercus robur)	1436	14m	600mm est	N7m NE8m E7m S6m SW4m W6m NW2m	Semi-mature	Good	Good	Asymmetrical crown as suppressed by adjacent specimens; slightly leaning trunk; minor dead wood; minor dead wood Over rd.	Low	450-750mm	Constant	16/12/2020	6 Months Safety: DW over rd	6 Months
T180	Common Beech (Fagus sylvatica)		9m	440mm est	N5m E3m S0m W3m	Semi-mature	Good	Good	Minor dead wood.	Low	150-450mm	Constant	16/12/2020	No Works	
T181	Common Hawthorn (Crataegus monogyna)		4m	300mm est	N4m E3m S0m W2m	Semi-mature	Good	Fair	Cavity at base.	Low	150-450mm	Frequent	16/12/2020	No Works	
T182	Common Beech (Fagus sylvatica)		14m	540mm est	N2m E3m SE5m S5m W4m	Semi-mature	Good	Fair	Crown has been heavily reduced to north, away from rail line; minor dead wood Over rd; asymmetrical crown.	Low	450-750mm	Frequent	16/12/2020	6 Months Safety: DW	6 Months
T183	Sweet chestnut (Castanea sativa)		4m	340mm est	N3m E3m S1m W2.5m	Semi-mature	Good	Fair	Minor dead wood; atypical morphology at base; leans over railway.	Medium	150-450mm	Frequent	16/12/2020	6 Months Safety: CR: From trunk reduce to boundary with railway	6 Months
T184	Sycamore (Acer pseudoplatanus)		6m	x5 stems 300mm ivy est	3m	Semi-mature	Good		Heavily ivy-covered.	Low		Frequent	16/06/2016	6 Months Safety: Ivy Sever/remove ivy 6 Months Safety: Re-inspect	6 Months
G1	Sycamore (Acer pseudoplatanus)				2m	Semi-mature	Good	Poor	Former coppice; decay at base.	Low		Occasional	20/11/2020	No Works	
G2	Leyland cypress (X Cupressocyparis leylandii)				1.5m	Semi-mature	Average	Fair	forming screen between properties.	Low		n/a	20/11/2020	No Works	