

NOTE:
Where the new proposed abutment detail abut the existing flashings and outlet points there will be a requirement to adapt the proposed details to ensure a smooth transition so as not to compromise the capacity of the outlet points.
The proposed ridge detail will require additional lead work at each end and at the central roof turret to ensure complete water tightness.



- KEY:
- Continuous at Ridge
 - Continuous at Abutment
 - Mansafe Route
 - Smoke Detector

NOTES

This document and its design content is copyright © and is the property of Savills. It may not be reproduced without their expressed permission. It shall be read in conjunction with all other associated project information including models, specifications, schedules and related consultants drawings and documentation. Do not scale from this drawing unless for Planning purposes. Figured dimensions only are to be used. All dimensions must be checked on site by the Contractor prior to the commencement of any fabrication or building works. Immediately report any discrepancies, errors or omissions to Savills prior to the commencement of any fabrication or building works. If in doubt please ASK.

REVISIONS

REV	DESCRIPTION	BY	CHECK	DATE
1	Mansafe route added	CET	DWS	8-8-21

HEALTH, SAFETY & ENVIRONMENTAL INFO.

In addition to the hazard/risks normally associated with the types of work detailed on this drawing take note of the below. It is assumed that all works on this drawing will be carried out by a competent contractor working, where appropriate, to an appropriate method statement.

RED LIST	AMBER LIST	GREEN LIST

NORTH POINT, SCALE BARS & CDM 2015

Used to warn of significant design risks and site hazards

Used to avoid or prevent a particular action

Used to encourage a particular action

Used to convey some relevant CDM Information



PROJECT TITLE
455947_AURNDEL TOWN HALL
AURNDEL TOWN HALL, ARUNDEL

CLIENT
ARUNDEL TOWN COUNCIL

DRAWING TITLE
ROOF PLAN REV1

SCALES @ A2				INSTRUCTION _DWG_ REV	
1:50				455947_401	
WORK STAGE				ISSUE STATUS	
4-TECHNICAL DESIGN				INFORMATION/PLANNING	
DRAWN BY		CHECKED BY		DATE	
CET		DWS		AUG 2021	
BIM ISSUE REFERENCE					
AUR -SAV- - - -A-455947_401					

1 Jewry Street
Winchester
Hampshire
SO23 8RZ
t: 01962 857413
f: 01962 857401
w: www.savills.co.uk

RIBA
Chartered Practice

Exchange House,
Petworth,
West Sussex,
GU28 0BF
t: 01798 345980
f: 01798 345998
w: www.savills.co.uk