

Julie Grieves

From: Anita Gardner
Sent: 27 April 2012 09:01
To: Planning.Responses
Subject: FW: AB/36/12/DOC and AB/47/12/DOC- Arundel Museum Site

From: Ian Brewster
Sent: 26 April 2012 15:41
To: Anita Gardner
Subject: RE: AB/36/12/DOC and AB/47/12/DOC- Arundel Museum Site

Mondays meeting with the site manager and archaeologist revealed those trees to be protected, and in particular the mature Horse Chestnut, to be suitable provided for in accordance with the plan and BS5837 (2005).

I note that the agreed removal of trees and planning proposals were granted prior to my becoming involved at this late stage.

Ian

From: Anita Gardner
Sent: 26 April 2012 13:52
To: Ian Brewster
Subject: RE: AB/36/12/DOC and AB/47/12/DOC- Arundel Museum Site

Ian,
There isn't a condition specifically relating to trees, but the plan drawing no.2353/100B indicates root protection zones.
Anita

From: Ian Brewster
Sent: 26 April 2012 11:59
To: Anita Gardner
Subject: RE: AB/36/12/DOC and AB/47/12/DOC- Arundel Museum Site

Hi Anita,

I can't seem to locate the Planning Condition relevant to trees. Are you able to provide me with a working link?

Thanks

Ian

From: Anita Gardner
Sent: 26 April 2012 10:58
To: Ian Brewster
Subject: AB/36/12/DOC and AB/47/12/DOC- Arundel Museum Site

Ian,

I believe you met on site earlier this week with the County Archaeologist and agreed the trial pits in relation to RPZs. Please can you let me have confirmation in writing to advise if the conditions which include the root protection plan can be discharged.

30/04/2012

Thanks
Anita

[Anita Gardner](#) | Principal Planner, Planning Department, [Arun District Council](#) | Location: First Floor, Arun Civic Centre,
Maltravers Road, Littlehampton, BN17 5LF

Internal: 37529 | External: +44 (0) 1903 737529 | E-mail: anita.gardner@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.