

From: James Smith
Sent: 08 May 2013 10:53
To: 'Charlene Skinner'
Subject: RE: Lloyd's Arundel

Dear Charlene

Many apologies in the delay in getting back to you, the revisions look like they would be more suited to Arundel, particularly dropping the illumination from the lettering and going with external illumination for the projecting sign.

I would add that the lamps used for the illumination would have to be of a high quality design and appearance that would be in keeping with the historic nature of the area. If this is done then I feel that the main issues identified with the previous application would be addressed, although please appreciate that this information is provided as an opinion and cannot in any way prejudice the ultimate decision reached on any application submitted, which will of course be considered on its own merits, and any representations received from interested persons would be taken into consideration.

I hope that has explained everything fully, please let me know if there is anything else I can help with, I will make sure I come back with a speedier response.

Yours Sincerely

James

James McLean Smith | Planner (East Team), Strategic & Environmental Services, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37761 | External: +44 (0) 1903 737761 | E-mail: james.smith@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk Save the environment - think before you print.

From: Charlene Skinner [redacted]
Sent: 23 April 2013 15:03
To: James Smith
Cc: Sarah Wehrle
Subject: Lloyd's Arundel

Dear James,

Following your recent email to my colleague Sarah Wehrle please find attached our revised design drawing for the signage proposed at Arundel which we hope is more acceptable.

If you could let us know by return should this be suitable or if changes are to be made that would be greatly appreciated.

Many thanks for your help in advance

Kind Regards

Charlene Skinner
Sales Secretary
Blaze Neon Ltd

[redacted]

From: James Smith [mailto:James.Smith@arun.gov.uk]
Sent: 18 April 2013 12:10
To: Sarah Wehrle
Subject: RE: Lloyds Bank's - Rustington & Arundel

Dear Sarah

Apologies for the muddle up with the subject line of the E-mail, the Rustington app has indeed got the thumbs up. With regards to Arundel, it's the internal illumination that is the main hurdle. If there is to be any kind of illumination it would have to be externally lit, in a manner that is sympathetic with its surroundings. This doesn't apply to the ATM surround which, I understand, is already lit internally. Would be happy to talk over any ideas you have with my team leader so that we can come up with something that works.

Thanks

James

[redacted]

This e-mail and any attached files are confidential and for the use of the intended recipient(s) only. If you have received it in error please notify the sender immediately and then delete the message from your system. Any copying, distribution or disclosure of its contents is strictly prohibited

ARUN DISTRICT COUNCIL AB/48/13/A

Please consider the environment before printing this email. We have committed to minimizing CO2 emissions by using the governments planning portal.

