

From: Amanda Scholes on behalf of Planning.Responses
Sent: 01 December 2020 10:59
To: Planning Scanning
Subject: FW: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Extension of Time

Amanda Scholes | Receptionist, Department, [Arun District Council](#) | Location: Ground Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37736 | External: +44 (0) 1903 737500 ext 37736 | E-mail: amanda.scholes@arun.gov.uk



Visit Arun's web site at [Error! Hyperlink reference not valid.](#)



Save the environment - think before you print.

From: Anita Gardner <Anita.Gardner@arun.gov.uk>
Sent: 01 December 2020 10:31
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Subject: FW: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Extension of Time

Please scan as correspondence with agent re time limit of permission

Anita Gardner
Principal Planning Officer,
Directorate of Place

T: 01903 737529
E: anita.gardner@arun.gov.uk



Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Sign up to our newsletter [here](#)



From: Anita Gardner
Sent: 01 December 2020 10:29
To: Pendry, Glenn [REDACTED]
Subject: RE: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Extension of Time

Dear Glen,

Thank you for your e-mail regarding the above site. I apologise that I did not reply to your earlier e-mail sooner.

I write to confirm that in accordance with the Business and Planning Act 2020, the time limit for Implementing planning permission (AB/60/17/PL) is automatically extended to 1st May 2021.

I trust this gives you the certainty that you are seeking.

This e-mail will be scanned against the planning application.

Regards

Anita

Anita Gardner
Principal Planning Officer,
Directorate of Place

T: 01903 737529

E: anita.gardner@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk



Sign up to our newsletter [here](#)



From: Pendry, Glenn [REDACTED]
Sent: 01 December 2020 08:38
To: Anita Gardner <Anita.Gardner@arun.gov.uk>
Cc: 'Lynnette St quintin' [REDACTED]
Subject: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Extension of Time

Good morning Anita,

I hope you're well?

Just following up on my of e-mails below, are you able to provide an update for my client in relation to the extension of time?

I look forward to hearing back from you at your earliest convenience.


Many thanks.

Kind regards,

Glenn Pendry
Senior Technical & Engineering Manager BSc(Hons) ICIQB MIHE
BDW Southern Counties
(A Division of BDW Trading Limited)



BDW House, Walnut Tree Close, Guildford, Surrey, GU1 4SW



From: Pendry, Glenn
Sent: 30 October 2020 08:24
To: 'Anita Gardner' <Anita.Gardner@arun.gov.uk>
Cc: 'Lynnette St quintin' <[REDACTED]>
Subject: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Extension of Time

Good morning Anita,

I hope you're well?

Following on from our exchange of e-mails below and following the recent receipt of the final approvals to the planning conditions, are you able to provide an update for my client in relation to the extension of time?

I look forward to hearing back from you at your earliest convenience.

Many thanks.

Kind regards,


Glenn Pendry
Senior Technical & Engineering Manager BSc(Hons) ICIQB MIHE
BDW Southern Counties
(A Division of BDW Trading Limited)



BDW House, Walnut Tree Close, Guildford, Surrey, GU1 4SW



From: Anita Gardner <Anita.Gardner@arun.gov.uk>
Sent: 24 August 2020 13:28
To: Pendry, Glenn [REDACTED]
Subject: *EXTERNAL: FW: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Conditions 4 & 8



EXTERNAL EMAIL WARNING

Please do not click on LINKS or ATTACHMENTS where you are unsure of its origin. In such cases delete the email.

Dear Glenn,

Please see the response below from County Highways. I await your response and amendments/clarification.

With regard to extensions of time periods I am advised changes have been discussed but no decisions taken so I am still not entirely sure what the process will be. What is your understanding?

Regards
Anita

Anita Gardner
Principal Planning Officer,
Directorate of Place



T: 01903 737529
E: anita.gardner@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Sign up to our newsletter [here](#)



From: Ian Hayward <[REDACTED]>
Sent: 24 August 2020 12:11
To: Anita Gardner <Anita.Gardner@arun.gov.uk>
Cc: Stephen Garrard <[REDACTED]>
Subject: RE: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Conditions 4 & 8

Condition 4 – Construction Plant and Materials

As per, and adding to Stephens comments 30th July WSCC. Parking by contractors can naturally take place on street while taking into consideration any existing traffic regulation orders. However it is not advised that a specific area for this is marked on discharge of condition plan. This is because the roads status as public highway is secured by statute and thus should be free for use by all. It would also restrict contractors to only parking in those specific locations when they may not be free.

This could be mitigated by way of a temporary traffic regulation order, but the applicant does not seem to be proposing this.

It would be better if a statement was made similar to “Due to the constraints of the site contractors will be required to park on street in a safe and considerate location. Any such parking must take into consideration any existing traffic regulation orders.

If clarification can be made with the applicant on this matter I can advise further if needed.

Similarly with materials storage, typically we try and avoid this if possible but it can be permitted with the appropriate licence agreement from WSCC Highways. Please can the applicant confirm if they do wish to store materials on the highway and I will enquire with the area office if ‘in principle’ such a licence would be forthcoming in such a location.

Condition 8 - Access

Am I right in thinking they have not submitted any plans that show a reduced width crossover at 6.4m wide? I can’t see such plans on the Arun Planning Portal or on the email string. The latest seems to be Plan 101A as attached to one of Glenns emails.

Glenn seems to be asking if a crossover width of 9.6 metres would be acceptable. I can see the logic behind this as it would allow for convenient access to the garage spaces and hardstanding for 74 and 76 Canada Road and allow for access to the proposed parking spaces for the new dwelling. To my mind a 6.4m wide crossover may limit accessibility for some of the spaces, though its difficult to say this with any certainty as that has not been demonstrated to date.

Our area office are resistant in granting licence application grater than 6.4 metres in width due to the loss of on street car parking provision. I think the only way forward is to present to the area office a plan that shows how a 6.4m wide crossover is not workable. I.e. showing a 6.4 crossover where it is then clear that vehicles accessing the new parking spaces will be required to bump the kerb in order to access the approved parking spaces. A similar plan showing a 9.6 metre wide crossover or greater can then be provided to show the minimum width required to provide a workable solution. This will then be materially different to what we have presented to the area office with to date to provide us a view on.

Are you able to pass these comments to Glenn, happy for him to call me to discuss if needed.

Thanks

Ian Hayward
Planning Services

From: Anita Gardner

Sent: 21 August 2020 12:24

To: [REDACTED]
Subject: FW: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Conditions 4 & 8
Importance: High

Hi Stephen,

Can you let me have your comments in relation to the latest e-mail from the agent below by the beginning of next week please?

Thanks

Anita

Anita Gardner
Principal Planning Officer,
Directorate of Place

T: 01903 737529

E: anita.gardner@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk



Sign up to our newsletter [here](#)



From: Pendry, Glenn [REDACTED]

Sent: 19 August 2020 12:57

To: [REDACTED]
Cc: Anita Gardner <Anita.Gardner@arun.gov.uk>; Juan Baeza <Juan.Baeza@arun.gov.uk>; Lynnette St quintin [REDACTED]

Subject: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Conditions 4 & 8
Importance: High

Afternoon Stephen,

Just catching up on my e-mails following my return from annual leave and wondered whether you have had an opportunity to review my e-mail from the 6th August in order that I can ensure the details are updated accordingly?

I thank you for your time and support in this regard and look forward to hearing back from you.

Many thanks.

Kind regards,

Glenn Pendry
Senior Technical & Engineering Manager BSc(Hons) ICIQB MIHE
BDW Southern Counties
(A Division of BDW Trading Limited)



BDW House, Walnut Tree Close, Guildford, Surrey, GU1 4SW



From: Pendry, Glenn

Sent: 06 August 2020 09:25

To: [Redacted]

Cc: Anita Gardner <Anita.Gardner@arun.gov.uk>; 'Juan Baeza' <Juan.Baeza@arun.gov.uk>; 'Lynnette St quintin' <Lynnette.Stquintin@arun.gov.uk>

Subject: AB/63/20/DOC 74-76 Canada Road, Arundel, West Sussex BN18 9HY - Planning Conditions 4 & 8

Good morning Stephen,

I have been passed your details by the Planning Dept. in relation to the above and hope you don't mind me making contact direct in relation to the recent comments received in connections with Conditions 4 and 8 as attached to the above permission?

As I understand Anita is now on leave until the 18/08/20, and in order to mitigate any delays with regard to seeking approval to the conditions above, I wondered whether you would be able to provide comments in relation to my response/s to the points previous raised as per the attached?

I thank you for your time and continued support in relation to this single self-build dwelling and look forward to hearing back from you at your earliest convenience.


Many thanks.

Kind regards,

Glenn Pendry
Senior Technical & Engineering Manager BSc(Hons) ICIQB MIHE
BDW Southern Counties
(A Division of BDW Trading Limited)



BDW House, Walnut Tree Close, Guildford, Surrey, GU1 4SW



The sender of this e-mail is a member of the Barratt Developments PLC group of companies, the ultimate parent of which is Barratt Developments PLC (company number 00604574). Barratt Developments PLC is registered in England and Wales with its registered office at Barratt House, Cartwright Way, Forest Business Park, Bardon Hill, Coalville, Leicestershire LE67 1UF, together with its principal subsidiaries BDW Trading Limited (03018173), and Wilson Bowden Developments Limited (00948402). Barratt Homes, Barratt London and David Wilson Homes are trading names of BDW Trading Limited. This e-mail message is meant only for use by the intended addressee and may contain privileged and/or confidential information. If you have received this message in error please notify us and

remove it from your system. Please view our 'Email Addendum v2.0' at <http://www.barrattcommercialsupport.co.uk/barratt-developments-plc-email-a> for further details.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

The sender of this e-mail is a member of the Barratt Developments PLC group of companies, the ultimate parent of which is Barratt Developments PLC (company number 00604574). Barratt Developments PLC is registered in England and Wales with its registered office at Barratt House, Cartwright Way, Forest Business Park, Bardon Hill, Coalville, Leicestershire LE67 1UF, together with its principal subsidiaries BDW Trading Limited (03018173), and Wilson Bowden Developments Limited (00948402). Barratt Homes, Barratt London and David Wilson Homes are trading names of BDW Trading Limited. This e-mail message is meant only for use by the intended addressee and may contain privileged and/or confidential information. If you have received this message in error please notify us and remove it from your system. Please view our 'Email Addendum v2.0' at <http://www.barrattcommercialsupport.co.uk/barratt-developments-plc-email-a> for further details.