

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Southern Water Services Limited + Property Type: Sewerage Network - Pumping Station - Water Company Location: Surrey Wharf Wastewater Ps, Surrey Wharf, Arundel, West Sussex, Bn18 9dw Authority: Environment Agency, Southern Region Reference: A01260 Effective Date: 17th October 2006 Issued Date: 17th October 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tidal River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	162	1	501560 106860
1	Discharge Consents Operator: Southern Water Services Limited + Property Type: Sewerage Network - Pumping Station - Water Company Location: Surrey Wharf Wastewater Ps, Surrey Wharf, Arundel, West Sussex, Bn18 9dw Authority: Environment Agency, Southern Region Reference: A01260 Effective Date: 17th October 2006 Issued Date: 17th October 2006 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Freshwater Stream/River Receiving Water: Tidal River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	162	1	501560 106860
2	Discharge Consents Operator: Southern Water Services Ltd Property Type: Sewerage Network - Pumping Station - Water Company Location: Cso At Town Quay Ps Arundel Town Quay Ps, High Street, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: A00860 Effective Date: 10th October 2001 Issued Date: 10th October 2001 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Freshwater Stream/River Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13NE (E)	182	1	501920 107010
2	Discharge Consents Operator: Southern Water Services Ltd Property Type: Sewerage Network - Pumping Station - Water Company Location: Town Quay Pumping Station, High Street, Arundel, Sussex, Bn16 9ad Authority: Environment Agency, Southern Region Reference: A00833 Effective Date: 20th September 2002 Issued Date: 20th September 2002 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13NE (E)	191	1	501930 107000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR	
3	Discharge Consents Operator: Southern Water Services Ltd Property Type: Sewerage Network - Sewers - Water Company Location: 50 Fitzalan Rd, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00998 Permit Version: 1 Effective Date: 13th July 2001 Issued Date: 13th July 2001 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	226	1		501510 106820
3	Discharge Consents Operator: Southern Water Services Ltd Property Type: Sewerage Network - Pumping Station - Water Company Location: Fitzalan Road Pumping Station, Fitzalan Road, Arundel, Sussex, BN18 9JP Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: A00835 Permit Version: 1 Effective Date: 20th September 2002 Issued Date: 20th September 2002 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	233	1		501510 106810
4	Discharge Consents Operator: West Sussex County Council Property Type: Undeveloped Or Other Location: Arundel Relief Road A27 & A284, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: N01416 Permit Version: 1 Effective Date: 29th March 1974 Issued Date: 29th March 1974 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Lapsed (under Environment Act 1985, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A13SW (W)	289	1		501400 106900
5	Discharge Consents Operator: Arundel Lido Property Type: Recreational & Cultural Location: Fitzalan Swimming Pool, Queen Street, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: N01421 Permit Version: 2 Effective Date: 17th July 1996 Issued Date: 17th July 1996 Revocation Date: Not Supplied Discharge Type: Discharge Of Other Matter-Swimming Pool Contents Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A14SW (E)	388	1		502120 106910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Discharge Consents Operator: Arun District Council Property Type: Recreational & Cultural Location: Fitzalan Swimming Pool, Queen Street, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: N01421 Permit Version: 1 Effective Date: 29th March 1974 Issued Date: 28th March 1974 Revocation Date: 17th July 1996 Discharge Type: Discharge Of Other Matter-Swimming Pool Contents Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: Located by supplier to within 10m Discharge Consents Operator: West Sussex County Council Property Type: Undefined Or Other Location: Arundel Relief Rd, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02030 Permit Version: 1 Effective Date: 15th October 1971 Issued Date: 15th October 1971 Revocation Date: 20th March 1996 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989	A14SW (E)	388	1	106910
6	Discharge Consents Operator: West Sussex County Council Property Type: Undefined Or Other Location: Arundel Relief Rd, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02030 Permit Version: 1 Effective Date: 15th October 1971 Issued Date: 15th October 1971 Revocation Date: 20th March 1996 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989	A12SE (SW)	426	1	106780
7	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Sewers - Water Company Location: 118 Fitzalan Rd, Arundel, Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00999 Permit Version: 1 Effective Date: 13th July 2001 Issued Date: 13th July 2001 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989	A7NE (SW)	480	1	106610
8	Discharge Consents Operator: Mr Darren Smith Property Type: Fish Farm Location: Chalk Spring Fisheries, Park Bottom, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: P06714 Permit Version: 1 Effective Date: 8th July 1997 Issued Date: 8th July 1997 Revocation Date: Not Supplied Discharge Type: Discharge Of Other Matter-Fish Farm Discharge: Freshwater Stream/River Receiving Water: Unnamed Trib Of River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A12NE (NW)	518	1	107240



Agency & Hydrological

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: Roy Grant Esq Property Type: Domestic Property (Single) Location: Portreves Acre, Arundel Authority: Environment Agency, Southern Region Reference: S02703 Permit Version: 1 Effective Date: 23rd March 1983 Issued Date: 23rd March 1983 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: Free National Rivers Authority Legislation where issue date < 01/09/1989 Discharge Consents Operator: R Grant Property Type: Recreational & Cultural Location: Swimming Pool, Portreves Acres, Station Road, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: S02145 Permit Version: 1 Effective Date: 26th January 1973 Issued Date: 26th January 1973 Revocation Date: 28th February 1997 Discharge Type: Discharge Of Other Matter-Swimming Pool Contents Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989	A14SW (E)	538	1	502240 106780
10	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Pumping Station - Water Company Location: Arundel Pumping Station Rear Of Arun Terrace, Ford Road, Arundel, West Sussex, Bn18 9eg Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 2 Effective Date: 7th September 1995 Issued Date: 7th September 1995 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Saline Estuary Receiving Water: Tidal Waters Of River Arun Status: Post National Rivers Authority Legislation where issue date > 31/08/1989	A7NE (SE)	566	1	502250 106730
11	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Pumping Station - Water Company Location: Arundel Pumping Station, Arundel P.S. Storm Overflow, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 1 Effective Date: 1st April 1991 Issued Date: 1st April 1991 Revocation Date: 7th September 1995 Discharge Type: Unknown Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Post National Rivers Authority Legislation where issue date > 31/08/1989	A7NE (SW)	600	1	501280 106520
11	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Pumping Station - Water Company Location: Arundel Pumping Station, Arundel P.S. Storm Overflow, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 1 Effective Date: 1st April 1991 Issued Date: 1st April 1991 Revocation Date: 7th September 1995 Discharge Type: Unknown Discharge: Saline Estuary Receiving Water: Saline Estuary Status: Post National Rivers Authority Legislation where issue date > 31/08/1989	A7NE (SW)	600	1	501280 106520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Pumping Station - Water Company Location: Arundel Pumping Station, Arundel P.S. Storm Overflow, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 1 Effective Date: 1st April 1991 Issued Date: 1st April 1991 Revocation Date: 7th September 1995 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Environment: Saline Estuary Receiving Water: Saline Estuary Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	600	1	501280 106520
11	Discharge Consents Operator: James Perford Limited Property Type: Undefined Or Other Location: Tortington Iron Works, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: S01867 Permit Version: 1 Effective Date: 11th December 1969 Issued Date: 11th December 1969 Revocation Date: 31st March 1997 Discharge Type: Unknown Environment: Saline Estuary Receiving Water: Saline Estuary Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	628	1	501250 106510
11	Discharge Consents Operator: James Perford Limited Property Type: Undefined Or Other Location: Tortington Iron Works, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: S01867 Permit Version: 1 Effective Date: 11th December 1969 Issued Date: 11th December 1969 Revocation Date: 31st March 1997 Discharge Type: Unknown Environment: Saline Estuary Receiving Water: Saline Estuary Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A7NE (SW)			501230 106520
12	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewerage Network - Pumping Station - Water Company Location: Arundel Pumping Station Rear Of Arun Terrace, Ford Road, Arundel, West Sussex, Bm15 9eg Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 2 Effective Date: 7th September 1995 Issued Date: 7th September 1995 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Environment: Saline Estuary Receiving Water: Tidal Waters Of River Arun Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	659	1	501260 106460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR	
12	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewage Disposal Works - Water Company Location: Arundel Stw Final, Arundel Sewage Disposal Works, Arundel, West Sussex, Bn18 9eb Authority: Environment Agency, Southern Region Reference: W00440 Permit Version: 1 Effective Date: 26th May 1980 Issued Date: 26th May 1980 Revocation Date: 20th March 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	659		1	501260 106460
12	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewage Pumping Station - Pumping Station - Water Company Location: Arundel Pumping Station, Arundel P.S. Storm Overflow, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: D00019 Permit Version: 1 Effective Date: 1st April 1991 Issued Date: 1st April 1991 Revocation Date: 7th September 1995 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	659		1	501260 106460
12	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewage Disposal Works - Water Company Location: Arundel Stw Final, Arundel Sewage Disposal Works, Arundel, West Sussex, Bn18 9eb Authority: Environment Agency, Southern Region Reference: W00440 Permit Version: 1 Effective Date: 26th May 1980 Issued Date: 26th May 1980 Revocation Date: 20th March 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	659		1	501260 106460
13	Discharge Consents Operator: West Sussex County Council Property Type: Undefined Or Other Location: Arundel Reffer Rd, Arundel, West Sussex Authority: Environment Agency, Southern Region Reference: S02030 Permit Version: 1 Effective Date: 15th October 1971 Issued Date: 15th October 1971 Revocation Date: 20th March 1996 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	684		1	502290 106560
14	Discharge Consents Operator: Mr A Pyant Property Type: Domestic Property (Single) Location: Arundel Lawn Tennis Club, Arundel Lawn Tennis Club, Off Mill Road, Arundel, West Sussex, Bn18 9pa Authority: Environment Agency, Southern Region Reference: P12257 Permit Version: 1 Effective Date: 19th January 2005 Issued Date: 19th January 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Ditch To River Arun Receiving Water: Ditch To River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	696		1	502300 107410

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	Discharge Consents Operator: Norfolk Trustees Limited Property Type: Domestic Property (Single) Location: Swanbourne Home Farmhouse, Mill Road, Arundel, West Sussex, Bn18 9jh Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: Eprp3727ga Permit Version: 1 Effective Date: 30th June 2010 Issued Date: 30th June 2010 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Receiving Water: Trib Of The River Arun Status: New Issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m Discharge Consents Operator: East Of Arundel & J H M Glover Property Type: Fish Farm Location: Chalk Spring Fisheries, Park Bottom, Arundel, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P06714 Permit Version: 2 Effective Date: 1st April 1999 Issued Date: 1st April 1999 Revocation Date: Not Supplied Discharge Type: Discharge Of Other Matter-Fish Farm Discharge: Freshwater Stream/River Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18NE (N)	732	1	501849 107730
16	Discharge Consents Operator: Mr & Mrs Haines Property Type: Domestic Property (Single) Location: Priory Farm, Arundel Priory Farm, Station Road, Arundel, West Sussex, Bn18 9jl Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: P12146 Permit Version: 1 Effective Date: 16th July 2004 Issued Date: 16th July 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Receiving Water: River Arun Via On-line Ponds Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	950	1	502440 106320
17	Discharge Consents Operator: Norfolk Trustees Limited Property Type: Snack Bars, Cafes Etc. Location: Swanbourne Lodge Stp Swanbourne Lodge, Mill Road, Arundel, West Sussex, Bn18 9pa Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: Eprp3522xp Permit Version: 1 Effective Date: 1st October 2010 Issued Date: 1st October 2010 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Receiving Water: Trib Of River Arun Status: New Issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18NE (N)	967	1	501890 107962

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	Local Authority Pollution Prevention and Controls Name: McCarthy & StoneCastle Service Station Queen Street, ARUNDEL, West Sussex, BN18 9JG Arun District Council, Environmental Health Department Pvt/7/98 Dated: 1st October 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorisation revoked/Revoked Positional Accuracy: Automatically positioned to the address	A13SE (E)	274	2	502005 106918
	Nearest Surface Water Feature	A13SE (S)	23	-	501715 106921
20	Pollution Incidents to Controlled Waters Property Type: Foul Sewer Location: River Arun, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Sewage Discharge To River Arun Incident Date: 14th May 1997 Incident Reference: 2147 Catchment Area: Not Given Receiving Water: P/c Sewage Other Cause of Incident: P/c Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SE (E)	165	1	501900 106950
20	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (including Agricultural) Note: Covered in Petrol (Arun) Queen Street Bridge; Incident Date: 17th May 1998 Incident Reference: 2592 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SE (SE)	178	1	501900 106900
21	Pollution Incidents to Controlled Waters Property Type: WSC Sewage, Sewerage & Supply Location: Opposite 29 Mount Pleasant Rd, ARUNDEL, West Sussex Authority: Environment Agency, Southern Region Pollutant: General Biodegradable : Crude Sewage & Sewerage Material Note: Not Supplied Incident Date: 18th November 1999 Incident Reference: 3564 Catchment Area: Arun Receiving Water: Potential River Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Approximate location provided by supplier	A13NE (NE)	249	1	501890 107200
22	Pollution Incidents to Controlled Waters Property Type: Boats/Ships Location: Tidal Arun At Arundel Old Bridge Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (including Agricultural) Note: Sunken Boat Leaking Diesel Into Tidal Arun Incident Date: 2nd November 1993 Incident Reference: 764 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (E)	261	1	502000 107000
23	Pollution Incidents to Controlled Waters Property Type: Transport, Storage, Communications Location: A27 ROADBRIDGE OVER THE RIVER ARUN Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Lubricating Oils Note: Not Supplied Incident Date: 3rd September 1999 Incident Reference: 2595 Catchment Area: Arun Receiving Water: Potential River Cause of Incident: Deliberate Action Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	282	1	501480 106770

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Pollution Incidents to Controlled Waters Property Type: Not Given Location: ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Unknown Note: Dead Fish Seen On Arun At Arundel On O/G Tidal Flow Incident Date: 22nd January 1992 Incident Reference: 261 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m Pollution Incidents to Controlled Waters Property Type: Construction Location: Arundel Bowling Club Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Black Smelly Ditch Killing Off Bowling Green Grass Incident Date: 29th July 1998 Incident Reference: 2704 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leaking Tank Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	417	1	501300 106800
25	Pollution Incidents to Controlled Waters Property Type: Other Transport Location: Tributary To River Arun, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Organic Wastes: Other Note: Stage Liquor In Stream; Road (Road Traffic Accident) Incident Date: 3rd June 1996 Incident Reference: 1327 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Organic Industrial Waste Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	483	1	501280 106700
26	Pollution Incidents to Controlled Waters Property Type: Rifle Beside Arun, Ford Road, ARUNDEL Location: Rifle Beside Arun, Ford Road, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (including Agricultural) Note: Diesel In Rifle Beside Arun Ford Road Arundel; Miscellaneous Premises: Incident Date: 26th February 1994 Incident Reference: 880 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	552	1	501200 106700
27	Pollution Incidents to Controlled Waters Property Type: No Premises Identified Location: River Arun Left Bank, Downstream From Road Bridge, Arundel Bypass Authority: Environment Agency, Southern Region Pollutant: General Biodegradable : Other Natural Organic Material Note: Not Supplied Incident Date: 29th July 1999 Incident Reference: 1436 Catchment Area: Arun Receiving Water: Potential River Cause of Incident: Deliberate Action Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	602	1	501300 106500
28	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: The Old Dairy, Mill Road, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Fractured Private Sewer Discharging To W/C Incident Date: 9th September 1996 Incident Reference: 1872 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	742	1	501750 107750
29	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: The Old Dairy, Mill Road, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Fractured Private Sewer Discharging To W/C Incident Date: 9th September 1996 Incident Reference: 1872 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	742	1	501750 107750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Downstream Swanbourne Lake, Below Road Bridge Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: White/Milky Discharge in Watcourse; Schools/Universities Incident Date: 12th December 1995 Incident Reference: 1519 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: General Pollution - Natural Causes Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	797	1	501930 107790
31	Pollution Incidents to Controlled Waters Property Type: Construction Location: Between Queens Street And, A27 Bridges, ARUNDEL Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil On River Arun Incident Date: 11th March 1997 Incident Reference: 2060 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	919	1	501950 107900
	River Quality Name: Not Supplied QA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance: Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A13SE (SE)	75	1	501765 106884
32	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 10/41/310210 Permit Version: 101 Location: Arundel Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Groundwater Source: 4500 Daily Rate (m3): 1647000 Details: See Licence Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th December 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18NE (N)	763	1	501760 107770
32	Water Abstractions Operator: Southern Water Services Plc Licence Number: 10/41/310210 Permit Version: 100 Location: Arundel Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: General Use (Medium Loss) Abstraction Type: Groundwater Source: 4500 Daily Rate (m3): 1647000 Details: See Licence Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th January 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18NE (N)	763	1	501760 107770

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	Water Abstractions Operator: Arundel Estates Licence Number: 27/183 Permit Version: Not Supplied Location: The Waterwoods, ARUNDEL Authority: Environment Agency, Southern Region Abstraction Type: Fish Farming Source: Surface Daily Rate (m3): 15800 Yearly Rate (m3): 2624000 Details: Springs; Tributary Of River Arun Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Unknown	A17SW (NW)	877	1	500820 107420
33	Water Abstractions Operator: Arundel Estates T/A Chalk Springs Fishery Licence Number: 27/181 Permit Version: 100 Location: Borehole At Chalk Springs Fishery, Arundel Authority: Environment Agency, Southern Region Abstraction Type: Aquaculture; Fish Farm/Cress Pond Throughflow Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Outlined In Black On Attached Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 16th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	881	1	500910 107410
34	Water Abstractions Operator: Witlow & Wetlands Trust Licence Number: 10/41/413003 Permit Version: 100 Location: Arundel Witlow Reserve Authority: Environment Agency, Southern Region Abstraction Type: Environmental; Remedial River/Wetland Support; Lake & Pond Throughflow Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Arundel Witlow Reserve Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Unknown	A18NE (N)	942	1	501870 107940
35	Water Abstractions Operator: Arundel Estates T/A Chalk Springs Fishery Licence Number: 27/183 Permit Version: 100 Location: Springs From The Waterwoods, Park Bottom, Arundel Authority: Environment Agency, Southern Region Abstraction Type: Aquaculture; Fish Farm/Cress Pond Throughflow Source: Surface Daily Rate (m3): 15800 Yearly Rate (m3): 2624000 Details: Shown Outlined In Black On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 16th June 2009 Permit End Date: Not Supplied Positional Accuracy: Unknown	A17SW (NW)	957	1	500850 107460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Tom Parker Farms Licence Number: 33.9/19 Permit Version: Not Supplied Location: Spurlings Farm Authority: Environment Agency, Southern Region Abstraction Type: Spray Irrigation Source: River Daily Rate (m3): 1136 Yearly Rate (m3): 81828 Details: River Wallington; Licence Status: Revoked; Lapsed Or Cancelled Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A22SE (N)	1170	1	501290 108100
	Water Abstractions Operator: A M Harriot & Son Licence Number: 10/4/141102 Permit Version: 100 Location: Broomhurst Farm Authority: Environment Agency, Southern Region Abstraction Type: General Agriculture; Spray Irrigation - Direct Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A3NW (S)	1291	1	501510 105670
	Water Abstractions Operator: J A Longhurst Esq Licence Number: 10/4/1411010 Permit Version: 100 Location: Church Farm Lymminster Authority: Environment Agency, Southern Region Abstraction Type: General Agriculture; Spray Irrigation - Direct Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (S)	1382	1	501230 105650
	Water Abstractions Operator: J A Longhurst Esq Licence Number: 10/4/1411010 Permit Version: 100 Location: Church Farm Lymminster Authority: Environment Agency, Southern Region Abstraction Type: General Agriculture; Spray Irrigation - Direct Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 18th July 1979 Permit End Date: Not Supplied Positional Accuracy: Unknown	A2SE (S)	1677	1	501260 105330

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mrs Srv Biddlecombe Licence Number: 24/060 Permit Version: 101 Location: Knucker Hole Fish Farm Authority: Environment Agency, Southern Region Abstraction Type: Aquaculture: Fish Farm/Cress Pond Throughflow Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1968	1	502250 105050
	Water Abstractions Operator: Mr Ainley-Smith Licence Number: 24/060 Permit Version: 100 Location: Knucker Hole Fish Farm Authority: Environment Agency, Southern Region Abstraction Type: Aquaculture: Fish Farm/Cress Pond Throughflow Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 30th June 1992 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1968	1	502250 105050
	Groundwater Vulnerability Soil Classification: Soils of High Leaching Potential (H1) - Soils which readily transmit liquid discharges because they are either shallow, or susceptible to rapid by-pass flow directly to rock, gravel or groundwater Map Sheet: Sheet 45 West Sussex and Surrey Scale: 1:100,000	A13NE (S)	0	1	501712 106978
	Dirt Deposits None				
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	A13NE (S)	0	3	501712 106978
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NE (S)	0	3	501712 106978
36	Source Protection Zones Name: Arundel Environment Agency, Head Office Source: SU130 Type: Zone I (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	A18SW (N)	567	1	501655 107572
37	Source Protection Zones Name: Various Environment Agency, Head Office Source: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A18SW (N)	567	1	501655 107572
38	Source Protection Zones Name: Various Environment Agency, Head Office Source: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A18SW (N)	567	1	501655 107572
39	Source Protection Zones Name: Arundel Environment Agency, Head Office Source: SU130 Type: Groundwater Source	A18NE (N)	775	1	501800 107780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	Name: Chalk Springs Source: Environment Agency, Head Office Reference: SU132 Type: Zone 1 (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	A17SW (NW)	821	1	500969 107392
41	Name: Chalk Springs Source: Environment Agency, Head Office Reference: SU132 Type: Groundwater Source	A17SW (NW)	881	1	500910 107410
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	19	1	501737 106932
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	22	1	501717 106922
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	26	1	501727 106920
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	37	1	501761 106932
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	38	1	501767 106942
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	56	1	501737 106892
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	57	1	501786 106942
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	61	1	501767 106902
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	62	1	501712 106882
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	63	1	501667 106902
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	69	1	501697 106877
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	78	1	501797 106912
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	81	1	501817 106962

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	86	1	501637
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	95	1	501817
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	101	1	501827
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	106	1	501617
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	108	1	501837
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	110	1	501755
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	111	1	501797
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	117	1	501857
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	118	1	501847
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	127	1	501837
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	127	1	501597
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	131	1	501803
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	133	1	501857
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	135	1	501867
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	139	1	501817
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	145	1	501867

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	147	1	501887 106982
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	148	1	501577 106862
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	152	1	501837 106842
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	155	1	501877 106902
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	171	1	501897 106912
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	179	1	501907 106922
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	179	1	501917 106962
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	184	1	501567 106822
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	186	1	501537 106852
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	188	1	501927 107002
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	195	1	501927 106932
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	198	1	501937 106972
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	208	1	501517 106842
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	214	1	501517 106832
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	217	1	501957 106978
	Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	225	1	501947 106892

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Boundary Accuracy: As Supplied	A13NE (E)	230	1	501967 107025
	Extreme Flooding from Rivers or Sea without Defences Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Boundary Accuracy: As Supplied	A13SW (SW)	233	1	501517 106802
	Extreme Flooding from Rivers or Sea without Defences Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	241	1	501977 107032
	Extreme Flooding from Rivers or Sea without Defences Type: Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	244	1	501487 106822
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Boundary Accuracy: As Supplied	A13SE (SE)	19	1	501737 106932
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	22	1	501717 106922
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	33	1	501707 106912
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	37	1	501761 106932
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	50	1	501747 106902
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	53	1	501727 106892
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	61	1	501777 106912
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	63	1	501667 106902
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	73	1	501797 106922
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	75	1	501777 106892
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	82	1	501757 106872
	Flooding from Rivers or Sea without Defences Type: Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	86	1	501637 106892

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	88	1	501747 106862
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	93	1	501727 106852
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	94	1	501697 106852
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	95	1	501667 106862
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	98	1	501827 106932
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	106	1	501617 106892
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	108	1	501847 106972
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	111	1	501797 106862
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	113	1	501667 106842
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	116	1	501847 106942
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	127	1	501597 106872
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	127	1	501837 106882
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	131	1	501847 106892
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	133	1	501857 106912
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	139	1	501817 106842
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	141	1	501877 106952

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (SE)	145	1	501867 106902
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (SE)	152	1	501837 106842
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (E)	159	1	501897 106962
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (E)	161	1	501867 106912
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SW (SW)	164	1	501897 106832
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SW (SW)	186	1	501537 106852
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (E)	208	1	501947 106972
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SW (SW)	208	1	501517 106842
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SE (E)	231	1	501967 106942
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13SW (SW)	244	1	501487 106922
	Flooding from Rivers or Sea without Defences Type: Flood Plain Type: Tidal Models Extent of Flooding from Rivers or Sea without Defences Boundary Accuracy: As Supplied	A13NE (E)	247	1	501987 106994
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences Reference: Flood Defences Type: Flood Defences Not Supplied	A13SE (S)	19	1	501728 106928
	Flood Defences Reference: Flood Defences Type: Flood Defences Not Supplied	A13SE (S)	52	1	501740 106898

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	Historical Landfill Sites Licence Holder: Not Supplied Location: Arundel, Sussex Name: Fagins Den Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD20021 First Input Date: 31st December 1960 Last Input Date: 31st December 1962 Specified Waste: Deposited Waste included Inert, Commercial and Household Waste EA Waste Ref: Not Supplied Regis Ref: Not Supplied WRC Ref: 3800/8176 BGS Ref: Not Supplied Other Ref: WD27/085	A13SW (SW)	235	1	501480 106847
43	Historical Landfill Sites Licence Holder: Not Supplied Location: Arundel, Sussex Name: Canada Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD20001 First Input Date: 31st December 1947 Last Input Date: 31st December 1973 Specified Waste: Deposited Waste included Inert, Commercial and Household Waste EA Waste Ref: Not Supplied Regis Ref: Not Supplied WRC Ref: 3800/8219 BGS Ref: Not Supplied Other Ref: WD27/017, 1-328	A12SE (W)	539	1	501147 106893
44	Historical Landfill Sites Licence Holder: Not Supplied Location: Ford Road, Arundel, Sussex Name: Pentold Works Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19947 First Input Date: 31st December 1960 Last Input Date: 31st December 1962 Specified Waste: Deposited Waste included Inert, Commercial and Household Waste EA Waste Ref: Not Supplied Regis Ref: Not Supplied WRC Ref: 3800/8166 BGS Ref: Not Supplied Other Ref: WD27/075	A7NE (SW)	541	1	501289 106595
	Local Authority Landfill Coverage Arun District Council - Has no landfill data to supply Name:		0	8	501712 106978
	Local Authority Landfill Coverage West Sussex County Council - Has supplied landfill data Name:		0	9	501712 106978



Hazardous Substances

Map ID	Details				
45	Explosive Sites	Name: Home Farm, Wepham/Wells Fireworks (Dartford) Ltd	Location: Home Farm, Wepham, Arundel, West Sussex	Status: Active	Positional Accuracy: Manually positioned to the address or location
	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR	
	A18NE (N)	724	4	501812 107727	

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Chalk including Red Chalk	A13NE (S)	0	3	501712 106978
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13NE (N)	0	5	501712 107000
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13NW (NW)	0	5	501709 106984
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13NE (S)	0	5	501712 106978
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13NE (NE)	5	5	501740 107000
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13SW (W)	260	5	501431 106899
	Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg BGS Estimated Soil Chemistry	A13NE (E)	260	5	502000 106978

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (E)	261	5	502000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (W)	273	5	501409
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (W)	281	5	501401
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (W)	293	5	501393
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	304	5	502000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (W)	352	5	501337

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (NE)	358	S	502067 107135
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	360	S	502019 107225
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	363	S	502000 107252
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (E)	369	S	502109 107000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	371	S	502000 107264
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: < 1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: < 150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (W)	378	S	501303 106943

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NE (W)	411	5	501271 107000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NE (W)	436	5	501245 107000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (SW)	506	5	501229 106742
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (SW)	533	5	501246 106662
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NE (W)	589	5	501092 106994
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NE (W)	590	5	501091 107000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NE (SE)	619	5	501971
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NE (SE)	622	5	502000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A19SW (NE)	671	5	502060
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	680	5	501000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	681	5	501000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SE (NE)	681	5	502000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12SW (W)	681	5	501000 106958
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (SE)	714	5	502020 106297
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18NW (N)	718	5	501509 107697
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	718	5	502000 106285
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	725	5	501000 107226
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	739	5	501000 107266

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (NW)	744	5	501000 107279
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	752	5	502000 106248
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	752	5	502000 106248
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (SE)	761	5	502018 106245
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	763	5	502000 106236
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SW (SE)	765	5	502068 106263

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	766	5	501978
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	772	5	501937
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18NE (N)	651	5	501723
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7NW (SW)	859	5	501000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SW (SE)	863	5	502225
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	876	5	502000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	ASSE (S)	921	5	502000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18NE (N)	940	5	501779
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	ASSE (S)	944	5	501712
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	ASSE (S)	945	5	501760
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	ASSW (S)	955	5	501572
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18NE (N)	956	5	501795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8SE (S)	986	5	502000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A9SE (SE)	986	5	502392
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A23SE (N)	992	5	501712
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A23SW (N)	992	5	501704
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A23SE (N)	993	5	501774
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8SE (S)	996	5	502031

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Cadmium: <1.8 mg/kg Chromium: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A23SW (N)	997		501619 108000
46	BGS Recorded Mineral Sites Site Name: Arundel Station Gravel Pit, Arundel, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 157645 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Unknown Operator Periodic Type: Quaternary Geology: Raised Beach Deposits, 1 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	820	3	502040 106191
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Potential for Collapsible Ground Stability Hazards Risk: Rare Source: British Geological Survey, National Geoscience Information Service A13NE (S) 501712 106978	A13NE (S)	0	3	501712 106978
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service A13NE (S) 501712 106978	A13NE (S)	0	3	501712 106978
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service A13NE (S) 501712 106978	A13NE (S)	0	3	501712 106978
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service A13NE (NE) 501732 107026	A13NE (NE)	18	3	501732 107026
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service A13NE (NE) 501779 107054	A13NE (NE)	66	3	501779 107054
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service A13NW (NW) 501538 107112	A13NW (NW)	189	3	501538 107112
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service A13SW (W) 501435 106944	A13SW (W)	247	3	501435 106944
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service A13NE (NW) 501710 106981	A13NE (NW)	0	3	501710 106981
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service A13NE (S) 501712 106978	A13NE (S)	0	3	501712 106978
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service A13NE (NW) 501710 106981	A13NE (NW)	0	3	501710 106981



Geological

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	3	501712 106978
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	3	501712 106978
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	3	501712 106978
	Radon Potential - Radon Affected Areas Affected Area: The property is in a lower probability radon area, as less than 1% of homes are above the action level Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	3	501712 106978

Industrial Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	Contemporary Trade Directory Entries Name: United Carpet Cleaning Masters Location: 41a Tarrant St, Arundel, West Sussex, BN18 9DJ Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13NE (N)	20	-	501720 107027
47	Contemporary Trade Directory Entries Name: The Picture Restoration Studio Location: The Old Coach House, 16a, Tarrant Street, Arundel, West Sussex, BN18 9DJ Classification: Art Restoration & Picture Cleaning Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	27	-	501692 107030
48	Contemporary Trade Directory Entries Name: Gemor & Co Chemicals Ltd Location: 15, Nineveh Shipyard, Arundel, West Sussex, BN18 9SU Classification: Paint Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	37	-	501771 107006
49	Contemporary Trade Directory Entries Name: Enterprise Garage Location: Unit 1/2, Fitzalan Road, Arundel, West Sussex, BN18 9JS Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	82	-	501770 106878
49	Contemporary Trade Directory Entries Name: Arun Microelectronics Location: Fitzalan Road, Arundel, West Sussex, BN18 9JP Classification: Electronic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	82	-	501789 106894
49	Contemporary Trade Directory Entries Name: Craig Whiteley Location: Unit D1, 10-12, Fitzalan Road, Arundel, West Sussex, BN18 9JS Classification: Gunsmiths Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	87	-	501808 106914
49	Contemporary Trade Directory Entries Name: John Wilkes Location: 10-12 Fitzalan Rd, Arundel, West Sussex, BN18 9JS Classification: Gunsmiths Status: Active Positional Accuracy: Manually positioned to the address or location	A13SE (SE)	89	-	501796 106892
50	Contemporary Trade Directory Entries Name: Arundel Fantastic Cleaners Location: 44, Tarrant Street, Arundel, West Sussex, BN18 9DN Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (W)	90	-	501591 106963
51	Contemporary Trade Directory Entries Name: R & D Davidson Ltd Location: 51, Maltrovers Street, Arundel, West Sussex, BN18 9BQ Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	103	-	501590 107029
52	Contemporary Trade Directory Entries Name: Arundel Fine Studio Location: The Old Stable, Tarrant Sq, Tarrant St, Arundel, West Sussex, BN18 9DE Classification: Glass Engravers & Decorators Status: Active Positional Accuracy: Manually positioned within the geographical locality	A13NE (NE)	127	-	501622 107097
52	Contemporary Trade Directory Entries Name: Drummonds Location: 4, Tarrant Square, Tarrant Street, Arundel, West Sussex, BN18 9DE Classification: Furniture - Reproduction Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	130	-	501818 107105
53	Contemporary Trade Directory Entries Name: Southern Mobility Centre Location: 2, The Old Mill, River Road, Arundel, West Sussex, BN18 9JR Classification: Disability Equipment - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	130	-	501864 107026

Industrial Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
54	Contemporary Trade Directory Entries Name: Richard Stoneware Ltd Location: The Slips, Tarrant St, Arundel, West Sussex, BN18 9DU Classification: Stone Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SW (W)	168	-	501526 106905
55	Contemporary Trade Directory Entries Name: Ab Autos Location: 1, London Road, Arundel, West Sussex, BN18 9BH Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	177	-	501660 107178
56	Contemporary Trade Directory Entries Name: Rusper Print Location: Old Bank House, 1 High St, Arundel, West Sussex, BN18 9AD Classification: Printers Status: Active Positional Accuracy: Manually positioned to the address or location	A13NE (E)	184	-	501918 107032
57	Contemporary Trade Directory Entries Name: Blastreat (Arundel) Ltd Location: Fitzalan Road, Arundel, West Sussex, BN18 9JP Classification: Blast Clearing Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (E)	210	-	501931 106892
58	Contemporary Trade Directory Entries Name: Designer Ironsmith Of Arundel Location: Old Bakery Workshop, Fitzalan Road, Arundel, West Sussex, BN18 9JS Classification: Blacksmiths & Forgemasters Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (E)	253	-	501990 106949
58	Contemporary Trade Directory Entries Name: Star Castle Service Station Location: Queen Street, Arundel, West Sussex, BN18 9JG Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	274	-	502005 106918
59	Contemporary Trade Directory Entries Name: Strap It Location: 4-B, Queen Street, Arundel, West Sussex, BN18 9JG Classification: Nuts, Bolts & Fixings Status: Active Positional Accuracy: Manually positioned to the address or location	A13SE (E)	308	-	502039 106917
60	Contemporary Trade Directory Entries Name: Arundel Racing Farmers Location: The Forge, Castle Stables, Arundel, West Sussex, BN18 9AB Classification: Blacksmiths & Forgemasters Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13NW (NW)	347	-	501472 107268
61	Contemporary Trade Directory Entries Name: Divine Art & Craft Ltd Location: 96, Fitzalan Road, Arundel, West Sussex, BN18 9JY Classification: Stained Glass Designers & Producers Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (SW)	409	-	501440 106636
62	Contemporary Trade Directory Entries Name: G S P K Circuits (Printed) Ltd Location: 5, Fitzalan Road, Arundel, West Sussex, BN18 9JP Classification: Printed Circuit Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (SW)	500	-	501430 106634
63	Contemporary Trade Directory Entries Name: Arundel & District Hospital Location: Chichester Road, Arundel, West Sussex, BN18 0AB Classification: Hospitals Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (W)	605	-	501087 107087
64	Contemporary Trade Directory Entries Name: Aquarius Cleaning Location: 30, Ford Road, Arundel, West Sussex, BN18 9EQ Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A12SE (SW)	619	-	501154 106645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	Contemporary Trade Directory Entries Name: Autoscutt Ltd Location: 46, Ford Road, Arundel, West Sussex, BN18 9EQ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A7NE (SW)	668	-	501117 106613
64	Contemporary Trade Directory Entries Name: Autoscutt Ltd Location: 46, Ford Road, Arundel, West Sussex, BN18 9EQ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A7NE (SW)	668	-	501117 106613
64	Contemporary Trade Directory Entries Name: Autoscutt Ltd Location: 46, Ford Road, Arundel, West Sussex, BN18 9EQ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A7NE (SW)	668	-	501117 106613
65	Contemporary Trade Directory Entries Name: Arundel Builders Merchants Ltd Location: The Causeway, Arundel, West Sussex, BN18 9UL Classification: Builders' Merchants Status: Inactive Positional Accuracy: Manually positioned to the address or location	A9NW (SE)	743	-	502352 106546
66	Contemporary Trade Directory Entries Name: Appletree Cleaning Location: 5, Pearson Road, Arundel, West Sussex, BN18 9HP Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A12SW (W)	838	-	500853 106839
67	Contemporary Trade Directory Entries Name: Chris Dancocks Location: 12, Ellis Close, Arundel, West Sussex, BN18 9LG Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NW (W)	897	-	500783 106979
68	Contemporary Trade Directory Entries Name: Travis Perkins Location: The Causeway, Arundel, West Sussex, BN18 9UL Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A8SW (SE)	929	-	502367 106276
69	Fuel Station Entries Name: Arundel Service Station Location: Queen Street, ARUNDEL, West Sussex, BN18 9JG Brand: Texaco Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Manually positioned to the address or location	A13SE (E)	274	-	502005 106918

Sensitive Land Use

Map ID	Details				Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
70	Environmentally Sensitive Areas	Name: South Downs Multiple Areas: N Total Area (m2): 690432994.81 Source: Natural England	A13NE (NE)	178	6	501861	107131	
71	National Parks	Name: South Downs Multiple Area: N Area (m2): 1652679314.31 Source: Natural England Status: Fully Designated - designated as a National Park Designation Date: 2nd November 2009	A13NE (NE)	177	6	501836	107151	
72	Nitrate Vulnerable Zones	Name: Not Supplied Description: NVZ Area Source: Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	A13NE (S)	0	7	501712	106978	
73	Sites of Special Scientific Interest	Name: Arundel Park Multiple Areas: Y Total Area (m2): 1339793.12 Source: Natural England Reference: 1004038 Designation Details: Not Supplied Designation Date: 14th January 1997 Date Type: Notified	A13NW (N)	302	6	501611	107294	

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department Arun District Council - Environmental Health Department	July 2011 July 2011 June 2011	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Southern Region	April 2012	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	June 2012	Quarterly
Integrated Pollution Controls Environment Agency - Southern Region	October 2008	Not Applicable
Integrated Pollution Prevention and Control Environment Agency - Southern Region	April 2012	Quarterly
Local Authority Integrated Pollution Prevention And Control Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department Arun District Council - Environmental Health Department	August 2011 January 2012 May 2012	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Controls Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department Arun District Council - Environmental Health Department	August 2011 January 2012 June 2011	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department Arun District Council - Environmental Health Department	August 2011 January 2012 May 2012	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Nearest Surface Water Feature Ordnance Survey	December 2011	Quarterly
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	June 2012	Monthly
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	June 2012	Monthly
Registered Radioactive Substances Environment Agency - Southern Region	April 2012	Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	January 2011	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	January 2011	Annually
Substantiated Pollution Incident Register Environment Agency - Solent and South Downs Environment Agency - Southern Region - Sussex Area Environment Agency - Southern Region	April 2012 April 2012 April 2012	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	April 2012	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	April 2012	Quarterly
Groundwater Vulnerability Environment Agency - Head Office	January 2011	Not Applicable
Drift Deposits Environment Agency - Head Office	January 1999	Not Applicable



Agency & Hydrological		
Bedrock Aquifer Designations	British Geological Survey - National Geoscience Information Service	September 2011
Superficial Aquifer Designations	British Geological Survey - National Geoscience Information Service	September 2011
Source Protection Zones	Environment Agency - Head Office	April 2012
Extreme Flooding from Rivers or Sea without Defences	Environment Agency - Head Office	May 2012
Flooding from Rivers or Sea without Defences	Environment Agency - Head Office	May 2012
Areas Benefiting from Flood Defences	Environment Agency - Head Office	May 2012
Flood Water Storage Areas	Environment Agency - Head Office	May 2012
Flood Defences	Environment Agency - Head Office	May 2012
Waste	Version	Update Cycle
BGS Recorded Landfill Sites	British Geological Survey - National Geoscience Information Service	June 1996
Historical Landfill Sites	Environment Agency - Solent and South Downs Environment Agency - Southern Region - Sussex Area	January 2012 Quarterly
Integrated Pollution Control Registered Waste Sites	Environment Agency - Southern Region	October 2008
Licensed Waste Management Facilities (Landfill Boundaries)	Environment Agency - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2012 Quarterly
Licensed Waste Management Facilities (Locations)	Environment Agency - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2012 Quarterly
Local Authority Landfill Coverage	Arun District Council - Technical Support Unit Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department West Sussex County Council - Environment & Development	May 2000 May 2000 May 2000 May 2000
Local Authority Recorded Landfill Sites	Arun District Council - Technical Support Unit Chichester District Council - Environmental Health Department Horsham District Council - Environmental Health Department West Sussex County Council - Environment & Development	May 2000 May 2000 May 2000 May 2000
Registered Landfill Sites	Environment Agency - Southern Region - Sussex Area	March 2003
Registered Waste Transfer Sites	Environment Agency - Southern Region - Sussex Area	March 2003
Registered Waste Treatment or Disposal Sites	Environment Agency - Southern Region - Sussex Area	March 2003

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)	May 2012	Bi-Annually
Explosive Sites	June 2012	Bi-Annually
Health and Safety Executive		
Notification of Installations Handling Hazardous Substances (NIHS)	November 2000	Not Applicable
Planning Hazardous Substances Enforcements	December 2011 January 2012 May 2011 October 2006	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Planning Hazardous Substances Consents	December 2011 January 2012 May 2011 October 2006	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology	August 1996	Not Applicable
BGS Estimated Soil Chemistry	January 2010	Variable
BGS Recorded Mineral Sites	April 2012	Bi-Annually
Brine Compensation Area	August 2011	Not Applicable
Cheshire Brine Subsidence Compensation Board		
Coal Mining Affected Areas	August 2011	As notified
The Coal Authority - Mining Report Service		
Mining Instability	October 2000	Not Applicable
Ove Arup & Partners		
Non Coal Mining Areas of Great Britain	February 2011	Not Applicable
Potential for Collapsible Ground Stability Hazards	February 2011	Annually
Potential for Compressible Ground Stability Hazards	February 2011	Annually
Potential for Ground Dissolution Stability Hazards	February 2011	Annually
Potential for Landslide Ground Stability Hazards	February 2011	Annually
Potential for Running Sand Ground Stability Hazards	February 2011	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards	February 2011	Annually
Radon Potential - Radon Affected Areas	July 2011	As notified
Radon Potential - Radon Protection Measures	July 2011	As notified

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries	May 2012	Quarterly
Thomson Directories		
Fuel Station Entries	February 2012	Quarterly
Catalist Ltd - Experian		
Sensitive Land Use	Version	Update Cycle
Areas of Outstanding Natural Beauty	February 2012	Bi-Annually
Natural England		
Environmentally Sensitive Areas	February 2012	Annually
Natural England		
Forest Parks	April 1997	Not Applicable
Forestry Commission		
Local Nature Reserves	February 2012	Bi-Annually
Natural England		
Marine Nature Reserves	February 2012	Bi-Annually
Natural England		
National Nature Reserves	February 2012	Bi-Annually
Natural England		
National Parks	February 2012	Bi-Annually
Natural England		
Nitrate Sensitive Areas	February 2012	Not Applicable
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)		
Nitrate Vulnerable Zones	February 2012	Annually
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)		
Ramsar Sites	February 2012	Bi-Annually
Natural England		
Sites of Special Scientific Interest	February 2012	Bi-Annually
Natural England		
Special Areas of Conservation	February 2012	Bi-Annually
Natural England		
Special Protection Areas	February 2012	Bi-Annually
Natural England		



Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Countryside Council for Wales	
Scottish Natural Heritage	
Natural England	
Health Protection Agency	
Ove Arup	
Peter Brett Associates	

Contact	Name and Address	Contact Details
1	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 08708 506 506 Email: enquiries@environment-agency.gov.uk
2	Arun District Council - Environmental Health Civic Centre, Maltravers Road, Littlehampton, Sussex, BN17 5LF	Telephone: 01903 737696 Email: Environment@arun.gov.uk Website: www.arun.gov.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0145 936 3143 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	Health and Safety Executive Explosives Inspectorate, 1.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Telephone: 0151 951 3092 Email: victoria.holloway@hse.gsi.gov.uk Website: www.hse.gov.uk
5	Landmark Information Group Limited 5 - 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Telephone: 01392 441761 Email: cssupport@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk
6	Natural England Northminster House, Northminster Road, Peterborough, Cambridgeshire, PE1 1UA	Telephone: 0845 600 3078 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
7	Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Government Buildings, Otley Road, Lawnswood, Leeds, West Yorkshire, LS16 5QT	Telephone: 0113 2613333 Fax: 0113 230 0879
8	Arun District Council - Technical Support Unit Civic Centre, Maltravers Road, Littlehampton, Sussex, BN17 5LF	Telephone: 01903 737500 Fax: 01903 730442 Website: www.arun.gov.uk
9	West Sussex County Council - Environment & Development County Hall, Tower hall, Chichester, West Sussex, PO19 1RH	Telephone: 01243 777100 Website: www.westsussex.gov.uk
-	Health Protection Agency - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@hpa.org.uk Website: www.hpa.org.uk
-	Landmark Information Group Limited The Smith Centre, Henley On Thames, Oxfordshire, RG9 6AB	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / SEPA have a charging policy in place for enquiries.





Order Details
 Order Number: 39904508_1_1
 Customer Ref: LS 0550
 National Grid Reference: 501710, 106960
 A
 Sloice: 0.22
 Site Area (Ha): 1030
 Search Buffer (m):

Site Details
 Benin Sevin & Co Ltd, River Road, ARUNDEL, West Sussex,
 BN18 9DH

Landmark[®]
Information Group

Tel: 0844 844 8952
Fax: 0844 844 8051
Web: www.landmarktech.co.uk





Order Details
 Order Number: 39804508_1_1
 Customer Ref: LS 0550
 National Grid Reference: 501710, 106980
 Sifice: A
 Site Area (Ha): 0.22
 Search Buffer (m): 1000

Site Details
Bevin Bevin & Co Ltd, River Road, ARUNDEL, West Sussex,
BN18 9DH



Tel: 0344 344 9862
Fax: 0844 344 9851
Web: www.envirocheck.co.uk



Tel: 0844 844 9852
Fax: 0844 844 9851
Web: www.envisiotech.co.uk

Tel:
Fax:
Web:

- 0844 844 9952
0644 844 9951
www.entrivodirect.co.uk


co.uk

- 0844 844 9952
0644 844 9951
www.entrivodirect.co.uk

co.uk

0844 844 9952
0644 844 9951
www.entrivodirect.co.uk

co.uk




co.uk

0844 844 9952
0644 844 9951
www.entrivodirect.co.uk

co.uk

0844 844 9952
0644 844 9951
www.entrivodirect.co.uk




General


□ Specified Site □ Specified Buffer (m) X Existing reference point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A




Order Details

Order Details:
39904508_1_1
Customer Ref: LS 0550
National Grid Reference: 501710, 106960
Slice: A
Site Area (Ha): 0.22
Search Buffer (m): 1000

Site Details

Bevin Bevin & Co Ltd, River Road, ARUNDEL, West Sussex, BN18 9DH




General


○ Specified Site ○ Suspected Burial(s) X Boreing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A




Order Details

Order Details: 39304508_1_1
 Customer Ref: LS 0550
 National Grid Reference: 501710, 106860
 Slice: A
 Site Area (Ha): 0.22
 Search Buffer (m): 1000

Site Details

Bevin Bevin & Co Ltd, River Road, ARUNDEL, West Sussex, BN18 9DH




General


○ Specified Site X Sampling Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A



Order Details

Order Details: 39904508_1_1
Customer Ref: LS 0550
National Grid Reference: 501710, 106980
Site: A
Site Area (Ha): 0.22
Search Buffer (m): 1000

Site Details

Bavin Bevin & Co Ltd, River Road, ARUNDEL, West Sussex,
BN18 9DH

