

From: PlanningSSD <PlanningSSD@environment-agency.gov.uk>
Sent: 22 August 2019 14:21
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Subject: AB/88/19/PL Land at Electricity Sub Station Ford Road Arundel BN18 9DX

Good afternoon,

Thank you for consulting us.

Looking at this application, the Appendices G to N in the Flood Risk Assessment and Drainage Strategy ref. 1333309-R1(1)-FRA are missing. We need to see these as they include the climate change calculations and floodplain compensation analysis and flood extent maps.

Please could we also have a full version of the FRA and Appendices , and possibly in full colours and not black and white as it's difficult to look at flood maps without colours?

Lastly, we also just wanted to make you aware that some of the contact details (email address) of people have not been properly redacted in the correspondence documents contained in Appendices D, E and F.

Many thanks,

Phoebe

Environmental Planning and Engagement | Solent and South Downs



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else.

We have checked this email and its attachments for viruses. But you should still check any attachment before opening it.

We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Click [here](#) to report this email as spam

