

MJA Consulting				Page 1																																																																																																																																																																																																																			
Monarch House Barton Lane OX14 3NB		Westergate & Eastergate Plot 234 1:100+40%cc																																																																																																																																																																																																																					
Date 18/10/2018 File PLOT 234.SRCX		Designed by S.Smith Checked by																																																																																																																																																																																																																					
Innovyze		Source Control 2017.1.2																																																																																																																																																																																																																					
<u>Summary of Results for 100 year Return Period (+40%)</u> Half Drain Time : 102 minutes. <table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>15 min Summer</td><td>99.230</td><td>0.230</td><td>0.4</td><td>2.5</td><td>O K</td></tr><tr><td>30 min Summer</td><td>99.290</td><td>0.290</td><td>0.4</td><td>3.2</td><td>O K</td></tr><tr><td>60 min Summer</td><td>99.335</td><td>0.335</td><td>0.4</td><td>3.8</td><td>O K</td></tr><tr><td>120 min Summer</td><td>99.346</td><td>0.346</td><td>0.4</td><td>3.9</td><td>O K</td></tr><tr><td>180 min Summer</td><td>99.337</td><td>0.337</td><td>0.4</td><td>3.8</td><td>O K</td></tr><tr><td>240 min Summer</td><td>99.322</td><td>0.322</td><td>0.4</td><td>3.6</td><td>O K</td></tr><tr><td>360 min Summer</td><td>99.292</td><td>0.292</td><td>0.4</td><td>3.3</td><td>O K</td></tr><tr><td>480 min Summer</td><td>99.262</td><td>0.262</td><td>0.4</td><td>2.9</td><td>O K</td></tr><tr><td>600 min Summer</td><td>99.232</td><td>0.232</td><td>0.4</td><td>2.6</td><td>O K</td></tr><tr><td>720 min Summer</td><td>99.204</td><td>0.204</td><td>0.4</td><td>2.2</td><td>O K</td></tr><tr><td>960 min Summer</td><td>99.155</td><td>0.155</td><td>0.4</td><td>1.7</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>99.085</td><td>0.085</td><td>0.4</td><td>0.9</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>99.047</td><td>0.047</td><td>0.4</td><td>0.4</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>99.038</td><td>0.038</td><td>0.3</td><td>0.3</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>99.028</td><td>0.028</td><td>0.2</td><td>0.2</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>99.023</td><td>0.023</td><td>0.2</td><td>0.1</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>99.021</td><td>0.021</td><td>0.1</td><td>0.1</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>99.019</td><td>0.019</td><td>0.1</td><td>0.1</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>99.018</td><td>0.018</td><td>0.1</td><td>0.1</td><td>O K</td></tr><tr><td>15 min Winter</td><td>99.259</td><td>0.259</td><td>0.4</td><td>2.9</td><td>O K</td></tr></tbody></table> <table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>15 min Summer</td><td>127.204</td><td>0.0</td><td>18</td></tr><tr><td>30 min Summer</td><td>85.821</td><td>0.0</td><td>32</td></tr><tr><td>60 min Summer</td><td>55.250</td><td>0.0</td><td>60</td></tr><tr><td>120 min Summer</td><td>34.307</td><td>0.0</td><td>98</td></tr><tr><td>180 min Summer</td><td>25.552</td><td>0.0</td><td>130</td></tr><tr><td>240 min Summer</td><td>20.570</td><td>0.0</td><td>166</td></tr><tr><td>360 min Summer</td><td>15.173</td><td>0.0</td><td>234</td></tr><tr><td>480 min Summer</td><td>12.206</td><td>0.0</td><td>300</td></tr><tr><td>600 min Summer</td><td>10.302</td><td>0.0</td><td>366</td></tr><tr><td>720 min Summer</td><td>8.963</td><td>0.0</td><td>428</td></tr><tr><td>960 min Summer</td><td>7.189</td><td>0.0</td><td>550</td></tr><tr><td>1440 min Summer</td><td>5.257</td><td>0.0</td><td>778</td></tr><tr><td>2160 min Summer</td><td>3.836</td><td>0.0</td><td>1100</td></tr><tr><td>2880 min Summer</td><td>3.063</td><td>0.0</td><td>1468</td></tr><tr><td>4320 min Summer</td><td>2.226</td><td>0.0</td><td>2188</td></tr><tr><td>5760 min Summer</td><td>1.773</td><td>0.0</td><td>2872</td></tr><tr><td>7200 min Summer</td><td>1.487</td><td>0.0</td><td>3624</td></tr><tr><td>8640 min Summer</td><td>1.289</td><td>0.0</td><td>4400</td></tr><tr><td>10080 min Summer</td><td>1.142</td><td>0.0</td><td>5104</td></tr><tr><td>15 min Winter</td><td>127.204</td><td>0.0</td><td>18</td></tr></tbody></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	99.230	0.230	0.4	2.5	O K	30 min Summer	99.290	0.290	0.4	3.2	O K	60 min Summer	99.335	0.335	0.4	3.8	O K	120 min Summer	99.346	0.346	0.4	3.9	O K	180 min Summer	99.337	0.337	0.4	3.8	O K	240 min Summer	99.322	0.322	0.4	3.6	O K	360 min Summer	99.292	0.292	0.4	3.3	O K	480 min Summer	99.262	0.262	0.4	2.9	O K	600 min Summer	99.232	0.232	0.4	2.6	O K	720 min Summer	99.204	0.204	0.4	2.2	O K	960 min Summer	99.155	0.155	0.4	1.7	O K	1440 min Summer	99.085	0.085	0.4	0.9	O K	2160 min Summer	99.047	0.047	0.4	0.4	O K	2880 min Summer	99.038	0.038	0.3	0.3	O K	4320 min Summer	99.028	0.028	0.2	0.2	O K	5760 min Summer	99.023	0.023	0.2	0.1	O K	7200 min Summer	99.021	0.021	0.1	0.1	O K	8640 min Summer	99.019	0.019	0.1	0.1	O K	10080 min Summer	99.018	0.018	0.1	0.1	O K	15 min Winter	99.259	0.259	0.4	2.9	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	127.204	0.0	18	30 min Summer	85.821	0.0	32	60 min Summer	55.250	0.0	60	120 min Summer	34.307	0.0	98	180 min Summer	25.552	0.0	130	240 min Summer	20.570	0.0	166	360 min Summer	15.173	0.0	234	480 min Summer	12.206	0.0	300	600 min Summer	10.302	0.0	366	720 min Summer	8.963	0.0	428	960 min Summer	7.189	0.0	550	1440 min Summer	5.257	0.0	778	2160 min Summer	3.836	0.0	1100	2880 min Summer	3.063	0.0	1468	4320 min Summer	2.226	0.0	2188	5760 min Summer	1.773	0.0	2872	7200 min Summer	1.487	0.0	3624	8640 min Summer	1.289	0.0	4400	10080 min Summer	1.142	0.0	5104	15 min Winter	127.204	0.0	18
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																		
15 min Summer	99.230	0.230	0.4	2.5	O K																																																																																																																																																																																																																		
30 min Summer	99.290	0.290	0.4	3.2	O K																																																																																																																																																																																																																		
60 min Summer	99.335	0.335	0.4	3.8	O K																																																																																																																																																																																																																		
120 min Summer	99.346	0.346	0.4	3.9	O K																																																																																																																																																																																																																		
180 min Summer	99.337	0.337	0.4	3.8	O K																																																																																																																																																																																																																		
240 min Summer	99.322	0.322	0.4	3.6	O K																																																																																																																																																																																																																		
360 min Summer	99.292	0.292	0.4	3.3	O K																																																																																																																																																																																																																		
480 min Summer	99.262	0.262	0.4	2.9	O K																																																																																																																																																																																																																		
600 min Summer	99.232	0.232	0.4	2.6	O K																																																																																																																																																																																																																		
720 min Summer	99.204	0.204	0.4	2.2	O K																																																																																																																																																																																																																		
960 min Summer	99.155	0.155	0.4	1.7	O K																																																																																																																																																																																																																		
1440 min Summer	99.085	0.085	0.4	0.9	O K																																																																																																																																																																																																																		
2160 min Summer	99.047	0.047	0.4	0.4	O K																																																																																																																																																																																																																		
2880 min Summer	99.038	0.038	0.3	0.3	O K																																																																																																																																																																																																																		
4320 min Summer	99.028	0.028	0.2	0.2	O K																																																																																																																																																																																																																		
5760 min Summer	99.023	0.023	0.2	0.1	O K																																																																																																																																																																																																																		
7200 min Summer	99.021	0.021	0.1	0.1	O K																																																																																																																																																																																																																		
8640 min Summer	99.019	0.019	0.1	0.1	O K																																																																																																																																																																																																																		
10080 min Summer	99.018	0.018	0.1	0.1	O K																																																																																																																																																																																																																		
15 min Winter	99.259	0.259	0.4	2.9	O K																																																																																																																																																																																																																		
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																				
15 min Summer	127.204	0.0	18																																																																																																																																																																																																																				
30 min Summer	85.821	0.0	32																																																																																																																																																																																																																				
60 min Summer	55.250	0.0	60																																																																																																																																																																																																																				
120 min Summer	34.307	0.0	98																																																																																																																																																																																																																				
180 min Summer	25.552	0.0	130																																																																																																																																																																																																																				
240 min Summer	20.570	0.0	166																																																																																																																																																																																																																				
360 min Summer	15.173	0.0	234																																																																																																																																																																																																																				
480 min Summer	12.206	0.0	300																																																																																																																																																																																																																				
600 min Summer	10.302	0.0	366																																																																																																																																																																																																																				
720 min Summer	8.963	0.0	428																																																																																																																																																																																																																				
960 min Summer	7.189	0.0	550																																																																																																																																																																																																																				
1440 min Summer	5.257	0.0	778																																																																																																																																																																																																																				
2160 min Summer	3.836	0.0	1100																																																																																																																																																																																																																				
2880 min Summer	3.063	0.0	1468																																																																																																																																																																																																																				
4320 min Summer	2.226	0.0	2188																																																																																																																																																																																																																				
5760 min Summer	1.773	0.0	2872																																																																																																																																																																																																																				
7200 min Summer	1.487	0.0	3624																																																																																																																																																																																																																				
8640 min Summer	1.289	0.0	4400																																																																																																																																																																																																																				
10080 min Summer	1.142	0.0	5104																																																																																																																																																																																																																				
15 min Winter	127.204	0.0	18																																																																																																																																																																																																																				
©1982-2017 XP Solutions																																																																																																																																																																																																																							

MJA Consulting				Page 2	
Monarch House Barton Lane OX14 3NB		Westergate & Eastergate Plot 234 1:100+40%cc			
Date 18/10/2018 File PLOT 234.SRCX		Designed by S.Smith Checked by			
Innovyze		Source Control 2017.1.2			
<u>Summary of Results for 100 year Return Period (+40%)</u>					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter	99.330	0.330	0.4	3.7	O K
60 min Winter	99.387	0.387	0.4	4.4	O K
120 min Winter	99.404	0.404	0.4	4.6	O K
180 min Winter	99.390	0.390	0.4	4.4	O K
240 min Winter	99.368	0.368	0.4	4.1	O K
360 min Winter	99.321	0.321	0.4	3.6	O K
480 min Winter	99.273	0.273	0.4	3.0	O K
600 min Winter	99.227	0.227	0.4	2.5	O K
720 min Winter	99.184	0.184	0.4	2.0	O K
960 min Winter	99.112	0.112	0.4	1.2	O K
1440 min Winter	99.047	0.047	0.4	0.4	O K
2160 min Winter	99.035	0.035	0.3	0.3	O K
2880 min Winter	99.028	0.028	0.2	0.2	O K
4320 min Winter	99.022	0.022	0.2	0.1	O K
5760 min Winter	99.019	0.019	0.1	0.1	O K
7200 min Winter	99.018	0.018	0.1	0.1	O K
8640 min Winter	99.017	0.017	0.1	0.1	O K
10080 min Winter	99.016	0.016	0.1	0.1	O K
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
30 min Winter	85.821	0.0	32		
60 min Winter	55.250	0.0	60		
120 min Winter	34.307	0.0	114		
180 min Winter	25.552	0.0	142		
240 min Winter	20.570	0.0	180		
360 min Winter	15.173	0.0	254		
480 min Winter	12.206	0.0	324		
600 min Winter	10.302	0.0	392		
720 min Winter	8.963	0.0	456		
960 min Winter	7.189	0.0	568		
1440 min Winter	5.257	0.0	748		
2160 min Winter	3.836	0.0	1104		
2880 min Winter	3.063	0.0	1472		
4320 min Winter	2.226	0.0	2128		
5760 min Winter	1.773	0.0	2896		
7200 min Winter	1.487	0.0	3656		
8640 min Winter	1.289	0.0	4344		
10080 min Winter	1.142	0.0	4992		
©1982-2017 XP Solutions					

MJA Consulting		Page 4
Monarch House Barton Lane OX14 3NB	Westergate & Eastergate Plot 234 1:100+40%cc	
Date 18/10/2018 File PLOT 234.SRCX	Designed by S.Smith Checked by	
Innovyze Source Control 2017.1.2		

Model Details

Storage is Online Cover Level (m) 100.000

Porous Car Park Structure

Infiltration Coefficient Base (m/hr) 0.07200	Width (m) 3.4
Membrane Percolation (mm/hr) 1000	Length (m) 11.4
Max Percolation (l/s) 10.8	Slope (1:X) 500.0
Safety Factor 2.0	Depression Storage (mm) 0
Porosity 0.30	Evaporation (mm/day) 0
Invert Level (m) 99.000	Cap Volume Depth (m) 0.500

©1982-2017 XP Solutions