



Proposed Street Lighting

Proposed 6m high Street Lighting column fitted with post top mounted luminaire with 5 degree tilt. Luminaire to be Philips Micro Luma BGP615-DM50-1600-12LED-239mA-SS-0.0-180 controlled by photocell.
Column to be painted Sherwood Green BS12C39.

All columns to be positioned at the rear of the footway or verge, in all cases a minimum of 0.5m from trafficked areas.

Proposed Illuminated Bollard

DW Windsor Pharos Max PM1
800mm high 152mm ø
12 x 2.4W LED's Neutral White 4100K
Textured Black RAL 9016

See Drawing No's 5655:61-64 Combined Services Layouts for feeder pillar locations

F	12.02.20	Lighting calculation result turned back on.	JS
E	04.07.19	Updated to latest architectural layout.	JW
D	07.11.18	Updated to latest architectural layout.	TC
C	08.10.18	Updated to accord with latest layout.	TC
B	13.03.18	Bollard lighting added.	TC
A	23.01.18	Open space areas updated to new layout	JS
REV. No.	DATE	DESCRIPTION	INITIALS
Client			
Taylor Wimpey plc			
Project Westergate & Eastergate			
Title Street Lighting			
Scale 1:500 @ A0	Date Jan 18	Drawing No. 5655:902	Rev F
Checked AMc	Drawn JS		

MJA CONSULTING
CIVIL AND STRUCTURAL ENGINEERS
Monarch House, Barton Lane,
Abingdon, Oxon, OX14 3AB
Tel: 01235 555172
Fax: 01235 523225

Taylor Wimpey plc