

Karen Garner | Post Approval Implementation and Monitoring Officer, Planning Department, Arun District Council |  
Location: 1<sup>st</sup> Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF  
Telephone Internal: 37593 | External: +44 (0) 1903 737593 | E-mail: [karen.garner@arun.gov.uk](mailto:karen.garner@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)  Save the environment - think before you print.

**From:** Darren Kennett - TW Southern Counties [REDACTED]

**Sent:** 25 March 2020 13:50

**To:** Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

**Subject:** RE: AL/106/19/DOC

Hi Karen,

That's great news, thank you..

Here are the build programs for the re-plan plots.

At the point that each dwelling is build complete and prior to occupation the respective energy measures will have been implemented.

Regards

Darren

Best Regards,

Darren Kennett | Design & Planning Executive

Taylor Wimpey Southern Counties, Colvedene Court, Wessex Business Park, Colden Common, Hampshire, SO21 1WP

Taylor Wimpey Southern Counties is a division of Taylor Wimpey UK Limited  
Think before you print!

Taylor  
Wimpey



glassdoor  
BEST PLACES TO WORK

**From:** Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

**Sent:** 25 March 2020 12:31

**To:** Darren Kennett - TW Southern Counties

**Subject:** RE: AL/106/19/DOC

Hi Darren,

Fiona has agreed the amended CMP Rev C. I have sent it to be signed off.

Claire Potts requires an email from you with a timetable on when the Energy Saving measures described in your energy statement, will be provided, before Condition 16 can be signed off.

Can you please email the details to me so I can update Claire and add it to the file.

Many thanks,  
Karen

Karen Garner | Post Approval Implementation and Monitoring Officer, Planning Department, Arun District Council |  
Location: 1<sup>st</sup> Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF  
Telephone Internal: 37593 | External: +44 (0) 1903 737593 | E-mail: [karen.garner@arun.gov.uk](mailto:karen.garner@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

**From:** Darren Kennett - TW Southern Counties

**Sent:** 25 March 2020 08:51

**To:** Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

**Subject:** RE: AL/106/19/DOC

Hi Karen,

Here is an updated layout. I have added further details outlining the procedure in the event of a complaint relating to lighting.

If you have any queries, please do not hesitate to contact me.

Regards

Darren

Best Regards,

Darren Kennett | Design & Planning Executive

Taylor Wimpey Southern Counties, Colvedene Court, Wessex Business Park, Colden Common, Hampshire, SO21 1WP

Taylor Wimpey Southern Counties is a division of Taylor Wimpey UK Limited  
Think before you print!



From: Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

Sent: 24 March 2020 16:50

To: Darren Kennett - TW Southern Counties

Subject: FW: AL/106/19/DOC

For info.

Karen Garner | Post Approval Implementation and Monitoring Officer, Planning Department, Arun District Council |  
Location: 1<sup>st</sup> Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF  
Telephone Internal: 37593 | External: +44 (0) 1903 737593 | E-mail: [karen.garner@arun.gov.uk](mailto:karen.garner@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

From: Fiona Fitzgerald <[Fiona.Fitzgerald@arun.gov.uk](mailto:Fiona.Fitzgerald@arun.gov.uk)>

Sent: 24 March 2020 16:48

To: Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>; Planning.Responses <[Planning.Responses@arun.gov.uk](mailto:Planning.Responses@arun.gov.uk)>

Subject: RE: AL/106/19/DOC

Hi,

Thanks, Environmental Health are satisfied that Condition 10 can be discharged. Just waiting for the expansion of the information if a lighting complaint is received.

Thanks

Fiona

Fiona Fitzgerald | Senior Environmental Health Officer, Environmental Health, Arun District Council | Location: Third Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37674 | External: +44(0)1903 737674 | E-mail: [fiona.fitzgerald@arun.gov.uk](mailto:fiona.fitzgerald@arun.gov.uk)



Save the environment - think before you print.



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)

**From:** Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

**Sent:** 24 March 2020 16:45

**To:** Fiona Fitzgerald <[Fiona.Fitzgerald@arun.gov.uk](mailto:Fiona.Fitzgerald@arun.gov.uk)>

**Subject:** RE: AL/106/19/DOC

Hi Fiona,

Here are the documents you cannot view. Yes the CMP is REV B.

I do not have any newer information received from Darren as requested below. I will email him now.

Kind regards,  
Karen

Karen Garner | Post Approval Implementation and Monitoring Officer, Planning Department, Arun District Council |

Location: 1<sup>st</sup> Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Telephone Internal: 37593 | External: +44 (0) 1903 737593 | E-mail: [karen.garner@arun.gov.uk](mailto:karen.garner@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

**From:** Fiona Fitzgerald <[Fiona.Fitzgerald@arun.gov.uk](mailto:Fiona.Fitzgerald@arun.gov.uk)>

**Sent:** 24 March 2020 16:33

**To:** Planning.Responses <[Planning.Responses@arun.gov.uk](mailto:Planning.Responses@arun.gov.uk)>

**Cc:** Karen Garner <[Karen.Garner@arun.gov.uk](mailto:Karen.Garner@arun.gov.uk)>

**Subject:** AL/106/19/DOC

Hi Karen,

Further to my previous response to this application for Condition 7 (CMP), I asked for further detail on their complaint procedure in the CMP should there be a lighting complaint. They have just stated 'in the event of any queries or concerns the site manager is contactable'. Given that we have already had a lighting complaint about this

site, I would appreciate it if they could expand more to advise of their complaint procedure in the event of a lighting complaint. I am satisfied with the noise part of the CMP, now they have put more detail into it.

I haven't been able to find confirmation of the fact that the Lighting Schedule complies with Zone E2 of the ILP guidance – as discussed there are a couple of documents that the Planning Portal seems intent to keep me away from! If you could point me to the documentation that contains the Zone E2 confirmation I would be very grateful.

Thanks

Fiona

Fiona Fitzgerald | Senior Environmental Health Officer, Environmental Health, Arun District Council | Location: Third Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37674 | External: +44(0)1903 737674 | E-mail: [fiona.fitzgerald@arun.gov.uk](mailto:fiona.fitzgerald@arun.gov.uk)

 Save the environment - think before you print. 

Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

\*\*\*\*\*

This e-mail and its attachments are confidential and intended solely for the attention and use of the named addressee(s). If you are not the intended recipient, you may not disclose, copy, distribute or retain this message or any part of it without the prior permission of the sender. If you have received this in error please inform the sender and immediately delete the message.

#### Use of your personal information

Taylor Wimpey takes data protection very seriously and the privacy notice that will apply to our use of your personal information can be found at [www.taylorwimpey.co.uk/privacy-policy](http://www.taylorwimpey.co.uk/privacy-policy)

Taylor Wimpey plc (Registered No. 296805) and Taylor Wimpey UK Limited (Registered No. 1392762) are each registered in England and Wales with their registered office at Gate House, Turnpike Road, High Wycombe, Buckinghamshire, HP12 3NR.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>


Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

\*\*\*\*\*

[illegible]

|                   |
|-------------------|
| Plot Commencement |
|-------------------|

### Plot Completion



Plot Commencement

Plot Completion