

Bronte Welham

From: Amanda Scholes on behalf of Planning.Responses
Sent: 10 March 2017 09:05
To: Planning Scanning
Subject: FW: AL/107/16/RES - public open space plan

From: Lucy Harding
Sent: 09 March 2017 15:42
To: Planning.Responses
Subject: FW: AL/107/16/RES - public open space plan

Good afternoon,

Please could this email below be placed onto Ocella and the web for me?

It is consultee correspondence relating to Public Open Space.

Many thanks,
Lucy

Lucy Harding BA, MSc | Principal Planning Officer, Strategic Development, [Arun District Council](#) | First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

From: Sue Howell
Sent: 09 March 2017 15:34
To: Lucy Harding
Subject: RE: AL/107/16/RES - public open space plan

Hi Lucy

Thanks for various emails on this, I have now had a look at the drawing and they have confirmed the amount of open space being provided, which does tie in with our existing SPG guideline so would be fine. We would struggle to insist on the updated FIT standards whilst our existing SPG stands.

The centrally located LEAP is fine, but I can't see any mention now of LAP? Can they confirm where this will be and that they have in fact provided the require play provision otherwise s106 monies would need to be sought for offsite play provision?

Hope this make sense

Regards

sue

[Sue Howell](#) | Leisure and Landscape Officer, Greenspace, Engineering and Emergency Planning, [Arun District Council](#) | Location: Bognor Regis Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

il
Adde

ndum v2.0' at www.barrattcommercialsupport.co.uk/barratt-developments-plc-email-a for further details.