KEY:

Groundwater sample location

Single Driveway [S]

Double Driveway [D]

Maxiumum groundwater level GW 10.00

SuDS Formation Level 10.00

KEY PLAN:



GW 1.0mBGL

GW 1.1mBGL

GW 1.2mBGL

GW 1.3mBGL

GW 1.4mBGL

GW 0.9mBGL

GW 0.8mBGL

GW 0.7mBGL

GW 0.6mBGL

WS1
GW 0.90m

WS2
GW 1.40m

BH2
GW 1.20m

Private Access

centre of neighbouring tree line

edge of tree foliage

approx stock fence position

300mm pipe approx (broken)

Proposed Accessway Re-alignment

Existing Accessway

Proposed Timber Knee Rail

Woodscape Removable Hardwood Timber Bollards spaced 1.5m apart

Woodscape Fixed Hardwood Timber Bollards spaced 1.5m apart

Existing Culvert CCTV condition survey to be provided prior to works commencing.

Trench Soakaway Plot 151 - 1.5mW x 5mL x 0.3mD 2.1m³ IL 12.25

Infiltration Swale 4 85mL x 0.5mW(base width) x 0.6mD 1:3 Side Slopes. Slope 1:370

Infiltration Swale 1 115mL x 0.5mW(base width) x 0.6mD 1:3 Side Slopes. Slope 1:200 IL 11.85

Parking Court 1 *Area of Paving (-service corridor) - 136m² *Catchment-422m² Sub-Base Provided-500mm

FFL 13.250 · FFL 13.400 · FFL 13.150 · FFL 13.400 · FFL 13.500 · FFL 13.350 · FFL 13.700 · FFL 13.850 · FFL 13.550 · FFL 14.000 · FFL 14.000 · FFL 14.100 · FFL 13.850 · FFL 13.850 · FFL 13.900 · FFL 13.000 · FFL 13.000 · FFL 13.450 · FFL 13.450 · FFL 13.450 · FFL 12.900 · FFL 12.900 · FFL 13.370 · FFL 13.410 · FFL 13.410 · FFL 13.360 · FFL 13.360 · FFL 13.600 · FFL 13.800 · FFL 13.830 · FFL 12.850 · FFL 12.900 · FFL 13.020 · FFL 13.000 · FFL 13.170 · FFL 13.330 · FFL 13.330 · FFL 13.260 · FFL 13.260 · FFL 13.500 · FFL 13.350 · FFL 13.030 · FFL 13.180 · FFL 13.450 · FFL 13.450 · FFL 13.350 · FFL 13.500 · FFL 13.690 · FFL 13.540 · FFL 13.540 · FFL 13.050 · FFL 12.900 · FFL 13.100 · FFL 13.100 · FFL 12.950 · FFL 13.200 · FFL 13.300 · FFL 13.300 · FFL 13.050 · FFL 13.150 · FFL 13.250 · FFL 13.100 · FFL 13.250 · FFL 13.250 · FFL 13.040 · FFL 12.890 · FFL 12.950 · FFL 12.950 · FFL 12.910 · FFL 12.910 · FFL 12.890 · FFL 12.920 · FFL 12.900 · FFL 12.840 · FFL 13.020 · FFL 13.020 · FFL 13.170 · FFL 13.170 · FFL 12.750

PRELIMINARY

REV. No.	DATE	DESCRIPTION	INITIALS
O	15.06.23	Updated to as-built 15.06.23	SS
N	21.11.22	Updated to as built status.	SS
M	31.07.19	Updated sub-base formation levels.	SS
L	19.07.19	Updated sub-base formation level of lot 226.	SS
K	06.06.19	Updated to new layout.	SS

Client: TaylorWimpey plc

Project: Westergate & Eastergate

Title: SW Attenuation Sheet 1

MJA CONSULTING
CIVIL AND STRUCTURAL ENGINEERS
Monarch House, Barton Lane, Abingdon, Oxon, OX14 3NB
Tel: 01235 555173
Fax: 01235 523226

Scale: 1:250@A0 · Date: Mar '18 · Drawing No.: 5655:72 · Rev: 0

Checked: AMc · Drawn: CP

© This drawing is the copyright of Michael A Jennings Associates Limited and may not be copied, altered or reproduced in any way without their permission.