



KEY:

Proposed Adoptable Sewers:
Foul sewer

Proposed Private Drainage:
Foul drain
Storm drain
Rodding eye
Yard gully
Aco drain
Filter Drain

Highway gullies to discharge via permevoids to a permeable sub-base
Beony kerbs

Permeable block paving
Impermeable block paving

All private inspection chambers shall be polypropylene non-access chambers in accordance with The Building Regulations, Part H.

Chamber sizes:
Depth to invert <0.6m DN300
Depth to invert >0.6m DN475

Invert levels shown thus: F10.00 S10.00
Finished floor levels shown thus: FFL 10.00

Stepped Cavity Tray SCT
External Brickwork EXT BWR
Tanking T T T
Slab on Edge SOE
Retaining Wall RWALL
Fall Arrows
Proposed Levels
Primary Access
Secondary Access

PRELIMINARY				INITIALS	
REV. No.	DATE	DESCRIPTION			
Client					
Taylor Wimpey plc			MJA CONSULTING CIVIL AND STRUCTURAL ENGINEERS Monarch House, Barton Lane, Abingdon, Oxon, OX14 3NB Tel: 01235 555173 Fax: 01235 523226		
Project Westergate & Eastergate					
Title	Scale	Date	Drawing No.	Rev	
S104 Layout	1:500@A0	March '18	5655:501	-	
	Checked TC	Drawn SS			