



- NOTES**
- DO NOT SCALE THIS DRAWING. WORK TO FIGURED DIMENSIONS ONLY. ALL DIMENSIONS ARE IN MILLIMETRES (mm) UNLESS NOTED OTHERWISE.
 - This drawing is to be read in conjunction with all relevant Architect's, Engineer's and Specialist's drawings and their respective Specifications.
 - All work to comply with the relevant British Standards, Codes of Practice and the Building Regulations.
 - Any discrepancies between all working drawings, specifications and schedules of all disciplines to be immediately notified to CTP for clarification/correction prior to construction of relevant structure.

Diagram of a fire appliance with dimensions: 8.68m (length), 1.52m (width), 3.81m (wheelbase).

DB32 Fire Appliance
Overall Length 8.680m
Overall Width 2.180m
Overall Body Height 3.452m
Min Body Ground Clearance 0.337m
Max Track Width 2.121m
Lock to lock time 6.00s
Kerb to Kerb Turning Radius 7.910m

PRELIMINARY				
P10	Site Layout Revised to include crossing points & minor alterations to paths	03.08.26	SF	LB
P9	Site plan updated	09.04.26	SF	LB
P8	Layout revised & Tracking updated, layout reduced to one sheet and drawing re scaled	26.02.26	SF	LB
P7	Landscape Update	10.12.24	AM	LB
P6	Tracking updated to reflect revised layout	29.11.24	SF	LB
P5	Redline Boundary Updated	25.04.24	SP	LB
P4	Layout revised & tracking altered accordingly	19.04.24	SF	LB
P3	Minor updates to tracking & layout	10.04.24	SF	LB
P2	Minor updates to tracking	10.04.24	SF	LB
P1	Preliminary Issue	10.04.24	SF	LB
Revision	Amendments	Date	Rev'd	Chk'd
Created by	SF	April 2024		CIVLS

ctp consulting engineers

Suffolk House 154 High Street
Sevenoaks Kent TN13 1XE UK
UK: +44 (0)1732 740195
www.ctp-llp.com

Project Title: **Hook Meadows Westergate**

Drawing Title: **Vehicle Tracking Fire Appliance**

Drawing Number: **B0457-1700**

Scale: 1:250 @A1
Unless Noted Otherwise

P10