



Town & Country Planning Act 1990 (as amended)
Town and Country Planning (Development Management
Procedure) (England) Order 2015
Application for Planning Permission
DECISION NOTICE

Application Ref: AL/40/18/PL

1 To Addressee

MH Architects Limited
 Ground Floor
 Bicentennial Building
 Southern Gate
 Chichester
 West Sussex
 PO19 8EZ

2 Site Address

Land Adjacent to 14 St Johns Close
 Westergate
 PO20 3TH

3 Description of Development

2 No. semi detached bungalows with associated parking & landscape

In pursuance of their powers under this Act and related Orders and Regulations the Council **PERMIT** this development to be carried out in accordance with the application and plans and subject to the following conditions

- 1 The development hereby permitted shall be begun before the expiration of 3 years from the date of this permission.

Reason: To comply with Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 The development hereby approved shall be carried out in accordance with the following approved plans

Drawing 16/021 20 Rev D "Location Plan & Proposed Site Plan"; and
 Drawing 16/021 21 Rev C "Proposed Plans & Elevations and Site Section".

Reason: For the avoidance of doubt and in the interests of amenity and the environment in accordance with policy D DM1 of the Arun Local Plan 2011-2031.

3 No development shall take place, including any works of demolition, until a Construction Environmental Management Plan has been submitted to, and approved in writing by, the Local Planning Authority. The approved Plan shall be adhered to throughout the construction period. The Plan shall provide for:

- a. An indicative programme for carrying out of the works;
- b. Measures to minimise the noise (including vibration) generated by the construction process to include hours of work, proposed method of piling for foundations, the careful selection of plant and machinery and use of noise mitigation barrier(s);
- c. the parking of vehicles of site operatives and visitors;
- d. loading and unloading of plant and materials;
- e. storage of plant and materials used in constructing the development;
- f. the erection and maintenance of security hoarding including decorative displays and facilities for public viewing, where appropriate;
- g. measures to control the emission of dust and dirt during construction; and

Reason: In order to protect the amenity and living conditions of neighbouring properties in accordance with policies QE SP1, QE DM1, QE DM2 and QE DM3 of the Arun Local Plan 2011-31. This is required to be a pre-commencement condition because it is necessary to have the site set-up agreed prior to work starting.

4 Development shall not commence until full details of the proposed surface water drainage scheme have been submitted to and approved in writing by the Local Planning Authority.

The design should follow the hierarchy of preference for different types of surface water drainage disposal systems as set out in Approved Document H of the Building Regulations, the recommendations of the SUDS Manual produced by CIRIA.

Winter groundwater monitoring to establish highest annual ground water levels and Percolation testing to BRE 365, or similar approved, will be required to support the design of any Infiltration drainage.

No building shall be occupied until the complete surface water drainage system serving the property has been implemented in accordance with the agreed details and the details so agreed shall be maintained in good working order in perpetuity.

Reason: To ensure that the proposed development is satisfactory drained in accordance with policies D DM1 and W DM3 of the Arun Local Plan 2011-2031. It is considered necessary for this to be a pre-commencement condition to ensure that the surface water disposal scheme is agreed before construction commences.

- 5 Construction of the development shall not commence until details of the proposed means of foul and surface water sewerage disposal have been submitted to, and approved in writing by, the Local Planning Authority in consultation with Southern Water. The development shall be carried out in accordance with the approved scheme.

Reason: To ensure that the proposed development has a satisfactory means of disposing of foul sewerage in accordance with policies W DM1 and W DM3 of the Arun Local Plan 2011-31. It is considered necessary for this to be a pre-commencement condition because it would not be possible to implement a foul drainage scheme once development had been completed.

- 6 Development shall not commence until full details of the proposed measures to be undertaken to divert the existing public sewer has been submitted and approved in writing by the local planning authority (in conjunction with Southern Water). The dwelling shall not be occupied until the measures in respect of diverting the sewer have been completed in accordance with the agreed details.

Reason: To ensure that the proposed development does not result in any damage to the existing foul sewer in accordance with policies W DM1 and W DM3 of the Arun Local Plan 2011-31. It is considered necessary for this to be a pre-commencement condition because otherwise development could harm the existing sewer below the ground surface.

- 7 No development above damp proof course (DPC) level shall take place unless and until a schedule of materials and finishes to be used for external walls (and roofs) of the proposed semi-detached residential building have been submitted to and approved by the Local Planning Authority and the materials so approved shall be used in the construction of the building.

Reason: To enable the Local Planning Authority to control the development in detail in the interests of amenity and character and appearance of the area by endeavouring to achieve a building of visual quality in accordance with policy D DM1 of the Arun Local Plan 2011-2031.

- 8 No development above damp proof course (DPC) level shall take place until there has been submitted to, and approved by, the Local Planning Authority, a landscaping scheme including details of hard and soft landscaping. The approved details of the landscaping shall be carried out in the first planting and seeding season, following the occupation of the buildings or the completion of the development, whichever is the sooner, and any trees or plants which, within a period of five years from the completion of development, die, are removed or become seriously damaged or diseased, shall be replaced in the next planting season with others of similar size and species, unless the Local Planning Authority gives written consent to any variation.

Reason: In the interests of amenity and of the environment of the development in accordance with policy D DM1 of the Arun Local Plan 2011-2031.

- 9 No part of the development shall be first occupied until the cycle stores have been provided in accordance with the details shown on the approved drawings. The cycle storage sheds shall thereafter be permanently retained as fit for purpose.

Reason: To provide alternative travel options to the use of the car in accordance with policies T SP1 and T DM1 of the Arun Local Plan 2011-2031.

- 10 No part of the development shall be first occupied until the vehicle parking and turning spaces have been constructed in accordance with the approved plan. These spaces shall thereafter be retained for their designated use.

Reason: To provide adequate on-site car parking and turning space for the development in accordance with policy T SP1 of the Arun Local Plan 2011-2031.

- 11 Should any sewer be found during construction works then all development activities within 5m of the external edge of the sewer shall cease and they shall not recommence until full details of the proposed measures to be undertaken to protect the existing public sewer have been submitted to and approved in writing by the local planning authority (in conjunction with Southern Water) and then implemented in accordance with the agreed details.

Reason: To ensure that the proposed development does not result in any damage to the existing foul sewer in accordance with policy W SP1 and W DM1 of the Arun District Council Local Plan 2011-2031.

- 12 Notwithstanding the provisions of Part 1 of Schedule 2 of the Town and Country Planning (General Permitted Development) (England) Order, 2015 (or any Order revoking or re-enacting this Order) no extensions (including porches or dormer windows) to the dwelling houses shall be constructed or buildings shall be erected within the curtilage unless permission is granted by the Local Planning Authority on an application in that behalf.

Reason: To safeguard the privacy and amenity of adjoining occupiers and maintain adequate amenity space in accordance with policy D DM1 of the Arun District Local Plan.

INFORMATIVE: Statement pursuant to Article 35 of the Town and Country Planning (Development Management Procedure)(England) Order 2015. The Local Planning Authority has acted positively and proactively in determining this application by assessing the proposal against all material considerations, including planning policies and any representations that may have been received and subsequently determining to grant planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

INFORMATIVE: Drainage Engineers advise that Infiltration rates for soakage structures are to be based on percolation tests undertaken in the winter period and at the location and depth of the proposed structures. The percolation tests must be carried out in accordance with BRE 365, CIRIA R156 or a similar approved method and cater for the 1 in 10 year storm between the invert of the entry pipe to the soakaway, and the base of the structure. It must also have provision to ensure that there is capacity in the system to contain below ground level the 1 in 100 year event plus 30% on stored volumes, as an allowance for climate change. Adequate freeboard must be provided between the base of the soakaway structure and the highest recorded annual groundwater level identified in that location. Any SuDS or soakaway design

must include adequate groundwater monitoring data to determine the highest winter groundwater table in support of the design. The applicant is advised to discuss the extent of groundwater monitoring with the Council's Engineers. Supplementary guidance notes are also available on request.

INFORMATIVE: The granting of this planning permission does not in any way indemnify against statutory nuisance action being taken should substantiated complaints within the remit of the Environmental Protection Act 1990 be received. For further information please contact the Environmental Health Department on 01903 737500

INFORMATIVE: A formal application for connection to the public sewerage system is required in order to service this development, please contact Southern Water, Sparrowgrove House, Sparrowgrove, Otterbourne, Hampshire SO21 2SW (Tel: 0330 303 0119) or www.southernwater.co.uk. Please read our New Connections Services Charging Arrangements documents which is available to read on our website via the following link <https://beta.southernwater.co.uk/infrastructurecharges>.



Neil Crowther
Group Head of Planning

Case Officer: Mr S Davis

Date of Decision:

5 September 2018

Arun District Council
The Arun Civic Centre
Maltravers Road
Littlehampton
West Sussex BN17 5LF

IT IS IMPORTANT THAT YOU READ THE NOTES ATTACHED TO THIS DOCUMENT

APPEALS TO THE SECRETARY OF STATE

If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice, and you want to appeal against this planning application decision, then you must do so within 28 days of the date of this notice.

If an enforcement notice is served relating to the same or substantially the same land and development as in your application and you want to appeal against this planning application decision, then you must do so within 28 days of the date of service of the enforcement notice, or within 12 weeks of the date of this notice, whichever period expires earlier.

Otherwise, if you want to appeal against this decision then you must do so within 6 months of the date of this notice.

Appeals must be using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at <http://acp.planninginspectorate.gov.uk>

The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.

The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

PURCHASE NOTICES

If either the local planning authority or the Secretary of State refused permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council (that is, where the land is situated in a National Park, the National Park authority for the Park, or in any other case the district council in whose area the land is situated). This notice will require the Council to purchase the owner's interest in the land in accordance with the provisions of Chapter 1 of Part VI of the Town & Country Planning Act 1990.

Please note that this decision notice only relates to matters under the Planning Acts and does not give consent under any other legislation that may apply to the development. You will need to carry out your own checks to determine whether any other consents or permissions are required. For example, the Building Regulations are likely to apply to most developments, and a Highways Licence may be required from West Sussex County Council for any development within the public highway