

Arboricultural Survey 15/05/2020 - Field House, Church Road, Aldingbourne, PO20 3TT

Tree Identification Number	Tree Species	Height (M)	Spread (M)	DBH (M)	Age Class	Dead Wood %	Decay Present	Hazard Risk Rating (1-3)	Observations	Hazard	Recommendations
1	Silver Birch	16	N-5.2 E-6.2 S-6.6 W-5.8	65	M	10	X	1	The tree is in general good health with no obvious defects. It is 6m from the property and casts a shadow on the south end until midday		Crown reduce by 2.5m to accommodate proposed solar panel installation on adjacent south facing pitched roof.
2	Willow	16	N-5 E-5.5 S-7 W-5	109	M	10	X	1	Has been heavily topped in the past at 6m. A Large and overbearing tree for the location.		Fell and replant with a more suitable species to the environment.
3	Willow	18	N-9 E-8 S-8 W-9	90.5	M	20	Y	2	Large extension growth on top of heavily decayed stems at historical pruning cuts at 8m	Crown failure over garden	Re-pollard at 8m.
4	Ash	17	N-4.8 E-5 S-6 W-4	80.5	M	40	Y	2	Has been heavily topped in the past at 6m. Ganoderma present at the base correlating with sparse and dying crown	Falling dead wood over garden	Fell
5	Willow	17	N-8 E-3 S-2 W-1.1	E-66 W-60	M	10	X	2	Growing from ditch. Bifurcates from ground level with possible included bark.	Stem failure over adjacent track and property	Consider felling or reduce west stem by 5m and east stem by 4m

Blue Cedar Tree Surgeons Ltd

Inspected by: Edward Hackman

15th May 2020