


Classification of sample: TP27-0.10-08/08/2025



Sample details

Sample name:	LoW Code:
TP27-0.10-08/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.10 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
9.5%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 9.5% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	pH				5.9	pH		5.9	pH	5.9 pH		
2	arsenic { arsenic trioxide }				6	mg/kg	1.32	7.922	mg/kg	0.000792 %		
	033-003-00-0	215-481-4	1327-53-3									
3	boron { diboron trioxide }				<1	mg/kg	3.22	<3.22	mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2									
4	cadmium { cadmium oxide }				0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
	048-002-00-0	215-146-2	1306-19-0									
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				17	mg/kg	1.462	24.846	mg/kg	0.00248 %		
		215-160-9	1308-38-9									
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2	mg/kg	2.27	<4.54	mg/kg	<0.000454 %		<LOD
	024-017-00-8											
7	copper { dicopper oxide; copper (I) oxide }				12	mg/kg	1.126	13.511	mg/kg	0.00135 %		
	029-002-00-X	215-270-7	1317-39-1									
8	lead { lead chromate }			1	23	mg/kg	1.56	35.876	mg/kg	0.0023 %		
	082-004-00-2	231-846-0	7758-97-6									
9	mercury { mercury dichloride }				<1	mg/kg	1.353	<1.353	mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
10	nickel { nickel chromate }				9	mg/kg	2.976	26.786	mg/kg	0.00268 %		
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<2	mg/kg	2.554	<5.108	mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc sulphate }				40	mg/kg	2.469	98.772	mg/kg	0.00988 %		
	030-006-00-9	231-793-3 [1]	7446-19-7 [1]									
		231-793-3 [2]	7733-02-0 [2]									
13	TPH (C6 to C40) petroleum group				14	mg/kg		14	mg/kg	0.0014 %		
			TPH									
14	naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3									
15	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8									

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0209 %		

Key	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
■	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C"

Force this Hazardous Property to non-hazardous for cumulative determinand results below the threshold of: 1000 mg/kg (0.1%) because: No free product encountered at any exploratory hole position, therefore TPH unlikely to be flammable at concentrations < 1000 mg/kg

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group (conc.: 0.0014%)

WAC results for sample: TP27-0.10-08/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	5.9	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value
	SNRHW WAC criteria fail

Classification of sample: TP30-0.05-06/08/2025

 **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP30-0.05-06/08/2025	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
0.05 m	
Moisture content:	
11%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: **11% No Moisture Correction applied (MC)**

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	pH		PH		6.4	pH		6.4	pH	6.4 pH		
2	arsenic { arsenic trioxide }				9	mg/kg	1.32	11.883	mg/kg	0.00119 %		
	033-003-00-0	215-481-4	1327-53-3									
3	boron { diboron trioxide }				<1	mg/kg	3.22	<3.22	mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2									
4	cadmium { cadmium oxide }				0.4	mg/kg	1.142	0.457	mg/kg	0.0000457 %		
	048-002-00-0	215-146-2	1306-19-0									
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				20	mg/kg	1.462	29.231	mg/kg	0.00292 %		
		215-160-9	1308-38-9									
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2	mg/kg	2.27	<4.54	mg/kg	<0.000454 %		<LOD
	024-017-00-8											
7	copper { dicopper oxide; copper (I) oxide }				41	mg/kg	1.126	46.161	mg/kg	0.00462 %		
	029-002-00-X	215-270-7	1317-39-1									
8	lead { lead chromate }			1	76	mg/kg	1.56	118.546	mg/kg	0.0076 %		
	082-004-00-2	231-846-0	7758-97-6									
9	mercury { mercury dichloride }				<1	mg/kg	1.353	<1.353	mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
10	nickel { nickel chromate }				10	mg/kg	2.976	29.763	mg/kg	0.00298 %		
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<2	mg/kg	2.554	<5.108	mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc sulphate }				144	mg/kg	2.469	355.579	mg/kg	0.0356 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]									
13	TPH (C6 to C40) petroleum group		TPH		<6	mg/kg		<6	mg/kg	<0.0006 %		<LOD
14	naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3									
15	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8									

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	■ benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0549 %		

Key

■	User supplied data
■	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
■	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

WAC results for sample: TP30-0.05-06/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.


WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	6.4	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value

Classification of sample: TP34-0.10-08/08/2025



Sample details

Sample name:	LoW Code:
TP34-0.10-08/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.10 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
14.4%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 14.4% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
1	pH				5.4 pH		5.4	pH	5.4 pH		
2	arsenic { arsenic trioxide }				7 mg/kg	1.32	9.242	mg/kg	0.000924 %		
	033-003-00-0	215-481-4	1327-53-3								
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22	mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2								
4	cadmium { cadmium oxide }				0.2 mg/kg	1.142	0.228	mg/kg	0.0000228 %		
	048-002-00-0	215-146-2	1306-19-0								
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				20 mg/kg	1.462	29.231	mg/kg	0.00292 %		
		215-160-9	1308-38-9								
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54	mg/kg	<0.000454 %		<LOD
	024-017-00-8										
7	copper { dicopper oxide; copper (I) oxide }				10 mg/kg	1.126	11.259	mg/kg	0.00113 %		
	029-002-00-X	215-270-7	1317-39-1								
8	lead { lead chromate }			1	21 mg/kg	1.56	32.756	mg/kg	0.0021 %		
	082-004-00-2	231-846-0	7758-97-6								
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353	mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7								
10	nickel { nickel chromate }				10 mg/kg	2.976	29.763	mg/kg	0.00298 %		
	028-035-00-7	238-766-5	14721-18-7								
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108	mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5								
12	zinc { zinc sulphate }				39 mg/kg	2.469	96.303	mg/kg	0.00963 %		
	030-006-00-9	231-793-3 [1]	7446-19-7 [1]								
		231-793-3 [2]	7733-02-0 [2]								
13	TPH (C6 to C40) petroleum group				12 mg/kg		12	mg/kg	0.0012 %		
			TPH								
14	naphthalene				<0.1 mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3								
15	acenaphthylene				<0.1 mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8								

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4	218-01-9	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0209 %		

Key	
	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C"

Force this Hazardous Property to non-hazardous for cumulative determinand results below the threshold of: 1000 mg/kg (0.1%)
because: No free product encountered at any exploratory hole position, therefore TPH unlikely to be flammable at concentrations < 1000 mg/kg

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group (conc.: 0.0012%)

WAC results for sample: TP34-0.10-08/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	5.4	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value
	SNRHW WAC criteria fail

Classification of sample: TP35-0.15-08/08/2025

 **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP35-0.15-08/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.15 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
10.5%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 10.5% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
1	pH		PH		5.4 pH		5.4 pH	5.4 pH		
2	arsenic { arsenic trioxide }				7 mg/kg	1.32	9.242 mg/kg	0.000924 %		
	033-003-00-0	215-481-4	1327-53-3							
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22 mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2							
4	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg	<0.000228 %		<LOD
	048-002-00-0	215-146-2	1306-19-0							
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				18 mg/kg	1.462	26.308 mg/kg	0.00263 %		
		215-160-9	1308-38-9							
6	chromium in Cr(VI) compounds { chromium(VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54 mg/kg	<0.000454 %		<LOD
	024-017-00-8									
7	copper { dicopper oxide; copper (I) oxide }				8 mg/kg	1.126	9.007 mg/kg	0.000901 %		
	029-002-00-X	215-270-7	1317-39-1							
8	lead { lead chromate }			1	19 mg/kg	1.56	29.636 mg/kg	0.0019 %		
	082-004-00-2	231-846-0	7758-97-6							
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353 mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7							
10	nickel { nickel chromate }				9 mg/kg	2.976	26.786 mg/kg	0.00268 %		
	028-035-00-7	238-766-5	14721-18-7							
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108 mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5							
12	zinc { zinc sulphate }				31 mg/kg	2.469	76.548 mg/kg	0.00765 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]							
13	TPH (C6 to C40) petroleum group		TPH		7 mg/kg		7 mg/kg	0.0007 %		
14	naphthalene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
15	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8							

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0174 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C"

Force this Hazardous Property to non-hazardous for cumulative determinand results below the threshold of: 1000 mg/kg (0.1%) because: No free product encountered at any exploratory hole position, therefore TPH unlikely to be flammable at concentrations < 1000 mg/kg

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group (conc.: 0.0007%)

WAC results for sample: TP35-0.15-08/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.


WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	5.4	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value
	SNRHW WAC criteria fail

Classification of sample: TP36-0.10-11/08/2025



Sample details

Sample name:	LoW Code:
TP36-0.10-11/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.10 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
12.4%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 12.4% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
1	pH				5.6 pH		5.6 pH		5.6 pH		
2	arsenic { arsenic trioxide }				7 mg/kg	1.32	9.242 mg/kg		0.000924 %		
	033-003-00-0	215-481-4	1327-53-3								
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22 mg/kg		<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2								
4	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg		<0.0000228 %		<LOD
	048-002-00-0	215-146-2	1306-19-0								
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				18 mg/kg	1.462	26.308 mg/kg		0.00263 %		
		215-160-9	1308-38-9								
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54 mg/kg		<0.000454 %		<LOD
	024-017-00-8										
7	copper { dicopper oxide; copper (I) oxide }				8 mg/kg	1.126	9.007 mg/kg		0.000901 %		
	029-002-00-X	215-270-7	1317-39-1								
8	lead { lead chromate }			1	18 mg/kg	1.56	28.077 mg/kg		0.0018 %		
	082-004-00-2	231-846-0	7758-97-6								
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353 mg/kg		<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7								
10	nickel { nickel chromate }				10 mg/kg	2.976	29.763 mg/kg		0.00298 %		
	028-035-00-7	238-766-5	14721-18-7								
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108 mg/kg		<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5								
12	zinc { zinc sulphate }				35 mg/kg	2.469	86.425 mg/kg		0.00864 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]								
13	TPH (C6 to C40) petroleum group				<6 mg/kg		<6 mg/kg		<0.0006 %		<LOD
			TPH								
14	naphthalene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3								
15	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
		205-917-1	208-96-8								

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4	218-01-9	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3	<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	■ benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0179 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

WAC results for sample: TP36-0.10-11/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	5.6	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value
	SNRHW WAC criteria fail

Classification of sample: TP37-0.20-06/08/2025

 **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP37-0.20-06/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.20 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
12.2%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: **12.2% No Moisture Correction applied (MC)**

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	pH		PH		6.1	pH		6.1	pH	6.1 pH		
2	arsenic { arsenic trioxide }				8	mg/kg	1.32	10.563	mg/kg	0.00106 %		
	033-003-00-0	215-481-4	1327-53-3									
3	boron { diboron trioxide }				<1	mg/kg	3.22	<3.22	mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2									
4	cadmium { cadmium oxide }				0.3	mg/kg	1.142	0.343	mg/kg	0.0000343 %		
	048-002-00-0	215-146-2	1306-19-0									
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				20	mg/kg	1.462	29.231	mg/kg	0.00292 %		
		215-160-9	1308-38-9									
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2	mg/kg	2.27	<4.54	mg/kg	<0.000454 %		<LOD
	024-017-00-8											
7	copper { dicopper oxide; copper (I) oxide }				11	mg/kg	1.126	12.385	mg/kg	0.00124 %		
	029-002-00-X	215-270-7	1317-39-1									
8	lead { lead chromate }			1	40	mg/kg	1.56	62.393	mg/kg	0.004 %		
	082-004-00-2	231-846-0	7758-97-6									
9	mercury { mercury dichloride }				<1	mg/kg	1.353	<1.353	mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
10	nickel { nickel chromate }				11	mg/kg	2.976	32.739	mg/kg	0.00327 %		
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<2	mg/kg	2.554	<5.108	mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc sulphate }				111	mg/kg	2.469	274.092	mg/kg	0.0274 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]									
13	TPH (C6 to C40) petroleum group		TPH		<6	mg/kg		<6	mg/kg	<0.0006 %		<LOD
14	naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3									
15	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8									

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	■ benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0399 %		

Key

■	User supplied data
■	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
■	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

WAC results for sample: TP37-0.20-06/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.


WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	6.1	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value

Classification of sample: TP39-0.10-08/08/2025



Sample details

Sample name:	LoW Code:
TP39-0.10-08/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.10 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
9.4%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 9.4% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
1	pH				5.4 pH		5.4 pH		5.4 pH		
2	arsenic { arsenic trioxide }				5 mg/kg	1.32	6.602 mg/kg		0.00066 %		
	033-003-00-0	215-481-4	1327-53-3								
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22 mg/kg		<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2								
4	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg		<0.0000228 %		<LOD
	048-002-00-0	215-146-2	1306-19-0								
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				12 mg/kg	1.462	17.539 mg/kg		0.00175 %		
		215-160-9	1308-38-9								
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54 mg/kg		<0.000454 %		<LOD
	024-017-00-8										
7	copper { dicopper oxide; copper (I) oxide }				5 mg/kg	1.126	5.629 mg/kg		0.000563 %		
	029-002-00-X	215-270-7	1317-39-1								
8	lead { lead chromate }			1	13 mg/kg	1.56	20.278 mg/kg		0.0013 %		
	082-004-00-2	231-846-0	7758-97-6								
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353 mg/kg		<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7								
10	nickel { nickel chromate }				6 mg/kg	2.976	17.858 mg/kg		0.00179 %		
	028-035-00-7	238-766-5	14721-18-7								
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108 mg/kg		<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5								
12	zinc { zinc sulphate }				22 mg/kg	2.469	54.325 mg/kg		0.00543 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]								
13	TPH (C6 to C40) petroleum group				<6 mg/kg		<6 mg/kg		<0.0006 %		<LOD
			TPH								
14	naphthalene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3								
15	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
		205-917-1	208-96-8								

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	■ acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	■ fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	■ phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	■ anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	■ fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	■ pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	■ indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	■ benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0115 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
■	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

WAC results for sample: TP39-0.10-08/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample cannot be evaluated against the Inert (Inert waste landfill) criteria because of missing determinand values.

The sample cannot be evaluated against the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria because of missing determinand values.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%		3	5	6
2	LOI (loss on ignition)	%		-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg		6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg		1	-	-
5	Mineral oil (C10 to C40)	mg/kg		500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg		100	-	-
7	pH	pH	5.4	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg		-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg		0.5	2	25
10	barium	mg/kg		20	100	300
11	cadmium	mg/kg		0.04	1	5
12	chromium	mg/kg		0.5	10	70
13	copper	mg/kg		2	50	100
14	mercury	mg/kg		0.01	0.2	2
15	molybdenum	mg/kg		0.5	10	30
16	nickel	mg/kg		0.4	10	40
17	lead	mg/kg		0.5	10	50
18	antimony	mg/kg		0.06	0.7	5
19	selenium	mg/kg		0.1	0.5	7
20	zinc	mg/kg		4	50	200
21	chloride	mg/kg		800	15,000	25,000
22	fluoride	mg/kg		10	150	500
23	sulphate	mg/kg		1,000	20,000	50,000
24	phenol index	mg/kg		1	-	-
25	DOC (dissolved organic carbon)	mg/kg		500	800	1,000
26	TDS (total dissolved solids)	mg/kg		4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Missing WAC determinand value
	SNRHW WAC criteria fail

Classification of sample: TP40-0.20-08/08/2025

 **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP40-0.20-08/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.20 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
9.3%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 9.3% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
1	pH		PH		5.9 pH		5.9 pH	5.9 pH		
2	arsenic { arsenic trioxide }				7 mg/kg	1.32	9.242 mg/kg	0.000924 %		
	033-003-00-0	215-481-4	1327-53-3							
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22 mg/kg	<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2							
4	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg	<0.0000228 %		<LOD
	048-002-00-0	215-146-2	1306-19-0							
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				19 mg/kg	1.462	27.77 mg/kg	0.00278 %		
		215-160-9	1308-38-9							
6	chromium in Cr(VI) compounds { chromium(VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54 mg/kg	<0.000454 %		<LOD
	024-017-00-8									
7	copper { dicopper oxide; copper (I) oxide }				10 mg/kg	1.126	11.259 mg/kg	0.00113 %		
	029-002-00-X	215-270-7	1317-39-1							
8	lead { lead chromate }			1	21 mg/kg	1.56	32.756 mg/kg	0.0021 %		
	082-004-00-2	231-846-0	7758-97-6							
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353 mg/kg	<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7							
10	nickel { nickel chromate }				10 mg/kg	2.976	29.763 mg/kg	0.00298 %		
	028-035-00-7	238-766-5	14721-18-7							
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108 mg/kg	<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5							
12	zinc { zinc sulphate }				41 mg/kg	2.469	101.241 mg/kg	0.0101 %		
	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]							
13	TPH (C6 to C40) petroleum group		TPH		32 mg/kg		32 mg/kg	0.0032 %		
14	naphthalene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
15	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8							

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
16	acenaphthene	201-469-6	83-32-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
17	fluorene	201-695-5	86-73-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
18	phenanthrene	201-581-5	85-01-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
19	anthracene	204-371-1	120-12-7		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
20	fluoranthene	205-912-4	206-44-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
21	pyrene	204-927-3	129-00-0		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
22	benzo[a]anthracene	601-033-00-9	200-280-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
23	chrysene	601-048-00-0	205-923-4		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
24	benzo[b]fluoranthene	601-034-00-4	205-911-9		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
25	benzo[k]fluoranthene	601-036-00-5	205-916-6		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
26	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
27	indeno[123-cd]pyrene	205-893-2	193-39-5		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
28	dibenz[a,h]anthracene	601-041-00-2	200-181-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
29	benzo[ghi]perylene	205-883-8	191-24-2		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
Total:								0.0232 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C"

Force this Hazardous Property to non-hazardous for cumulative determinand results below the threshold of: 1000 mg/kg (0.1%) because: No free product encountered at any exploratory hole position, therefore TPH unlikely to be flammable at concentrations < 1000 mg/kg

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group (conc.: 0.0032%)

WAC results for sample: TP40-0.20-08/08/2025

WAC Settings: samples in this Job do not constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample **PASSES** the Inert (Inert waste landfill) criteria.

The sample **FAILS** the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria.


WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%	1.7	3	5	6
2	LOI (loss on ignition)	%	8.41	-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg	<0.05	6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg	<0.1	1	-	-
5	Mineral oil (C10 to C40)	mg/kg	<10	500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg	<1.7	100	-	-
7	pH	pH	5.9	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg	<1	-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg	0.008	0.5	2	25
10	barium	mg/kg	0.047	20	100	300
11	cadmium	mg/kg	<0.002	0.04	1	5
12	chromium	mg/kg	0.008	0.5	10	70
13	copper	mg/kg	0.042	2	50	100
14	mercury	mg/kg	<0.0004	0.01	0.2	2
15	molybdenum	mg/kg	<0.002	0.5	10	30
16	nickel	mg/kg	0.01	0.4	10	40
17	lead	mg/kg	0.007	0.5	10	50
18	antimony	mg/kg	<0.002	0.06	0.7	5
19	selenium	mg/kg	<0.002	0.1	0.5	7
20	zinc	mg/kg	0.07	4	50	200
21	chloride	mg/kg	15	800	15,000	25,000
22	fluoride	mg/kg	<5	10	150	500
23	sulphate	mg/kg	10	1,000	20,000	50,000
24	phenol index	mg/kg	<0.1	1	-	-
25	DOC (dissolved organic carbon)	mg/kg	56.5	500	800	1,000
26	TDS (total dissolved solids)	mg/kg	200	4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	SNRHW WAC criteria fail

Classification of sample: WS07-0.05-15/08/2025



Sample details

Sample name:	LoW Code:
WS07-0.05-15/08/2025	Chapter:
Sample Depth:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
0.05 m	Entry:
Moisture content:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
10.5%	
(no correction)	

Hazard properties

None identified

Determinands

Moisture content: 10.5% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
1	pH				5.9 pH		5.9 pH		5.9 pH		
2	arsenic { arsenic trioxide }				6 mg/kg	1.32	7.922 mg/kg		0.000792 %		
	033-003-00-0	215-481-4	1327-53-3								
3	boron { diboron trioxide }				<1 mg/kg	3.22	<3.22 mg/kg		<0.000322 %		<LOD
	005-008-00-8	215-125-8	1303-86-2								
4	cadmium { cadmium oxide }				0.3 mg/kg	1.142	0.343 mg/kg		0.0000343 %		
	048-002-00-0	215-146-2	1306-19-0								
5	chromium in Cr(III) compounds { chromium(III) oxide (worst case) }				18 mg/kg	1.462	26.308 mg/kg		0.00263 %		
		215-160-9	1308-38-9								
6	chromium in Cr(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<2 mg/kg	2.27	<4.54 mg/kg		<0.000454 %		<LOD
	024-017-00-8										
7	copper { dicopper oxide; copper (I) oxide }				11 mg/kg	1.126	12.385 mg/kg		0.00124 %		
	029-002-00-X	215-270-7	1317-39-1								
8	lead { lead chromate }			1	23 mg/kg	1.56	35.876 mg/kg		0.0023 %		
	082-004-00-2	231-846-0	7758-97-6								
9	mercury { mercury dichloride }				<1 mg/kg	1.353	<1.353 mg/kg		<0.000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7								
10	nickel { nickel chromate }				9 mg/kg	2.976	26.786 mg/kg		0.00268 %		
	028-035-00-7	238-766-5	14721-18-7								
11	selenium { nickel selenate }				<2 mg/kg	2.554	<5.108 mg/kg		<0.000511 %		<LOD
	028-031-00-5	239-125-2	15060-62-5								
12	zinc { zinc sulphate }				128 mg/kg	2.469	316.07 mg/kg		0.0316 %		
	030-006-00-9	231-793-3 [1]	7446-19-7 [1]								
		231-793-3 [2]	7733-02-0 [2]								
13	TPH (C6 to C40) petroleum group				25 mg/kg		25 mg/kg		0.0025 %		
			TPH								
14	naphthalene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3								
15	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg		<0.00001 %		<LOD
		205-917-1	208-96-8								