

Daun Johnson

From: N INGRAM <[REDACTED]>
Sent: 17 April 2014 17:16
To: Daun Johnson
Subject: Re: Further Information Required on Your Ref: N/A Our Ref: AW/109/14/T

Hello Mrs. Johnson,
Thank you so much for your prompt reply to our message. I confirm that the description you have given is correct. Thank you too for validating the application for the felling of the Coneaster Tree.
Please do not hesitate to contact us if you need any further information.
With kind regards,
Dr. N. A. and Dr. E. B. Ingram

From: Daun Johnson <Daun.Johnson@arun.gov.uk>
To: "[REDACTED]"
Sent: Thursday, 17 April 2014, 16:01
Subject: FW: Further Information Required on Your Ref: N/A Our Ref: AW/109/14/T

Good afternoon,

I have taken your email and come up with the description below:

'Fell 1 No Irish Yew tree, crown reduction of 2.5 metres, lateral reduction of 1.5 metres and remove reverted green suckers to 1 No Golden Holly tree and 1 No Silver Holly tree. reduce 2 No Irish Yew trees by 1 metre and prune back one limb to 1 NO Magnolia tree by 2 metres'.

Please confirm if this is correct.

I have included the Coneaster Tree in the Tree in a Conservation Area application (AW/120/14/TC), which I have emailed you to say I have validated the application.

Thank you for clearing up the confusion.

If you have any questions, please do not hesitate to contact me.

Thank you,
Mrs Johnson

Daun Johnson | Technical Support Unit Assistant, Planning and Building Control, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37762 | External: +44 (0) 1903 737762 | E-mail: daun.johnson@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

From: Amanda Scholes On Behalf Of Planning.Responses
Sent: 17 April 2014 15:32
To: Daun Johnson
Subject: FW: Further Information Required on Your Ref: N/A Our Ref: AW/109/14/T

From: N INGRAM [redacted]
Sent: 17 April 2014 14:39
To: Planning.Responses
Subject: Re: Further Information Required on Your Ref: N/A Our Ref: AW/109/14/T

Dear Mr. Roberts,

Thank you very much for your letter dated 15th April, 2014 concerning the application for Works to Tree(s) at Speedwell, 53 Kingsway, Craigweil.

From your letter, it is clear that the description of the proposed works needs some clarification, and I hope that the following will be helpful.

We have taken over a garden which has had no attention for some twenty years at least, and was completely overgrown with brambles, ivy, unpruned hedges and shrubbery and a few unpruned trees. Following discussion with the Day Duty Officer at the Planning Department, detailed discussion with John Bentley, Tree Surgeon, whose report was attached to our application, and careful perusal of 'A Guide to Tree Preservation Procedures in Conservation Areas', we have now had much of the undergrowth and overgrown shrubbery cut back or cleared, including the small pyroantha, young self-seeded ash, self-seeded elder, rambling rose, self-seeded rhododendron and bays, as these were all overgrown shrubs and/or young trees of a diameter of less than 7.5 cm. or dead.

We do, however, require permission for work to the following trees:

- a. Fell and remove 1 x Cotoneaster Tree (Item 7 on attached sketch in back garden, close to building);
- b. Fell and remove 1 x Irish Yew on Front West boundary (Item 5 on attached sketch, by front corner of house);
- c. Reduce and reshape the Golden Holly and Silver Holly on the back boundary by one third. Crown reduction of 2.5 metres and lateral reduction of 1.5 metres. This will involve removing the reverted green suckers. (Both are Item 9 on the back boundary in the attached sketch).
- d. Reduce the 2 x Irish Yews by 1 metre (also Items 9 on the back boundary in the attached sketch).
- e. Prune back one limb of Magnolia in Front Garden by 2 metres (Item 4 on attached sketch), as this impedes access to the driveway.

I confirm that in the front west boundary border (labelled 5 on the attached sketch), there was only one tree, the rest being an overgrown hedgerow mainly of holly, privet, hydrangea and other hedging shrubs (see attached photographs). This has now been

reduced, at the request of our neighbour. The tree is the Irish Yew noted in Item (b) above. It is close to the corner of the house and impedes access to the back garden.

We hope this has made our request clearer, and that you will now be able to proceed with the application. Please let us know if we can help further, and thank you for all you are doing.

Yours sincerely,
Nigel and Barbara Ingram

From: "planning.responses@arun.gov.uk" <planning.responses@arun.gov.uk>
To: nigelingram1943@btinternet.com
Sent: Tuesday, 15 April 2014, 16:34
Subject: Further Information Required on Your Ref: N/A Our Ref: AW/109/14/T

***** IMPORTANT NOTICE: This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments. ***** <http://www.arun.gov.uk> : NLPG UPRN 100062237016 : DX 57406 Littlehampton

***** IMPORTANT NOTICE: This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments. ***** <http://www.arun.gov.uk> : NLPG UPRN 100062237016 : DX 57406 Littlehampton