


Recommendation Report

Application No. AW/11/11/T.

Committee ☐ - Date _____

Delegated ☒

	Date	Signature
Prepared by Case Officer	28.2.11.	
Agreed by Team Leader	28.2.11	
Agreed by H.O.P.S. / P.C.M. (if required)		
O.S. Extract requested		

Comments:

100

100

Janice Chapman

From: Ian Brewster
Sent: 25 February 2011 10:59
To: Janice Chapman
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Janice,

The last email sent from Mr Soothill suggests that he was intending to work beyond the BS3998 recommendations and not in the best interested of the tree, its health and continued contribution for visual amenity. Thank you for contacting him and clarifying the situation.

Regards

Ian

-----Original Message-----

From: Janice Chapman
Sent: 23 February 2011 15:14
To: Ian Brewster
Subject: FW: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

-----Original Message-----

From: Gerard Soothill
Sent: 22 February 2011 17:51
To: Janice Chapman
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Thank you for the information, and I would like to talk to him at some stage.

However, this leaves us with little choice - either to withdraw the application or to let it go forward as Ian Brewster has directed - I suggest the later as my neighbour is also away.

At least then we will have permission to make what are very minor reductions/thinnings to the tree.

I hope you are able to let the application go forward as Ian Brewster has directed.

Gerard Soothill

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
To: "Gerard Soothill"
Sent: Tuesday, February 22, 2011 2:48 PM
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

Mr Brewster is located within the Bognor Regis Town Hall in the Parks Department. He is currently on leave and will be back in the office on Friday 25th February, 2011. His direct dial number is [REDACTED].

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill
Sent: 22 February 2011 09:12
To: Janice Chapman

Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Sorry for the delay in responding - I have been away for the w-e.

We are still hoping to talk to Mr Brewster - can he spare me a little time - preferably on site please?

Gerard Soothill

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>

To: "Gerard Soothill" <[REDACTED]>

Sent: Friday, February 18, 2011 4:23 PM

Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have received a response from Mr Brewster.

He had advised me that if you are concerned regarding the safety of the tree then you should employ a tree consultant to carry out a safety inspection which you should send to your insurers. I am afraid that it is not Arun District Council's responsibility for private tree safety.

He can only decide whether the proposed works are arboriculturally acceptable or detrimental to the health and safety of the tree.

In view of his previous comments I have to accept his recommendation.
If this is not acceptable to you I will have to refuse the application.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill <[REDACTED]>

Sent: 17 February 2011 17:27

To: Janice Chapman

Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Thank you

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>

To: "Gerard Soothill" <[REDACTED]>

Sent: Thursday, February 17, 2011 4:13 PM

Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have forwarded your e-mail onto Mr Brewster who will contact you in due cours.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill <[REDACTED]>

Sent: 17 February 2011 12:27

To: Janice Chapman

Subject: Fw: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

I have been in touch with Derek Annals and he also would prefer further consultation with Ian Brewster if possible. I would very much like to show Ian the tree from my garden, or at least have the opportunity of talking to him on the phone

----- Original Message -----

From: "Gerard Soothill" <[REDACTED]>

To: "Derek Annals" [REDACTED]
Sent: Wednesday, February 16, 2011 3:27 PM
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

For Janice Chapman/ Ian Brewster>

>
> Thank you for forwarding Ian's guidance - I will forward this to my
> neighbour who wants to reduce the tree, and get back to you when I
> have contacted him.
>
> I did request Ian Brewster's opinion before our first application,
> only to be told that he could not advise until an application was made

> - this has wasted a good deal of time and effort.
>
> I have a further complication in that our insurers are unhappy about
> the potential damage which could be caused if the tree were to fall(
> at present it could strike any of five houses). If ADC restrictions
> mean that we become unable to reasonably insure the risk, I feel that
> they should accept the liability.
>
> I would like the opportunity to discuss the tree with Ian Brewster if
> he could spare us a little time please.

> Gerard Soothill

> ----- Original Message -----

> From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
> To: [REDACTED]
> Sent: Wednesday, February 16, 2011 9:06 AM
> Subject: FW: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

> Dear Mr Soothill,

> I attach response from Mr Brewster the Council's Arboriculturist in
> response to the above surgery to the Black Poplar tree. If you are
> happy to accept his advice then the application can be recommended for

> approval. The application is still being advertised until the 24th
> February, 2011 so a decision cannot be made until after this date.

> Can you confirm if you are happy to accept his recommendation.

> Regards

> Janice Chapman
> Planner

> -----Original Message-----

> From: Ian Brewster
> Sent: 15 February 2011 17:37
> To: Janice Chapman
> Subject: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

> Dear Janice,

> the above applicant proposes a crown lift to 4m and a crown thin by
25%.

> The reason for the work has been describe to allow more light into the
> surrounding gardens.

> It is appreciated that the tree would appear by those who live close

> by to dominate their rear garden aspect. The tree has or is near to
> reaching its full mature height and width.
>
> Altering crown dynamics suddenly by excessive pruning may cause
> over-flexing of the remainder crown and may result in damage and limb
> loss. Crown thinning a finely branched tree would be difficult to
> achieve unless using a elevated works platform. However this can be
> practical achieved by selection a number of the longest and thickest
> stems for removal to substantial side branches. This method should
> favour the retention of the shorter and less etiolate stems without
> creating gaps that would otherwise expose others to wind snap. This
> method combined with a crown clean i.e. the removal of abrading
> branches and deadwood within the main branch structure, is practical,
> safe and where a 25% could be achieved. A pruning guide attached
> showing the silhouette of the tree and inked red, showing the extent
> of what should be removed, will hopefully assist the tree surgeon
during the operation.

> If the above is adhered to then I would accept the proposal to crown
> thin by 25%. I would recommend also a crown lift is acceptable however

> only up to but not exceeding a height from the ground of 3m to allow
> access beneath the tree.

> Yours sincerely

> Ian Brewster

```
> http://www.arun.gov.uk
> NLPG UPRN 100062237016
> DX 57406 Littlehampton
```

> Important Notice
> This e-mail is intended exclusively for the addressee and may contain
> information that is confidential and/or privileged.
> If you are not the intended recipient (or authorised to receive it for

> the addressee), please notify the sender and delete the e-mail
> immediately; using, copying, or disclosing it to anyone else, is
> strictly prohibited and may be unlawful..

> Any views, opinions or options presented are solely those of the
> author and do not necessarily represent those of Arun District
Council.

> The information in this e-mail may be subject to public disclosure
> under the Freedom of Information Act 2000, therefore we cannot
> guarantee that we will not provide the whole or part of this e-mail to
a third party.

> The Council reserves the right to monitor e-mails in accordance with
> relevant legislation.

> Whilst outgoing e-mails are checked for viruses, we cannot guarantee
> this e-mail is virus-free or has not been intercepted or changed and
> we do not accept liability for any damage caused.

> Any reference to "e-mail" in this disclaimer includes any attachments.
> *****

I am using the free version of SPAMfighter.
We are a community of 7 million users fighting spam.
SPAMfighter has removed 43377 of my spam emails to date.
Get the free SPAMfighter here: [REDACTED]

The Professional version does not have this message

http://www.arun.gov.uk
NLPG UPRN 100062237016

DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.

Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.

The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.

The Council reserves the right to monitor e-mails in accordance with relevant legislation.

Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused.

Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.

Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.

The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.

The Council reserves the right to monitor e-mails in accordance with relevant legislation.

Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused.

Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.

Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.

The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.

The Council reserves the right to monitor e-mails in accordance with relevant legislation.

Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused.

Any reference to "e-mail" in this disclaimer includes any attachments.

Janice Chapman

From: Janice Chapman
Sent: 23 February 2011 15:14
To: Ian Brewster
Subject: FW: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

-----Original Message-----

From: Gerard Soothill
Sent: 22 February 2011 17:51
To: Janice Chapman
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Thank you for the information, and I would like to talk to him at some stage.

However, this leaves us with little choice - either to withdraw the application or to let it go forward as Ian Brewster has directed - I suggest the later as my neighbour is also away.

At least then we will have permission to make what are very minor reductions/thinnings to the tree.

I hope you are able to let the application go forward as Ian Brewster has directed.

Gerard Soothill

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
To: "Gerard Soothill"
Sent: Tuesday, February 22, 2011 2:48 PM
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

Mr Brewster is located within the Bognor Regis Town Hall in the Parks Department. He is currently on leave and will be back in the office on Friday 25th February, 2011. His direct dial number is 01903-737982.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill
Sent: 22 February 2011 09:12
To: Janice Chapman
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Sorry for the delay in responding - I have been away for the w-e.

We are still hoping to talk to Mr Brewster - can he spare me a little time - preferably on site please?

Gerard Soothill

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
To: "Gerard Soothill"
Sent: Friday, February 18, 2011 4:23 PM
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have received a response from Mr Brewster.

He had advised me that if you are concerned regarding the safety of the tree then you should employ a tree consultant to carry out a safety inspection which you should send to your insurers. I am afraid that it is not Arun District Council's responsibility for private tree safety. He can only decide whether the proposed works are arboriculturally acceptable or detrimental to the health and safety of the tree.

In view of his previous comments I have to accept his recommendation. If this is not acceptable to you I will have to refuse the application.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill [REDACTED]
Sent: 17 February 2011 [REDACTED]
To: Janice Chapman
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Thank you

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
To: "Gerard Soothill" [REDACTED]
Sent: Thursday, February 17, 2011 4:13 PM
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have forwarded your e-mail onto Mr Brewster who will contact you in due course.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill [REDACTED]
Sent: 17 February 2011 12:27
To: Janice Chapman
Subject: Fw: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

I have been in touch with Derek Annals and he also would prefer further consultation with Ian Brewster if possible. I would very much like to show Ian the tree from my garden, or at least have the opportunity of talking to him on the phone

----- Original Message -----

From: "Gerard Soothill" [REDACTED]
To: "Derek Annals" <derek@annals.fslife.co.uk>
Sent: Wednesday, February 16, 2011 3:27 PM
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

For Janice Chapman/ Ian Brewster>

>
> Thank you for forwarding Ian's guidance - I will forward this to my
> neighbour who wants to reduce the tree, and get back to you when I
> have contacted him.
>
> I did request Ian Brewster's opinion before our first application,
> only to be told that he could not advise until an application was made

> - this has wasted a good deal of time and effort.
>
> I have a further complication in that our insurers are unhappy about

any damage caused.
Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.

Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.

The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.

The Council reserves the right to monitor e-mails in accordance with relevant legislation.

Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused.

Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.

Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.

The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.

The Council reserves the right to monitor e-mails in accordance with relevant legislation.

Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused.

Any reference to "e-mail" in this disclaimer includes any attachments.



>
>
> If the above is adhered to then I would accept the proposal to crown
> thin by 25%. I would recommend also a crown lift is acceptable however
>
> only up to but not exceeding a height from the ground of 3m to allow
> access beneath the tree.
>
> Yours sincerely
>
> Ian Brewster
>
> <http://www.arun.gov.uk>
> NLPG UPRN 100062237016
> DX 57406 Littlehampton
>
> Important Notice
> This e-mail is intended exclusively for the addressee and may contain
> information that is confidential and/or privileged.
> If you are not the intended recipient (or authorised to receive it for
> the addressee), please notify the sender and delete the e-mail
> immediately; using, copying, or disclosing it to anyone else, is
> strictly prohibited and may be unlawful.
> Any views, opinions or options presented are solely those of the
> author and do not necessarily represent those of Arun District
Council.
> The information in this e-mail may be subject to public disclosure
> under the Freedom of Information Act 2000, therefore we cannot
> guarantee that we will not provide the whole or part of this e-mail to
a third party.
> The Council reserves the right to monitor e-mails in accordance with
> relevant legislation.
> Whilst outgoing e-mails are checked for viruses, we cannot guarantee
> this e-mail is virus-free or has not been intercepted or changed and
> we do not accept liability for any damage caused.
> Any reference to "e-mail" in this disclaimer includes any attachments.
> *****
>
>

--
I am using the free version of SPAMfighter.
We are a community of 7 million users fighting spam.
SPAMfighter has removed 43377 of my spam emails to date.
Get the free SPAMfighter here: <http://www.spamfighter.com/len>

The Professional version does not have this message

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged.
If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful.
Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council.
The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party.
The Council reserves the right to monitor e-mails in accordance with relevant legislation.
Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for

> the potential damage which could be caused if the tree were to fall(
> at present it could strike any of five houses). If ADC restrictions
> mean that we become unable to reasonably insure the risk, I feel that
> they should accept the liability.

> I would like the opportunity to discuss the tree with Ian Brewster if
> he could spare us a little time please.

> Gerard Soothill

> ----- Original Message -----

> From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>

> To: [REDACTED]

> Sent: Wednesday, February 16, 2011 9:06 AM

> Subject: FW: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

> Dear Mr Soothill,

> I attach response from Mr Brewster the Council's Arboriculturist in
> response to the above surgery to the Black Poplar tree. If you are
> happy to accept his advice then the application can be recommended for

> approval. The application is still being advertised until the 24th
> February, 2011 so a decision cannot be made until after this date.

> Can you confirm if you are happy to accept his recommendation.

> Regards

> Janice Chapman
> Planner

> -----Original Message-----

> From: Ian Brewster

> Sent: 15 February 2011 17:37

> To: Janice Chapman

> Subject: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

> Dear Janice,

> the above applicant proposes a crown lift to 4m and a crown thin by
> 25%.

> The reason for the work has been describe to allow more light into the
> surrounding gardens.

> It is appreciated that the tree would appear by those who live close
> by to dominate their rear garden aspect. The tree has or is near to
> reaching its full mature height and width.

> Altering crown dynamics suddenly by excessive pruning may cause
> over-flexing of the remainder crown and may result in damage and limb
> loss. Crown thinning a finely branched tree would be difficult to
> achieve unless using a elevated works platform. However this can be
> practical achieved by selection a number of the longest and thickest
> stems for removal to substantial side branches. This method should
> favour the retention of the shorter and less etiolate stems without
> creating gaps that would otherwise expose others to wind snap. This
> method combined with a crown clean i.e. the removal of abrading
> branches and deadwood within the main branch structure, is practical,
> safe and where a 25% could be achieved. A pruning guide attached
> showing the silhouette of the tree and inked red, showing the extent
> of what should be removed, will hopefully assist the tree surgeon
> during the operation.

Janice Chapman

From: Janice Chapman
Sent: 18 February 2011 16:23
To: 'Gerard Soothill'
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have received a response from Mr Brewster.

He had advised me that if you are concerned regarding the safety of the tree then you should employ a tree consultant to carry out a safety inspection which you should send to your insurers. I am afraid that it is not Arun District Council's responsibility for private tree safety. He can only decide whether the proposed works are arboriculturally acceptable or detrimental to the health and safety of the tree.

In view of his previous comments I have to accept his recommendation. If this is not acceptable to you I will have to refuse the application.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill [redacted]
Sent: 17 February 2011 17:27
To: Janice Chapman
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Thank you

----- Original Message -----

From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
To: "Gerard Soothill" [redacted]
Sent: Thursday, February 17, 2011 4:13 PM
Subject: RE: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

Dear Mr Soothill,

I have forwarded your e-mail onto Mr Brewster who will contact you in due cours.

Regards

Janice Chapman
Planner

-----Original Message-----

From: Gerard Soothill [redacted]
Sent: 17 February 2011 12:27
To: Janice Chapman
Subject: Fw: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

I have been in touch with Derek Annals and he also would prefer further consultation with Ian Brewster if possible. I would very much like to show Ian the tree from my garden, or at least have the opportunity of talking to him on the phone

----- Original Message -----

From: "Gerard Soothill" [redacted]
To: "Derek Annals" [redacted]
Sent: Wednesday, February 16, 2011 3:27 PM
Subject: Re: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

For Janice Chapman/ Ian Brewster>

>
> Thank you for forwarding Ian's guidance - I will forward this to my
> neighbour who wants to reduce the tree, and get back to you when I
> have contacted him.
>
> I did request Ian Brewster's opinion before our first application,
> only to be told that he could not advise until an application was made
>
> - this has wasted a good deal of time and effort.
>
> I have a further complication in that our insurers are unhappy about
> the potential damage which could be caused if the tree were to fall(
> at present it could strike any of five houses). If ADC restrictions
> mean that we become unable to reasonably insure the risk, I feel that
> they should accept the liability.
>
> I would like the opportunity to discuss the tree with Ian Brewster if
> he could spare us a little time please.
>
> Gerard Soothill

>
>
>
> ----- Original Message -----
> From: "Janice Chapman" <Janice.Chapman@arun.gov.uk>
> To: [REDACTED]
> Sent: Wednesday, February 16, 2011 9:06 AM
> Subject: FW: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

>
>
>
> Dear Mr Soothill,
>
> I attach response from Mr Brewster the Council's Arboriculturist in
> response to the above surgery to the Black Poplar tree. If you are
> happy to accept his advice then the application can be recommended for
>
> approval. The application is still being advertised until the 24th
> February, 2011 so a decision cannot be made until after this date.
>
> Can you confirm if you are happy to accept his recommendation.
>
> Regards

>
>
> Janice Chapman
> Planner

>
> -----Original Message-----
> From: Ian Brewster
> Sent: 15 February 2011 17:37
> To: Janice Chapman
> Subject: AW/11/11/T 123 Aldwick Road Aldwick PO21 2NY

>
>
> Dear Janice,
>
> the above applicant proposes a crown lift to 4m and a crown thin by
> 25%.
> The reason for the work has been describe to allow more light into the
>
> surrounding gardens.

>
> It is appreciated that the tree would appear by those who live close
> by to dominate their rear garden aspect. The tree has or is near to
> reaching its full mature height and width.
>
> Altering crown dynamics suddenly by excessive pruning may cause
> over-flexing of the remainder crown and may result in damage and limb
> loss. Crown thinning a finely branched tree would be difficult to

> achieve unless using a elevated works platform. However this can be
> practical achieved by selection a number of the longest and thickest
> stems for removal to substantial side branches. This method should
> favour the retention of the shorter and less etiolate stems without
> creating gaps that would otherwise expose others to wind snap. This
> method combined with a crown clean i.e. the removal of abrading
> branches and deadwood within the main branch structure, is practical,
> safe and where a 25% could be achieved. A pruning guide attached
> showing the silhouette of the tree and inked red, showing the extent
> of what should be removed, will hopefully assist the tree surgeon
during the operation.

>
>
> If the above is adhered to then I would accept the proposal to crown
> thin by 25%. I would recommend also a crown lift is acceptable however

> only up to but not exceeding a height from the ground of 3m to allow
> access beneath the tree.

> Yours sincerely

> Ian Brewster

>
> http://www.arun.gov.uk
> NLPG UPRN 100062237016
> DX 57406 Littlehampton

> Important Notice

> This e-mail is intended exclusively for the addressee and may contain
> information that is confidential and/or privileged.
> If you are not the intended recipient (or authorised to receive it for

> the addressee), please notify the sender and delete the e-mail
> immediately; using, copying, or disclosing it to anyone else, is
> strictly prohibited and may be unlawful.

> Any views, opinions or options presented are solely those of the
> author and do not necessarily represent those of Arun District
Council.

> The information in this e-mail may be subject to public disclosure
> under the Freedom of Information Act 2000, therefore we cannot
> guarantee that we will not provide the whole or part of this e-mail to
a third party.

> The Council reserves the right to monitor e-mails in accordance with
> relevant legislation.

> Whilst outgoing e-mails are checked for viruses, we cannot guarantee
> this e-mail is virus-free or has not been intercepted or changed and
> we do not accept liability for any damage caused.

> Any reference to "e-mail" in this disclaimer includes any attachments.

> *****

>
>

--
I am using the free version of SPAMfighter.

We are a community of 7 million users fighting spam.

SPAMfighter has removed 43377 of my spam emails to date.

Get the free SPAMfighter here: <http://www.spamfighter.com>

The Professional version does not have this message

http://www.arun.gov.uk
NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice

This e-mail is intended exclusively for the addressee and may contain information that
is confidential and/or privileged.

If you are not the intended recipient (or authorised to receive it for the addressee),

please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.



Arun District Council
Arun Civic Centre
Maltravers Road
Littlehampton
West Sussex BN17 5LF
Planning & Building Control General Enquiries
Tel: (01903) 737756 Fax: (01903) 716019
Dx: 57406 Littlehampton
Minicom: 01903 732765
e-mail: planning@arun.gov.uk
website: www.arun.gov.uk/planning

Mr D Annals
123 Aldwick Road
Aldwick
Bognor Regis
West Sussex
PO21 2NY

Your Ref:

Our Ref: AW/11/11/T

Please ask for: Mrs J Chapman

19th January 2011

Dear Mr Annals

The Town and Country Planning Act 1990 (as amended)
The Town and Country Planning (Tree Preservation Order) Regs 1999
Hedgerows Regulations 1997

Lift crown to one Black Poplar by approx. 4 metres, thin crown by 25% to reduce density of foliage
123 Aldwick Road Aldwick PO21 2NY

Thank you for your recent application, which was accepted as valid on 19th January 2011. It is being dealt with by Mrs J Chapman who will be able to help you by telephone should you have any questions. However, I would point out that it will not be possible for you to meet with the case officer unless a prior appointment has been arranged.

This Council is now legally obliged to publicise all planning applications received. I would be grateful if you would display the enclosed notice on or near the site for 21 days from the date you receive this letter in a position where it can easily be seen by the general public. A decision cannot be made until 24th February 2011 which is the end of the advertising period.

If you have not received a decision by 16th March 2011 and have not agreed in writing to extend this time limit, or been advised that your application is invalid, you are entitled to appeal to the Secretary of State in accordance with the Town and Country Planning Act within 28 days from the date by which the decision should have been made (unless the application has been referred to the Secretary of State by this Council for decision). Appeals must be made on a form which is obtainable from the Government Office for The South East, West Sussex Team Planning, Bridge House, 1 Walnut Tree Close, Guildford, Surrey, GU1 4GA.

Please be aware that some of our correspondence including the Decision Notification will be sent by email if you have provided an email address on your forms. It is therefore important to inform us if your email address changes throughout the course of the application.

I trust this of assistance to you.

Yours sincerely



Karl Roberts
Assistant Director Planning Services &
Housing Strategy

Application No: AW/11/11/1 Case Officer: 

Planning Portal Ref:
Receipt No:
Amount:
Date:

Cross/other ref:
Additional receipt/refund:
Amount:
Date:

Site Number(s): 200002711239
Grid Reference: 492414-98910
Flood Zone: Fluvial 1 2 3A 3B
Tidal None 1 2 3A 3B

Flood Zone: Natural defences Yes No Listed Building: Yes No
Public Sewer: Yes No Conservation Area: Yes No

Technical Notes:

Registration Notes:

History Files Y/N

APD Please tick if there are any other statements required from the following:

Affordable Housing	Open Space
Bin Storage & Collection	Parking Layout/Access
BiBiodiversity	Planning
EIA	Retail Impact
Flood Risk-	Structural
Heritage	Telecommunications
Land Contamination	Transport/Travel
Landscaping	Tree
Lighting	Ventilation
Loss of Retail Use	Walls
Noise	Street Scene Elevation

Date made complete:

Signed: 

19/1/11

Dated:

19/1/11

CONSULTATIONS LIST GATSU General\consultation sheet.doc (18/02/10)

WSCC Local Development Division (Includes ROW/Archaeology/ Ecology/ Highways/Reg3/4/Strategic)	WSE	
WSCC Design Section (Listed Building Consultations only)	WSD	
Agricultural Appraisal	WAA	
West Sussex Waste Disposal	WWD	
Trading Standards	WTS	
Commission for Social Care Inspection	RHU	
Playschool Registration Unit	PRU	
Highways Agency and Consultants Interoute	HA & MO	
English Heritage (Parks/Gardens Special Interest only)	EH2	
West Sussex Health Authority (Eastern Area)	WHA	
West Sussex Health Authority (Western Area)	CHA	
Southern Water	SWW	
Environment Agency (Zone 2, 3 or 2/3)	EA	
Portsmouth Water Co.	PW	
South Downs Joint Committee	SCB	
Railway consultee	RP	
English Nature	EN	
Sussex Police	POL	
English Heritage (for apps affecting grade 1 or 2* LB's)	EH	
Garden History Society	GHS	
Health & Safety Executive	HSE	
Government Office for the South East	MFF	
Sport England South East	SPO	
West Sussex Fire and Rescue(Water And Access Management)	WFW	
Department for Environment, Food & Rural Affairs	DEF	
The Countryside Agency	COA	
South East England Regional Assembly	SEE	
Commission for Architecture & the Built Environment	CAB	
Western Sussex Primary Care Trust	PCT	
South East Economic Development Agency	ECD	
Ofcom Wind Farm Enquiries	OFC	
The Theatres Trust	TTT	
Estates Property	PS	
Adjoining Council (Worthing/ Chichester/Horsham/ North Mundham Parish Council)	WOR/CHI/HOR/ NMP	
Landscapes	LDS	
Aboriculturist	HOR	
Environmental Health	FS	
Leisure Services	TL	
Concessions Officer	CON	
Engineers - All to go to Brian Holland + Fluvial flooding (Simon Power) END or Coastal Protection (Roger Spencer) ENC or Structural (Bruce Taunton) ENS	ENG	
Council Tax	CTR	
Building Control	BC	
Economic Regeneration	ER	
Housing Policy	HOU	
Housing Management	CHO	
Local Plans	FP	
Conservation Officer	CO	
Planning Solicitor	LEG	
Elections	EL	
Bognor Regis Task Force	BTF	
Car Parks	CAR	
Environmental Amenities and Community Safety	EAC	
Parish Council		✓
TSU WILL ALWAYS DO:		
CAAC - any app falling within a Conservation Area (enter group code CAA)		
Six Societies - any demolition to a listed building (AMS, CBA, GG, SPA, VS + EH for principle demolition + LOCAL GROUPS ABS, LVC, FVS, AS, EPK, FCG, FNV)		
Mark Everson - any tree applications (HOR) ✓		
Environment Agency - if development in a flood plain		
Southern Water - development over a public sewer or If in Barnham Drainage Area		
Adjoining Parish/Town Council if Dual Parish application		
Applying with a wind turbine consult NATS (use code WFC)		

