

Janice Chapman

From: [REDACTED]
Sent: [REDACTED] 14/41
To: [REDACTED]
Subject: AW/146/13/T - 2 no. Maple treest , ditch to rear of 23 Fernhurst Gardens, Aldwick

Dear Mrs Pickett,

I have spoken to Mr Brewster regarding your previous e-mail of 31.7.13. He has advised that a crown reduction of 2.5m with shaping to a maximum of 2.5m is acceptable and he has raised no objection to the use of an electric pruning saw. In view of his comments I will amend the description on the application and you should receive a decision within the next few days.

Regards

Janice Chapman
Planner

Janice Chapman

From: Janice Chapman
Sent: 31 July 2013 13:45
To: [REDACTED]
Subject: RE: AW/146/13/T Reduce the crowns of 2 Field Maple trees by 4 metres - Ditch to the rear of 23 Fernhurst Gardens Aldwick PO21 4BA

Dear Mrs Pickett,

I have forwarded your e-mail to Mr Brewster and he will deal with this on his return from leave on the 12th August 2013.

Regards

Janice Chapman
Planner

From: David Pickett [REDACTED]
Sent: 31 July 2013 10:57
To: Janice Chapman
Subject: RE: AW/146/13/T Reduce the crowns of 2 Field Maple trees by 4 metres - Ditch to the rear of 23 Fernhurst Gardens Aldwick PO21 4BA

Dear Ms Chapman,

Thank you for your response/recommendations. I have the following 2 questions in response:

1. In lowering the proposed height reduction from 4m to 2.5 m, can we shape the lateral spread of the trees by the same amount of 2.5 m to try and minimize the light restriction we are currently experiencing? In their current height and width we are almost fully shaded in our entire garden, by late afternoon..
2. Can this work be done with an electric pruning saw or is Mr Brewster recommending that this is with a manual saw? I am concerned that if this is a manual saw, the cost of having the work undertaken will be greatly increased.

We look forward to hearing from you

Regards

Mrs Una Pickett

From: Janice Chapman [<mailto:Janice.Chapman@arun.gov.uk>]
Sent: 26 July 2013 14:17
To: [REDACTED]
Subject: FW: AW/146/13/T Reduce the crowns of 2 Field Maple trees by 4 metres - Ditch to the rear of 23 Fernhurst Gardens Aldwick PO21 4BA

Dear Mr Pickett,

I attach recommendation from the Council's Arboriculturist in relation to the surgery to the two Field Maple trees. If you are happy to accept his recommendation then the application can be approved after its advertising period has expired which is the 13th August 2013.

Regards

Janice Chapman
Planner

Janice Chapman

From: Janice Chapman
Sent: 26 July 2013 14:17
To: [REDACTED]
Subject: FW: AW/146/13/T Reduce the crowns of 2 Field Maple trees by 4 metres -
Ditch to the rear of 23 Fernhurst Gardens Aldwick PO21 4BA
Attachments: AW214613T 23 FERNHURST GARDENS REDUCTION OF TWO F MAPLES.doc

Dear Mr Pickett,

I attach recommendation from the Council's Arboriculturist in relation to the surgery to the two Field Maple trees. If you are happy to accept his recommendation then the application can be approved after its advertising period has expired which is the 13th August 2013.

Regards

Janice Chapman
Planner