

Janice Chapman

From: Ian Brewster
Sent: 05 September 2012 10:53
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

I have just spoken to Mrs Green regarding the Beech tree with regard to a crown reduction than a thin. The option of crown reduction possibly at 1m was discussed with Mr Green. However on inspection yesterday it is only necessary to have a small portion of the crown located at approximately above the main stem to be reduced ONLY in order to attempt to improve signal strength for the wifi receiver. No further crown reduction or crown thinning is required or necessary.

The specification of the work as a suggested Condition should read:

The Beech tree crown reduction must not exceed 1m branch lengths to be removed.
 The Beech tree reduction must not exceed a 2m width to create a shallow channel west to east across the upper crown periphery.
 The location of the above portion to be pruned is directly above the main stem of the Beech tree and must not deviate.
 All pruning wounds must not exceed 50mm in diameter.
 The pruning cuts must be made smooth and clean and to substantial side branch growths.

Yours sincerely

Ian Brewster

From: Ian Brewster
Sent: 28 August 2012 15:28
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

thank you for your message and the attached email for Mr Green. As I understand wifi broadband internet signal is received via a Directional Dish antenna. With regard to the application for a 20% crown thin of the mature Beech; there is no guarantee that signal reception will improve and this is granted consent, which would lead to further pruning requests for similar reasons in the future. May I suggest that the antenna be placed at a different location to optimise signal reception and strength as an alternative to crown thinning the visual prominent and important protected tree.

Pruning to clear the highway as indicated and for good husbandry to improve the health of the tree by removing diseased, abrading and wounded branches is considered to be acceptable. However the 20% Crown thin for the reasons provided by Mr Green is not recommended and should not be granted consent.

Yours sincerely

Ian Brewster.

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]

Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

D  r Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: [REDACTED]
Sent: Wed, 8 Aug 2012 11:47
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
 Planner

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD Internal: 37982 External: +44 (0) 1903 737982 E-mail: ian.brewster@arun.gov.uk Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.
--

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not

Janice Chapman

From: Janice Chapman
Sent: 04 September 2012 16:28
To: [REDACTED]
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Mr Brewster is going out this afternoon to view the Beech tree again and he will contact me tomorrow regarding the reduction.

Regards

Janice Chapman
Planner

From: [REDACTED]
Sent: 04 September 2012 09:56
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

We spoke with Mr. Brewster yesterday, and this is to confirm that we are in agreement that the height of the Beech tree be reduced by 1 metre.

I hope this is satisfactory to all and that the application can now proceed.

Many thanks for your help,
Yours sincerely,

M Green

..

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: [REDACTED]
Sent: Wed, 29 Aug 2012 12:05
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Comments from Mr Brewster regarding your comments of the 15th August 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster
Sent: 28 August 2012 15:28
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

thank you for your message and the attached email for Mr Green. As I understand wifi broadband internet signal is received via a Directional Dish antenna. With regard to the application for a 20% crown thin of the mature Beech; there is no guarantee that signal reception will improve and this is granted consent, which would lead to further pruning requests for similar reasons in the future. May I suggest that the antenna be placed at a different location to optimise signal reception and strength as an alternative to

crown thinning the visual prominent and important protected tree.

Pruning to clear the highway as indicated and for good husbandry to improve the health of the tree by removing diseased, abrading and wounded branches is considered to be acceptable. However the 20% Crown thin for the reasons provided by Mr Green is not recommended and should not be granted consent.

Yours sincerely

Ian Brewster.

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: laerenlimited <laerenlimited@aol.co.uk>
Sent: Wed, 8 Aug 2012 11:47
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman

From: [REDACTED]
Sent: 04 September 2012 09:56
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE
Dear Janice,

Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

We spoke with Mr. Brewster yesterday, and this is to confirm that we are in agreement that the height of the Beech tree be reduced by 1 metre.

I hope this is satisfactory to all and that the application can now proceed.

Many thanks for your help,
Yours sincerely,

M Green

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: [REDACTED]
Sent: Wed, 29 Aug 2012 12:05
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Comments from Mr Brewster regarding your comments of the 15th August 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster
Sent: 28 August 2012 15:28
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

thank you for your message and the attached email for Mr Green. As I understand wifi broadband internet signal is received via a Directional Dish antenna. With regard to the application for a 20% crown thin of the mature Beech; there is no guarantee that signal reception will improve and this is granted consent, which would lead to further pruning requests for similar reasons in the future. May I suggest that the antenna be placed at a different location to optimise signal reception and strength as an alternative to crown thinning the visual prominent and important protected tree.

Pruning to clear the highway as indicated and for good husbandry to improve the health of the tree by removing diseased, abrading and wounded branches is considered to be acceptable. However the 20% Crown thin for the reasons provided by Mr Green is not recommended and should not be granted consent.

Yours sincerely

Ian Brewster.

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

—Original Message—

From: Janice Chapman <Janice.Chapman@arun.gov.uk>

Sent: Wed, 8 Aug 2012 11:47

Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
 Planner

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Janice Chapman

From: Janice Chapman
Sent: 29 August 2012 12:04
To: [REDACTED]
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Comments from Mr Brewster regarding your comments of the 15th August 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster
Sent: 28 August 2012 15:28
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

thank you for your message and the attached email for Mr Green. As I understand wifi broadband internet signal is received via a Directional Dish antenna. With regard to the application for a 20% crown thin of the mature Beech; there is no guarantee that signal reception will improve and this is granted consent, which would lead to further pruning requests for similar reasons in the future. May I suggest that the antenna be placed at a different location to optimise signal reception and strength as an alternative to crown thinning the visual prominent and important protected tree.

Pruning to clear the highway as indicated and for good husbandry to improve the health of the tree by removing diseased, abrading and wounded branches is considered to be acceptable. However the 20% Crown thin for the reasons provided by Mr Green is not recommended and should not be granted consent.

Yours sincerely

Ian Brewster.

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>

Sent: Wed, 8 Aug 2012 11:47

Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD Internal: 37982 External: +44 (0) 1903 737982 E-mail: ian.brewster@arun.gov.uk Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.
--

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

Janice Chapman

From: Ian Brewster
Sent: 28 August 2012 15:28
To: Janice Chapman
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

thank you for your message and the attached email for Mr Green. As I understand wifi broadband internet signal is received via a Directional Dish antenna. With regard to the application for a 20% crown thin of the mature Beech; there is no guarantee that signal reception will improve and this is granted consent, which would lead to further pruning requests for similar reasons in the future. May I suggest that the antenna be placed at a different location to optimise signal reception and strength as an alternative to crown thinning the visual prominent and important protected tree.

Pruning to clear the highway as indicated and for good husbandry to improve the health of the tree by removing diseased, abrading and wounded branches is considered to be acceptable. However the 20% Crown thin for the reasons provided by Mr Green is not recommended and should not be granted consent.

Yours sincerely

Ian Brewster.

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>

To: [REDACTED]

Sent: Wed, 8 Aug 2012 11:47

Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster

Sent: 08 August 2012 11:36

To: Janice Chapman

Cc: Planning.Responses

Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster | Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council | Location: Town Hall,
Clarence Road, Bognor Regis, West Sussex, PO21 1LD

Internal: 37982 | External: +44 (0) 1903 737982 | E-mail: ian.brewster@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

Janice Chapman

From: Janice Chapman
Sent: 15 August 2012 14:03
To: [REDACTED]
Subject: RE: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE
 Dear Mr Green,

I shall forward your comments onto Mr Brewster, Council's Arboriculturist as he is based in the Bognor Regis Town Hall. Unfortunately, he is on leave until the 28th August so I will not be able to give you a response until after that time as I do not want to refuse the application.

Regards

Janice Chapman
 Planner

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

—Original Message—

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: [REDACTED]
Sent: Wed, 8 Aug 2012 11:47
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
 Planner

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster | Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council | Location: Town Hall,
 Clarence Road, Bognor Regis, West Sussex, PO21 1LD

Internal: 37982 | External: +44 (0) 1903 737982 | E-mail: ian.brewster@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

Janice Chapman

From: Janice Chapman
Sent: 15 August 2012 14:04
To: Ian Brewster
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Ian,

Please see comments from Mr Green in respect of the Beech tree.

Regards

Janice

From: [REDACTED]
Sent: 15 August 2012 13:57
To: Janice Chapman
Subject: Re: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice Chapman,

Thank you for your email and attachment concerning our TPO applications. I apologise for the delay in replying, due to my absence on holiday.

I understand the comments of Mr. Ian Brewster, Arboriculturist, set out in his planning consultation. We accept the decisions for the Sycamore, Hornbeams, and Willow.

For the Beech, could I add that the density of the tree is interfering with our wifi broadband internet signal, and it was recognised that a crown thin would improve matters. We would like, of course, to retain the overall shape of this fine specimen, whilst improving the internet signal, which is so necessary for the profitability of our business. If the proposed crown thin of 20% is still deemed to be excessive in the circumstances given, would a lesser crown thin be acceptable?

Please note that our internet is not received by copper wires or cable, but received through the air from a high building in Bognor. As this is the fastest internet available, and we need this for our business, we wish to keep with our internet provider, Zoom Broadband, whilst trying to minimise the interference we experience, which is caused by the density of the Beech tree.

Regards,

M Green

....

-----Original Message-----

From: Janice Chapman <Janice.Chapman@arun.gov.uk>
To: [REDACTED]
Sent: Wed, 8 Aug 2012 11:47
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
 Planner

From: Ian Brewster

Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, <u>Arun District Council</u> Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD Internal: 37982 External: +44 (0) 1903 737982 E-mail: ian.brewster@arun.gov.uk Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

Janice Chapman

From: Janice Chapman
Sent: 08 August 2012 11:47
To: [REDACTED]
Subject: FW: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE
Attachments: AW15712T 74 BARRACK LANE OBJECTION.doc

Dear Mr Green,

Please find consultation from Mr Brewster, Council's Arboriculturist in respect of the above surgery to the Sycamore, Hornbeams, Beech and Willow tree. If you are happy to accept his recommendation then the application can be approved after its advertising date of 23rd August, 2012.

Regards

Janice Chapman
Planner

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

Ian Brewster Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD Internal: 37982 External: +44 (0) 1903 737982 E-mail: ian.brewster@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.



Janice Chapman

From: Ian Brewster
Sent: 08 August 2012 11:36
To: Janice Chapman
Cc: Planning.Responses
Subject: AW/157/12/T 74 Barrack Lane Aldwick PO21 4DE
Attachments: AW15712T 74 BARRACK LANE OBJECTION.doc

Dear Janice,

please find my planning consultation for the application above

Regards

Ian

<u>Ian Brewster</u> Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, <u>Arun District Council</u> Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD Internal: 37982 External: +44 (0) 1903 737982 E-mail: ian.brewster@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

