

Katherine Rawlins**From:** Ian Brewster**Sent:** 14 October 2011 11:07**To:** Katherine Rawlins

Dear Katherine,

It would be helpful to have indicated the trees subject to this application showing their location and individually numbered on a plan. There are three Evergreen Oaks along the Barrack Lane in a line from the north east to the south west and I understand that the application refers to these as '2 Holm Oaks just to the west of the drive entrance' and 'Large Holm Oak standing on the roadside and north of the above cypress'. Considering the slightly defective main stem and branching structure, the reduction works to the three Holm Oaks along the Barrack Lane are acceptable and would specify a maximum amount of 2m to be removed from the top growth and 1m from the side growths. No reason has been provided for the 4m crownlift and therefore would allow a crown raise of 2.5m. The reduction of the three Leyland Cypress and one Eucalyptus for the reasons provided in the tree surgeons report is acceptable. There was no work instruction for the Holly.

Yours sincerely

Ian Brewster

↓ to the 2 Holm Oaks & west of the drive?

Ian Brewster | Principal Arboricultural Officer, Greenspace, Engineering and Emergency Planning, Arun District Council |
 Location: Town Hall, Clarence Road, Bognor Regis, West Sussex, PO21 1LD
 Internal: 37982 | External: +44 (0) 1903 737982 | E-mail: ian.brewster@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk

Save the environment - think before you print.