

From:
Mrs Maralyn Green
74 Barrack Lane
Aldwick, Bognor Regis
PO21 4DE

Re: TPO/AW/3/94

Hornbeam	T5	Crown lift and crown reduction Branches too low on garden side and Over neighbours property, hanging over upstairs verandah.	Raise lower canopy: Garden side – 2 metres Neighbours property : reduce back and raise canopy 2 metres clear of verandah if still overhang
Willow	T6	Crown reduction Considerable damage caused to this tree due to high winds on Saturday, 10 August. Major branches fell off or partially split from tree. See photos. Monday 12 August, contacted Mark Warwick at ADC, to ask if tree surgeon (Oliver Ingram, Top Branch Tree Works) could make willow safe. Permission given to make safe only. Mr. Ingram found further damage to tree on climbing to do works. (Photos 3288,3289 etc) eg split down main trunk. Willow branches already over neighbour's roof need to be cut back.	Assessment needed.
Hornbeam	T11 & T12	Crown reduction and crown lift .. especially over road.	Raise lower canopy: Garden side – 2 metres Road side – 4 metres for clearance
Beech	T10	Crown reduction and crown lift .. over driveway and road.	Raise lower canopy: Road side and drive entrance : 4 metres for clearance Garden side & neighbours overhang : 2 metres Crown reduction