


74, Barrack Lane
Aldwick
Bognor Regis
PO21 4DE

Mr N Crowther
Head of Planning,
Arun District Council
Maltravers Road,
Littlehampton
BN17 5LF



10 September 2019

Dear Mr Crowther,

Tree Preservation Order TPO/AW/3/94
74 Barrack Lane, Bognor Regis
Your ref: AW/234/19/T


Willow Tree

Further to your letter of 3 September 2019 asking for confirmation of the work required for the Willow Tree, I am now enclosing a letter from Mr. Ingram-Lawrence of Top Branch Tree Works.

It was Mr Ingram-Lawrence who made the Willow temporarily safe on 12 August after the high winds on 10 September left the tree damaged, broken and unsafe.

Mr. Ingram-Lawrence took photographs of the tree at that time, which I forwarded to yourselves.

I trust this further evidence is what you require to progress my application.



Mrs. M. Green



Thursday 5th September

Tree Preservation Order TPO/AW/3/94
74 Barrack Lane, Bognor Regis
Willow Tree

As a qualified Arborist with over 15 years experience, I would strongly advice that the tree needs to be removed, as it is not safe. It is situated close between two property's and has a large wound at the base of the tree.

A large amount of the trees crown previously snapped out in high winds. I removed enough to make it temporarily safe, as I did not want to remove most of the top due to it having a TPO.

At the top of the tree their is also a split due to storm damage. The crown is also out of balance and the majority of the tree is now leaning towards the neighbouring property.

Regards
Ollie Ingram-Lawrence.

