

ADC PARKS & GREENSPACE ARBORICULTURE

FROM: Dafydd Lloyd

TO: Janice Chapman

PLANNING APPLICATION: AW/307/14/TC

ADDRESS: 12 The Drive, Aldwick. PO21 4DU

BRIEF DESCRIPTION: Fell 4 No Fir trees

INSPECTION DATE: 08/12/2014

RECOMMENDATION:

Objection ☐

No Objection ☒

Split Decision ☐

Comment ☒

Recommendation ☐

Suggested Conditions ☐

Tree Replacement ☐

Dead/Dangerous ☐

CA & Amenity Value ☐

T1 – T3 Species: Lawson Cypress *Chamaecyparis lawsoniana* **Height:** 6 meters
Average Crown Spread: 1 meter **Crown Condition:** poor **Form:** fair **Age**
Class: semi mature **Height to First branch:** 0.5 meters

T4 Species: Lawson Cypress *Chamaecyparis lawsoniana* **Height:** 9 meters
Average Crown Spread: 1 meter **Crown Condition:** poor **Form:** fair **Age**
Class: semi mature **Height to First branch:** 0.5 meters

Comments:

- Outlined tree lies in the conservation area of Aldwick, which high amenity landscape with young, semi mature, mature, and over mature trees specimens present.
- As these trees have no active TPO protection, this report will determine if the trees are suitable for TPO status. All four outlined trees are located in the front garden of 12 the drive, Aldwick. This therefore means all four trees can be seen from the highway outside.
- **T1 – T3** are all smaller trees that are in poor condition, showing large amounts of die-back occurring in the crowns. This has affected the aesthetical value offered by these cited trees. All three trees scored under 8 of the TEMPO form, and therefore would not be suitable for a TPO order.
- **T4** is slightly larger than trees **T1 – T3**. It too has die-back across the crown. This also means this tree has poor overall condition and the aesthetical value offered. This tree scored a 9 on the TEMPO form, so would not be suitable for a TPO order.

Recommendation:

- As the outlined trees are not suitable for a TPO order, I have no objection to this application.

**Dafydd Lloyd
Arun District Council
Tree Officer**