Dimensions scaled from this drawing are within ± (0.5 x scale of drawing) tolerance, all critical dimensions to be verified of site & any discrepancies reported to L K Humm-Gaska

Notes:

0 500 1000 mm
1:50



SOUTH ELEVATION
Scale: 1:50



EAST ELEVATION
Scale: 1:50

Door schedule

REF_NO	STRUCTURAL_SIZE	LEAF_SIZE	FIRE_DOOR	GLAZING_SIZE	LINTEL	NOTE
DF04	845x2050	762x1981		None	75x100 C16 timber	External quality door with draft stripe
DF05	845x2050	686x1981		None	75x100 C16 timber	
DG03	845x2050	762x1981		None	INTERNAL 100 – 1050 long	Lockable door
DG04	855x2050	762x1981		None	L1/S 110 – 1200 long	
DG05	845x2050	762x1981		None	INTERNAL 100 – 1050 long	Lockable door
DG06	Extg	838x1981		None	Extg	Door reinstated
DG07	1850x2100	2x927x1981		6:16:6	L1/S 110 – 2100 long	Safety glass

Window Schedule

REF_NO	WINDOW_SIZE	GLAZING	VENTS	LINTEL	NOTE
WF01	910x450	4:16:4	2500 mm²	L1/S 110 – 1200 long	
WF02	1810x1200	4:16:4	8000 mm²	L1/S 110 – 2100 long	Escape opening with 0.33 m2 area & 450 MIN opening dim
WF03	4310x1350	4:16:4	2500 mm²		
WF04	4425x1350	4:16:4	2500 mm²		
WG01	910x450	4:16:4	2500 mm²	L1/S 110 – 1200 long	
WG02	600x1200	4:16:4	2500 mm²	L1/S 110 – 900 long	



NORTH ELEVATION
Scale: 1:50



WEST ELEVATION
Scale: 1:50

A (17/06/11): Corrected roof
B (20/06/11): Altered windows & cladding
C (27/06/11): Raised level of conservatory roof
D (07/08/11): Altered schedules, added notes
E (10/08/11): Altered doors & windows
F (08/10/11): Altered doors & windows
G (15/10/11): Altered windows
H (02/01/12): Enlarged extension
J (19/01/12): Reduced size of roof lights
K (21/01/12): Adj. rooflight pitch to 20 °
L (14/08/12): Added WG02

L K HUMM-GASKA Tel +49(0)421 17519870 Mob: 444(0)7976 229 843 449(0)157 85061711

Project
3 The Byeway,
Aldwick Bay Estate,
Bognor Regis,
West Sussex

Title
Elevations

Scale 1:50 @ A1

Date 25/05/11 | Name LHG

221 | 12–001 | L