

Recommendation Report for Works to Tree(s) on trees subject to a Tree Preservation Order (TPO)

REF NO: AW/344/18/T

LOCATION: 9 Faresmead
Bognor Regis
PO21 3DQ

PROPOSAL: Crown lift of 4m to 5 No. Beech trees and Crown Reduction on south elevation of 2m to 4 No. Hornbeam trees.

SITE AND SURROUNDINGS

DESCRIPTION OF APPLICATION	As above
TREES	The trees outlined in this application are located along the rear boundary of the site.
SITE CHARACTERISTICS	Dwelling with gardens to front and rear.
CHARACTER OF LOCALITY	Residential area.

RELEVANT SITE HISTORY

AW/106/14/T	Remove length by 4 metres and height from ground by 4 metres to 4 No Hornbeam and 2 No Beech Trees.	ApproveConditionally 29-05-14
AW/258/13/T	Cut back branches to rear trees overhanging 14 Gilwynes.	

Relevant history noted.

REPRESENTATIONS**REPRESENTATIONS RECEIVED:**

Aldwick Parish Council: No response received from Aldwick Parish Council.

No representations received from nearby occupiers

COMMENTS ON REPRESENTATIONS RECEIVED:

Comments noted.

CONSULTATIONS

Arboriculturist

CONSULTATION RESPONSES RECEIVED:

Tree Officer Comments:

- Outwardly and from a distance these trees appear to be in a fine physiological state and form part of an established boundary tree group. All are constituent parts of the group and important for its cohesion.
- They grow at the rear of the property and can be seen from surrounding properties and public highway (road and footway). They are a good distance from dwellings and do not present any obvious problems to same.
- There is some ambiguity in the 'work specification' and 'description of works' although it is easy to determine the intention from general text and supporting documents. For the sake of clarity, the applicant does not seek to undertake crown reduction or height reduction, as defined in the British Standard for Tree Work. The reduction or removal of branches as necessary to achieve maximum of 2m clearance from adjacent street lighting columns; 4metres overhead clearance above the garden; maximum of 2m lateral reduction of branches remaining (south aspect only) - is the work specification being determined here.

Conclusions:

- The work proposed is justified on arboricultural grounds as it seeks to meet a statutory requirement and to maintain reasonable enjoyment of the garden, with respect to natural tree form.
- The proposal to reduce selected branches on a specific aspect to maintain reasonable use of garden space is justified and consistent with previous works approved by the Local Planning Authority.
- There will be no significant loss of public amenity on completion of the proposed works.

Recommendations:

- I recommend CONSENT for this application, subject to the following conditions:

Conditions To Be Applied to Approved Work: -

- Where whole branches are to be removed and final cuts made close to the trunk or branch union they are to be made as shown in Figure 2 of BS3998:2010
- Where branches are to be shortened back the final cuts are to be made at the correct angle shown in BS3998:2010 and adjacent to a live bud or lateral.

Reasons: In the interests of the trees continued health and vitality and to accord with current industry guidelines and sound arboricultural practice.

- See also the standard pruning guidance notes issued with the consent letter.

Mark Warwick

Tree Officer / Parks and Greenspace Team

COMMENTS ON CONSULTATION RESPONSES:

Comments noted

DEVELOPMENT PLAN POLICES

PLANNING POLICY GUIDANCE:

NPPF	National Planning Policy Framework
NPPG	National Planning Practice Guidance

POLICY COMMENTARY

The above policies are general and, other than online Planning Policy Guidance under references ID 36-090-20140306 and ID 36-091-20140306, are not specific to trees.

DEVELOPMENT PLAN AND/OR LEGISLATIVE BACKGROUND

Section 198 of the Town and Country Planning Act 1990 states:

"If it appears to a Local Planning authority that it is expedient in the interest of amenity to make provision for the preservation of trees.... they may for that purpose make an order"

The works to the trees are to be judged having regard to amenity

OTHER MATERIAL CONSIDERATIONS

It is considered that there are no other material considerations to warrant a decision otherwise than in accordance with the Development Plan and/or legislative background.

CONCLUSIONS

Following the comments from the Tree Officer it is recommended consent be approved subject to the following conditions and informatives.

HUMAN RIGHTS ACT

The Council in making a decision should be aware of and take into account any implications that may arise from the Human Rights Act 1998. Under the Act, it is unlawful for a public authority such as Arun District Council to act in a manner, which is incompatible with the European Convention on Human Rights.

Consideration has been specifically given to Article 8 (right to respect private and family life) and Article 1 of the First Protocol (protection of property). It is not considered that the recommendation for approval of the grant of permission in this case interferes unreasonably with any local residents' right to respect for their private and family life and home, except insofar as it is necessary to protect the rights and freedoms of others (in this case, the rights of the applicant). The Council is also permitted to control the use of property in accordance with the general interest and the recommendation for approval is considered to be a proportionate response to the submitted application based on the considerations set out in this report.

DUTY UNDER THE EQUALITIES ACT 2010

Duty under the Equalities Act 2010

In assessing this proposal the following impacts have been identified upon those people with the following protected characteristics (age, disability, gender reassignment, marriage and civil partnership, pregnancy and maternity, race, religion or belief, sex or sexual orientation).

The proposal would have a neutral impact on the protected characteristics.

RECOMMENDATION

APPROVE CONDITIONALLY

- 1 Where whole branches are to be removed and final cuts made close to the trunk or branch union they are to be made as shown in Figure 2 of BS3998:2010

Where branches are to be shortened back the final cuts are to be made at the correct angle shown in BS3998:2010 and adjacent to a live bud or lateral.

Reasons: In the interests of the trees continued health and vitality and to accord with current industry guidelines and sound arboricultural practice.

- See also the standard pruning guidance notes issued with the consent letter.

- 2 INFORMATIVE: The applicant should note that under Part 1 of the Wildlife and Countryside Act 1981, with only a few exceptions, it is an offence for any person to intentionally take, damage or destroy the nest of any wild birds while the nest is in use or being built. Birds nest between March and September and therefore removal of dense bushes, ivy or trees or parts of trees etc. during this period could lead to an offence under the act.
- 3 INFORMATIVE: This notice does not give authority to destroy or damage a bat roost or disturb a bat. Bat species are protected under Section 39 of the 1994 Conservation (Natural Habitats etc) Regulations (as amended), the 1981 Wildlife and Countryside Act (as amended) and the 2000 Countryside and Rights of Way Act. It is illegal to damage or destroy any bat roost, whether occupied or not, or disturb or harm a bat. If you are aware that bats roost in a tree(s) for which work is planned, you should take further advice from Natural England (via the Bat Conservation Trust on 0845 1300228) or an ecological consultant before you start. If bats are discovered during the work, you must stop immediately and contact Natural England before continuing.