

KEY:

Proposed Adoptable Sewers:

Foul sewer

Storm sewer

Highway Gully

Proposed Private Drainage:

Foul drain

Storm drain

Rodding eye

Yard gully

Aco drain

All private inspection chambers shall be polypropylene non-access chambers in accordance with The Building Regulations, Part H.

Chamber sizes:

Depth to invert <1.2m DN300

Depth to invert >1.2m DN475

Invert levels shown thus: FTL 0.00 STL 0.00

Finished floor levels shown thus: FFL 10.00

Fall Arrows

Proposed Levels

Primary Access

Secondary Access

Section 278 Works:

Section 38 Works:

Verge

Footway

Highway

Aurora/1543/Clear Poly./SON-T+
50/100/-20/990181
5.0m high column with plain
outreach bracket

ZN12/1543/Dished Poly./SON-T+
50/100/-20/990191
5.0m high column post top
mounted



THE DATA SHOWN ON THIS DRAWING IS THE PROPERTY OF THE CLIENT AND THE DRAWING IS NOT TO BE USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF THE CLIENT. THE DATA SHOWN ON THIS DRAWING IS THE PROPERTY OF THE CLIENT AND THE DRAWING IS NOT TO BE USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF THE CLIENT.

PRELIMINARY

REV. No.	DATE	DESCRIPTION	INITIALS
C	01.12.08	Areas for adoption revised	HJS
B	13.06.08	Foul & surface water sewers amended	AMC
A	05.06.08	Additional gullies added	HJS

**BAR RATT**
CIVIL AND STRUCTURAL ENGINEERS
BARKHILL SOUTHAMPTON
Project Osborne Refrigeration,
Bognor Regis.

**MJA CONSULTING**
59-62 Oak Street, Abingdon
Oxon, OX14 3BZ
Tel: 01235 665173
Fax: 01235 522226

Title	Section 38 Layout	Scale	1:500	Date	Feb 08	Drawing No.	3995:500	Rev	C
Checked				Drawn	HJS				