

From: Barry Brooks [REDACTED]
Sent: 16 March 2022 18:29
To: Planning [REDACTED]
Cc: Richard Martin [REDACTED]
Subject: Planning Application for tree work. 17, The Drive, Aldwick, PO21 4DU

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Dear Sirs

I write to make an application to fell one mature cherry tree from the rear garden of 17 The Drive, Aldwick, PO21 4DU which is situated on the east boundary between number 17 and 19.

The tree is situated at 17 The Drive In Aldwick, PO21 4DU in the rear garden. It is on the boundary with our neighbour and is leaning at an angle which has recently worsened. It has a large decayed section creating a large hole approximately 5 feet up the trunk. Following Richard Martin's advice we sought the advice of two tree surgeons. They identified the hole as canker and identified fungus around the root of the tree. They considered the tree was potentially unsafe. They both recommended that we took preemptive action and that the tree should be felled.

I understand that there is not a TPO on the tree and this email with the supporting documentation is sufficient to make an application.

I attach photographs and a schematic diagram of the garden.

I look forward to hearing from you.

Yours faithfully

Barry Brooks

Sent from my
iPad

