

ADC PARKS & GREENSPACE ARBORICULTURE

FROM: Dafydd Lloyd

TO: David Eastern

PLANNING APPLICATION: A/127/15/TC

ADDRESS: Talgarth Station Road Angmering Village BN16 4HL

BRIEF DESCRIPTION: Fell 1No Sitka Spruce & remove 3 lower branches back to main stem to 1No. Gleditsia within the Angmering Conservation Area.

INSPECTION DATE: 17/10/2015

RECOMMENDATION:

Objection ☐ No Objection ☒ Split Decision ☐

Comment ☒ Recommendation ☒ Suggested Conditions ☐

Tree Replacement ☐ Dead/Dangerous ☐ CA & Amenity Value ☐

T1 Species: Sitka Spruce *Picea sitchensis* **Height:** 7 meters **Average Branch Spread:** 2 meters **Crown Condition:** fair **Form:** fair **Age Class:** juvenile

T2 Species: Honey locust *Gleditsia* **Height:** 8.5 meters **Average Branch Spread:** 2 meters **Crown Condition:** fair **Form:** fair **Age Class:** semi mature

Comments:

- The trees cited in this application are located in the rear garden of Talgarth, station road, Angmering. Both trees outlined in this application are not subject to active TPO orders.
- For **T1**, the applicant has applied to fell this specimen. From the site inspection it is evident that **T1** did not have the attributes to warrant TPO orders.
- For **T2**, the applicant has applied to remove the 3 lowest branches. Again from the site inspection it is evident that **T2** did not have the attributes to warrant a TPO order.

Recommendation:

- **As both T1 and T2 do not have the attributes to warrant TPO orders, I would have no objections to the proposed pruning operations to T1 and T2.**

Dafydd Lloyd
Arun District Council
Tree Officer