

The Civil Engineering Practice					Page 1																																																																																																																																																																																																																			
11 Tungsten Building George Street Fishersgate BN41 1RA			Manor Nursery Angmering West Sussex																																																																																																																																																																																																																					
Date 27/06/2019 File Soakaway 7.SRCX			Designed by S Burgess Checked by SRD																																																																																																																																																																																																																					
Innovyze			Source Control 2017.1.2																																																																																																																																																																																																																					
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 154 minutes. <table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>15 min Summer</td><td>15.246</td><td>1.096</td><td>0.8</td><td>6.6</td><td>O K</td></tr><tr><td>30 min Summer</td><td>15.643</td><td>1.493</td><td>0.8</td><td>8.6</td><td>O K</td></tr><tr><td>60 min Summer</td><td>15.987</td><td>1.837</td><td>0.8</td><td>10.3</td><td>O K</td></tr><tr><td>120 min Summer</td><td>16.169</td><td>2.019</td><td>0.8</td><td>11.3</td><td>O K</td></tr><tr><td>180 min Summer</td><td>16.177</td><td>2.027</td><td>0.8</td><td>11.3</td><td>O K</td></tr><tr><td>240 min Summer</td><td>16.134</td><td>1.984</td><td>0.8</td><td>11.1</td><td>O K</td></tr><tr><td>360 min Summer</td><td>16.021</td><td>1.871</td><td>0.8</td><td>10.5</td><td>O K</td></tr><tr><td>480 min Summer</td><td>15.888</td><td>1.738</td><td>0.8</td><td>9.8</td><td>O K</td></tr><tr><td>600 min Summer</td><td>15.752</td><td>1.602</td><td>0.8</td><td>9.1</td><td>O K</td></tr><tr><td>720 min Summer</td><td>15.618</td><td>1.468</td><td>0.8</td><td>8.5</td><td>O K</td></tr><tr><td>960 min Summer</td><td>15.366</td><td>1.216</td><td>0.8</td><td>7.2</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>14.953</td><td>0.803</td><td>0.8</td><td>5.1</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>14.572</td><td>0.422</td><td>0.8</td><td>3.1</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>14.463</td><td>0.313</td><td>0.7</td><td>2.5</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>14.387</td><td>0.237</td><td>0.5</td><td>1.9</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>14.342</td><td>0.192</td><td>0.4</td><td>1.5</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>14.312</td><td>0.162</td><td>0.4</td><td>1.3</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>14.291</td><td>0.141</td><td>0.3</td><td>1.1</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>14.275</td><td>0.125</td><td>0.3</td><td>1.0</td><td>O K</td></tr><tr><td>15 min Winter</td><td>15.412</td><td>1.262</td><td>0.8</td><td>7.4</td><td>O K</td></tr></tbody></table> <table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>15 min Summer</td><td>128.238</td><td>0.0</td><td>20</td></tr><tr><td>30 min Summer</td><td>86.178</td><td>0.0</td><td>34</td></tr><tr><td>60 min Summer</td><td>55.250</td><td>0.0</td><td>62</td></tr><tr><td>120 min Summer</td><td>34.177</td><td>0.0</td><td>114</td></tr><tr><td>180 min Summer</td><td>25.410</td><td>0.0</td><td>144</td></tr><tr><td>240 min Summer</td><td>20.436</td><td>0.0</td><td>176</td></tr><tr><td>360 min Summer</td><td>15.037</td><td>0.0</td><td>244</td></tr><tr><td>480 min Summer</td><td>12.081</td><td>0.0</td><td>312</td></tr><tr><td>600 min Summer</td><td>10.185</td><td>0.0</td><td>380</td></tr><tr><td>720 min Summer</td><td>8.854</td><td>0.0</td><td>446</td></tr><tr><td>960 min Summer</td><td>7.093</td><td>0.0</td><td>574</td></tr><tr><td>1440 min Summer</td><td>5.178</td><td>0.0</td><td>812</td></tr><tr><td>2160 min Summer</td><td>3.772</td><td>0.0</td><td>1144</td></tr><tr><td>2880 min Summer</td><td>3.009</td><td>0.0</td><td>1476</td></tr><tr><td>4320 min Summer</td><td>2.184</td><td>0.0</td><td>2208</td></tr><tr><td>5760 min Summer</td><td>1.738</td><td>0.0</td><td>2936</td></tr><tr><td>7200 min Summer</td><td>1.455</td><td>0.0</td><td>3672</td></tr><tr><td>8640 min Summer</td><td>1.260</td><td>0.0</td><td>4400</td></tr><tr><td>10080 min Summer</td><td>1.115</td><td>0.0</td><td>5136</td></tr><tr><td>15 min Winter</td><td>128.238</td><td>0.0</td><td>20</td></tr></tbody></table>							Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	15.246	1.096	0.8	6.6	O K	30 min Summer	15.643	1.493	0.8	8.6	O K	60 min Summer	15.987	1.837	0.8	10.3	O K	120 min Summer	16.169	2.019	0.8	11.3	O K	180 min Summer	16.177	2.027	0.8	11.3	O K	240 min Summer	16.134	1.984	0.8	11.1	O K	360 min Summer	16.021	1.871	0.8	10.5	O K	480 min Summer	15.888	1.738	0.8	9.8	O K	600 min Summer	15.752	1.602	0.8	9.1	O K	720 min Summer	15.618	1.468	0.8	8.5	O K	960 min Summer	15.366	1.216	0.8	7.2	O K	1440 min Summer	14.953	0.803	0.8	5.1	O K	2160 min Summer	14.572	0.422	0.8	3.1	O K	2880 min Summer	14.463	0.313	0.7	2.5	O K	4320 min Summer	14.387	0.237	0.5	1.9	O K	5760 min Summer	14.342	0.192	0.4	1.5	O K	7200 min Summer	14.312	0.162	0.4	1.3	O K	8640 min Summer	14.291	0.141	0.3	1.1	O K	10080 min Summer	14.275	0.125	0.3	1.0	O K	15 min Winter	15.412	1.262	0.8	7.4	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	128.238	0.0	20	30 min Summer	86.178	0.0	34	60 min Summer	55.250	0.0	62	120 min Summer	34.177	0.0	114	180 min Summer	25.410	0.0	144	240 min Summer	20.436	0.0	176	360 min Summer	15.037	0.0	244	480 min Summer	12.081	0.0	312	600 min Summer	10.185	0.0	380	720 min Summer	8.854	0.0	446	960 min Summer	7.093	0.0	574	1440 min Summer	5.178	0.0	812	2160 min Summer	3.772	0.0	1144	2880 min Summer	3.009	0.0	1476	4320 min Summer	2.184	0.0	2208	5760 min Summer	1.738	0.0	2936	7200 min Summer	1.455	0.0	3672	8640 min Summer	1.260	0.0	4400	10080 min Summer	1.115	0.0	5136	15 min Winter	128.238	0.0	20
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																			
15 min Summer	15.246	1.096	0.8	6.6	O K																																																																																																																																																																																																																			
30 min Summer	15.643	1.493	0.8	8.6	O K																																																																																																																																																																																																																			
60 min Summer	15.987	1.837	0.8	10.3	O K																																																																																																																																																																																																																			
120 min Summer	16.169	2.019	0.8	11.3	O K																																																																																																																																																																																																																			
180 min Summer	16.177	2.027	0.8	11.3	O K																																																																																																																																																																																																																			
240 min Summer	16.134	1.984	0.8	11.1	O K																																																																																																																																																																																																																			
360 min Summer	16.021	1.871	0.8	10.5	O K																																																																																																																																																																																																																			
480 min Summer	15.888	1.738	0.8	9.8	O K																																																																																																																																																																																																																			
600 min Summer	15.752	1.602	0.8	9.1	O K																																																																																																																																																																																																																			
720 min Summer	15.618	1.468	0.8	8.5	O K																																																																																																																																																																																																																			
960 min Summer	15.366	1.216	0.8	7.2	O K																																																																																																																																																																																																																			
1440 min Summer	14.953	0.803	0.8	5.1	O K																																																																																																																																																																																																																			
2160 min Summer	14.572	0.422	0.8	3.1	O K																																																																																																																																																																																																																			
2880 min Summer	14.463	0.313	0.7	2.5	O K																																																																																																																																																																																																																			
4320 min Summer	14.387	0.237	0.5	1.9	O K																																																																																																																																																																																																																			
5760 min Summer	14.342	0.192	0.4	1.5	O K																																																																																																																																																																																																																			
7200 min Summer	14.312	0.162	0.4	1.3	O K																																																																																																																																																																																																																			
8640 min Summer	14.291	0.141	0.3	1.1	O K																																																																																																																																																																																																																			
10080 min Summer	14.275	0.125	0.3	1.0	O K																																																																																																																																																																																																																			
15 min Winter	15.412	1.262	0.8	7.4	O K																																																																																																																																																																																																																			
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																					
15 min Summer	128.238	0.0	20																																																																																																																																																																																																																					
30 min Summer	86.178	0.0	34																																																																																																																																																																																																																					
60 min Summer	55.250	0.0	62																																																																																																																																																																																																																					
120 min Summer	34.177	0.0	114																																																																																																																																																																																																																					
180 min Summer	25.410	0.0	144																																																																																																																																																																																																																					
240 min Summer	20.436	0.0	176																																																																																																																																																																																																																					
360 min Summer	15.037	0.0	244																																																																																																																																																																																																																					
480 min Summer	12.081	0.0	312																																																																																																																																																																																																																					
600 min Summer	10.185	0.0	380																																																																																																																																																																																																																					
720 min Summer	8.854	0.0	446																																																																																																																																																																																																																					
960 min Summer	7.093	0.0	574																																																																																																																																																																																																																					
1440 min Summer	5.178	0.0	812																																																																																																																																																																																																																					
2160 min Summer	3.772	0.0	1144																																																																																																																																																																																																																					
2880 min Summer	3.009	0.0	1476																																																																																																																																																																																																																					
4320 min Summer	2.184	0.0	2208																																																																																																																																																																																																																					
5760 min Summer	1.738	0.0	2936																																																																																																																																																																																																																					
7200 min Summer	1.455	0.0	3672																																																																																																																																																																																																																					
8640 min Summer	1.260	0.0	4400																																																																																																																																																																																																																					
10080 min Summer	1.115	0.0	5136																																																																																																																																																																																																																					
15 min Winter	128.238	0.0	20																																																																																																																																																																																																																					
©1982-2017 XP Solutions																																																																																																																																																																																																																								

The Civil Engineering Practice					Page 2
11 Tungsten Building George Street Fishersgate BN41 1RA		Manor Nursery Angmering West Sussex			
Date 27/06/2019 File Soakaway 7.SRCX		Designed by S Burgess Checked by SRD			
Innovyze		Source Control 2017.1.2			
<u>Summary of Results for 100 year Return Period (+40%)</u>					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter	15.866	1.716		0.8 9.7	O K
60 min Winter	16.272	2.122		0.8 11.8	O K
120 min Winter	16.518	2.368		0.8 13.0	Flood Risk
180 min Winter	16.515	2.365		0.8 13.0	Flood Risk
240 min Winter	16.452	2.302		0.8 12.7	Flood Risk
360 min Winter	16.282	2.132		0.8 11.8	O K
480 min Winter	16.077	1.927		0.8 10.8	O K
600 min Winter	15.864	1.714		0.8 9.7	O K
720 min Winter	15.655	1.505		0.8 8.7	O K
960 min Winter	15.268	1.118		0.8 6.7	O K
1440 min Winter	14.684	0.534		0.8 3.7	O K
2160 min Winter	14.448	0.298		0.6 2.4	O K
2880 min Winter	14.391	0.241		0.5 1.9	O K
4320 min Winter	14.327	0.177		0.4 1.4	O K
5760 min Winter	14.291	0.141		0.3 1.1	O K
7200 min Winter	14.268	0.118		0.3 0.9	O K
8640 min Winter	14.253	0.103		0.2 0.8	O K
10080 min Winter	14.241	0.091		0.2 0.7	O K
Storm Event		Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	
30 min Winter		86.178	0.0	34	
60 min Winter		55.250	0.0	62	
120 min Winter		34.177	0.0	118	
180 min Winter		25.410	0.0	168	
240 min Winter		20.436	0.0	190	
360 min Winter		15.037	0.0	266	
480 min Winter		12.081	0.0	340	
600 min Winter		10.185	0.0	412	
720 min Winter		8.854	0.0	480	
960 min Winter		7.093	0.0	608	
1440 min Winter		5.178	0.0	826	
2160 min Winter		3.772	0.0	1132	
2880 min Winter		3.009	0.0	1500	
4320 min Winter		2.184	0.0	2208	
5760 min Winter		1.738	0.0	2936	
7200 min Winter		1.455	0.0	3672	
8640 min Winter		1.260	0.0	4408	
10080 min Winter		1.115	0.0	5136	
©1982-2017 XP Solutions					

The Civil Engineering Practice		Page 4																				
11 Tungsten Building George Street Fishersgate BN41 1RA	Manor Nursery Angmering West Sussex																					
Date 27/06/2019 File Soakaway 7.SRCX	Designed by S Burgess Checked by SRD																					
Innovyze Source Control 2017.1.2																						
<u>Model Details</u> Storage is Online Cover Level (m) 16.600 <u>Lined Soakaway Structure</u> <table> <tr> <td>Infiltration Coefficient Base (m/hr)</td> <td>0.00000</td> <td>Ring Diameter (m)</td> <td>1.80</td> </tr> <tr> <td>Infiltration Coefficient Side (m/hr)</td> <td>0.72360</td> <td>Pit Multiplier</td> <td>1.5</td> </tr> <tr> <td>Safety Factor</td> <td>2.0</td> <td>Number Required</td> <td>2</td> </tr> <tr> <td>Porosity</td> <td>0.30</td> <td>Cap Volume Depth (m)</td> <td>2.500</td> </tr> <tr> <td>Invert Level (m)</td> <td>14.150</td> <td>Cap Infiltration Depth (m)</td> <td>0.350</td> </tr> </table>			Infiltration Coefficient Base (m/hr)	0.00000	Ring Diameter (m)	1.80	Infiltration Coefficient Side (m/hr)	0.72360	Pit Multiplier	1.5	Safety Factor	2.0	Number Required	2	Porosity	0.30	Cap Volume Depth (m)	2.500	Invert Level (m)	14.150	Cap Infiltration Depth (m)	0.350
Infiltration Coefficient Base (m/hr)	0.00000	Ring Diameter (m)	1.80																			
Infiltration Coefficient Side (m/hr)	0.72360	Pit Multiplier	1.5																			
Safety Factor	2.0	Number Required	2																			
Porosity	0.30	Cap Volume Depth (m)	2.500																			
Invert Level (m)	14.150	Cap Infiltration Depth (m)	0.350																			
©1982-2017 XP Solutions																						