

The Civil Engineering Practice					Page 1																																																																																																																																																																																																																			
11 Tungsten Building George Street Fishersgate BN41 1RA			Manor Nursery Angmering West Sussex																																																																																																																																																																																																																					
Date 23/09/2020 File Soakaway 1 Factor Safet...			Designed by S Burgess Checked by SRD																																																																																																																																																																																																																					
Innovyze			Source Control 2020.1																																																																																																																																																																																																																					
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 784 minutes. <table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>15 min Summer</td><td>13.554</td><td>0.554</td><td>1.1</td><td>36.8</td><td>O K</td></tr><tr><td>30 min Summer</td><td>13.739</td><td>0.739</td><td>1.1</td><td>49.2</td><td>O K</td></tr><tr><td>60 min Summer</td><td>13.934</td><td>0.934</td><td>1.1</td><td>62.1</td><td>O K</td></tr><tr><td>120 min Summer</td><td>14.123</td><td>1.123</td><td>1.1</td><td>74.7</td><td>O K</td></tr><tr><td>180 min Summer</td><td>14.219</td><td>1.219</td><td>1.1</td><td>81.0</td><td>O K</td></tr><tr><td>240 min Summer</td><td>14.272</td><td>1.272</td><td>1.1</td><td>84.6</td><td>O K</td></tr><tr><td>360 min Summer</td><td>14.333</td><td>1.333</td><td>1.1</td><td>88.6</td><td>O K</td></tr><tr><td>480 min Summer</td><td>14.356</td><td>1.356</td><td>1.1</td><td>90.2</td><td>O K</td></tr><tr><td>600 min Summer</td><td>14.359</td><td>1.359</td><td>1.1</td><td>90.4</td><td>O K</td></tr><tr><td>720 min Summer</td><td>14.356</td><td>1.356</td><td>1.1</td><td>90.2</td><td>O K</td></tr><tr><td>960 min Summer</td><td>14.341</td><td>1.341</td><td>1.1</td><td>89.2</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>14.293</td><td>1.293</td><td>1.1</td><td>86.0</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>14.199</td><td>1.199</td><td>1.1</td><td>79.8</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>14.101</td><td>1.101</td><td>1.1</td><td>73.2</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>13.913</td><td>0.913</td><td>1.1</td><td>60.7</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>13.751</td><td>0.751</td><td>1.1</td><td>49.9</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>13.618</td><td>0.618</td><td>1.1</td><td>41.1</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>13.516</td><td>0.516</td><td>1.1</td><td>34.3</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>13.441</td><td>0.441</td><td>1.1</td><td>29.3</td><td>O K</td></tr><tr><td>15 min Winter</td><td>13.622</td><td>0.622</td><td>1.1</td><td>41.3</td><td>O K</td></tr></tbody></table> <table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>15 min Summer</td><td>128.238</td><td>0.0</td><td>22</td></tr><tr><td>30 min Summer</td><td>86.178</td><td>0.0</td><td>36</td></tr><tr><td>60 min Summer</td><td>55.250</td><td>0.0</td><td>64</td></tr><tr><td>120 min Summer</td><td>34.177</td><td>0.0</td><td>124</td></tr><tr><td>180 min Summer</td><td>25.410</td><td>0.0</td><td>184</td></tr><tr><td>240 min Summer</td><td>20.436</td><td>0.0</td><td>242</td></tr><tr><td>360 min Summer</td><td>15.037</td><td>0.0</td><td>362</td></tr><tr><td>480 min Summer</td><td>12.081</td><td>0.0</td><td>480</td></tr><tr><td>600 min Summer</td><td>10.185</td><td>0.0</td><td>582</td></tr><tr><td>720 min Summer</td><td>8.854</td><td>0.0</td><td>626</td></tr><tr><td>960 min Summer</td><td>7.093</td><td>0.0</td><td>750</td></tr><tr><td>1440 min Summer</td><td>5.178</td><td>0.0</td><td>1010</td></tr><tr><td>2160 min Summer</td><td>3.772</td><td>0.0</td><td>1412</td></tr><tr><td>2880 min Summer</td><td>3.009</td><td>0.0</td><td>1820</td></tr><tr><td>4320 min Summer</td><td>2.184</td><td>0.0</td><td>2596</td></tr><tr><td>5760 min Summer</td><td>1.738</td><td>0.0</td><td>3344</td></tr><tr><td>7200 min Summer</td><td>1.455</td><td>0.0</td><td>4040</td></tr><tr><td>8640 min Summer</td><td>1.260</td><td>0.0</td><td>4752</td></tr><tr><td>10080 min Summer</td><td>1.115</td><td>0.0</td><td>5352</td></tr><tr><td>15 min Winter</td><td>128.238</td><td>0.0</td><td>22</td></tr></tbody></table>							Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	13.554	0.554	1.1	36.8	O K	30 min Summer	13.739	0.739	1.1	49.2	O K	60 min Summer	13.934	0.934	1.1	62.1	O K	120 min Summer	14.123	1.123	1.1	74.7	O K	180 min Summer	14.219	1.219	1.1	81.0	O K	240 min Summer	14.272	1.272	1.1	84.6	O K	360 min Summer	14.333	1.333	1.1	88.6	O K	480 min Summer	14.356	1.356	1.1	90.2	O K	600 min Summer	14.359	1.359	1.1	90.4	O K	720 min Summer	14.356	1.356	1.1	90.2	O K	960 min Summer	14.341	1.341	1.1	89.2	O K	1440 min Summer	14.293	1.293	1.1	86.0	O K	2160 min Summer	14.199	1.199	1.1	79.8	O K	2880 min Summer	14.101	1.101	1.1	73.2	O K	4320 min Summer	13.913	0.913	1.1	60.7	O K	5760 min Summer	13.751	0.751	1.1	49.9	O K	7200 min Summer	13.618	0.618	1.1	41.1	O K	8640 min Summer	13.516	0.516	1.1	34.3	O K	10080 min Summer	13.441	0.441	1.1	29.3	O K	15 min Winter	13.622	0.622	1.1	41.3	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	128.238	0.0	22	30 min Summer	86.178	0.0	36	60 min Summer	55.250	0.0	64	120 min Summer	34.177	0.0	124	180 min Summer	25.410	0.0	184	240 min Summer	20.436	0.0	242	360 min Summer	15.037	0.0	362	480 min Summer	12.081	0.0	480	600 min Summer	10.185	0.0	582	720 min Summer	8.854	0.0	626	960 min Summer	7.093	0.0	750	1440 min Summer	5.178	0.0	1010	2160 min Summer	3.772	0.0	1412	2880 min Summer	3.009	0.0	1820	4320 min Summer	2.184	0.0	2596	5760 min Summer	1.738	0.0	3344	7200 min Summer	1.455	0.0	4040	8640 min Summer	1.260	0.0	4752	10080 min Summer	1.115	0.0	5352	15 min Winter	128.238	0.0	22
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																			
15 min Summer	13.554	0.554	1.1	36.8	O K																																																																																																																																																																																																																			
30 min Summer	13.739	0.739	1.1	49.2	O K																																																																																																																																																																																																																			
60 min Summer	13.934	0.934	1.1	62.1	O K																																																																																																																																																																																																																			
120 min Summer	14.123	1.123	1.1	74.7	O K																																																																																																																																																																																																																			
180 min Summer	14.219	1.219	1.1	81.0	O K																																																																																																																																																																																																																			
240 min Summer	14.272	1.272	1.1	84.6	O K																																																																																																																																																																																																																			
360 min Summer	14.333	1.333	1.1	88.6	O K																																																																																																																																																																																																																			
480 min Summer	14.356	1.356	1.1	90.2	O K																																																																																																																																																																																																																			
600 min Summer	14.359	1.359	1.1	90.4	O K																																																																																																																																																																																																																			
720 min Summer	14.356	1.356	1.1	90.2	O K																																																																																																																																																																																																																			
960 min Summer	14.341	1.341	1.1	89.2	O K																																																																																																																																																																																																																			
1440 min Summer	14.293	1.293	1.1	86.0	O K																																																																																																																																																																																																																			
2160 min Summer	14.199	1.199	1.1	79.8	O K																																																																																																																																																																																																																			
2880 min Summer	14.101	1.101	1.1	73.2	O K																																																																																																																																																																																																																			
4320 min Summer	13.913	0.913	1.1	60.7	O K																																																																																																																																																																																																																			
5760 min Summer	13.751	0.751	1.1	49.9	O K																																																																																																																																																																																																																			
7200 min Summer	13.618	0.618	1.1	41.1	O K																																																																																																																																																																																																																			
8640 min Summer	13.516	0.516	1.1	34.3	O K																																																																																																																																																																																																																			
10080 min Summer	13.441	0.441	1.1	29.3	O K																																																																																																																																																																																																																			
15 min Winter	13.622	0.622	1.1	41.3	O K																																																																																																																																																																																																																			
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																					
15 min Summer	128.238	0.0	22																																																																																																																																																																																																																					
30 min Summer	86.178	0.0	36																																																																																																																																																																																																																					
60 min Summer	55.250	0.0	64																																																																																																																																																																																																																					
120 min Summer	34.177	0.0	124																																																																																																																																																																																																																					
180 min Summer	25.410	0.0	184																																																																																																																																																																																																																					
240 min Summer	20.436	0.0	242																																																																																																																																																																																																																					
360 min Summer	15.037	0.0	362																																																																																																																																																																																																																					
480 min Summer	12.081	0.0	480																																																																																																																																																																																																																					
600 min Summer	10.185	0.0	582																																																																																																																																																																																																																					
720 min Summer	8.854	0.0	626																																																																																																																																																																																																																					
960 min Summer	7.093	0.0	750																																																																																																																																																																																																																					
1440 min Summer	5.178	0.0	1010																																																																																																																																																																																																																					
2160 min Summer	3.772	0.0	1412																																																																																																																																																																																																																					
2880 min Summer	3.009	0.0	1820																																																																																																																																																																																																																					
4320 min Summer	2.184	0.0	2596																																																																																																																																																																																																																					
5760 min Summer	1.738	0.0	3344																																																																																																																																																																																																																					
7200 min Summer	1.455	0.0	4040																																																																																																																																																																																																																					
8640 min Summer	1.260	0.0	4752																																																																																																																																																																																																																					
10080 min Summer	1.115	0.0	5352																																																																																																																																																																																																																					
15 min Winter	128.238	0.0	22																																																																																																																																																																																																																					
©1982-2020 Innovyze																																																																																																																																																																																																																								

The Civil Engineering Practice						Page 2
11 Tungsten Building George Street Fishersgate BN41 1RA			Manor Nursery Angmering West Sussex			
Date 23/09/2020 File Soakaway 1 Factor Safet...			Designed by S Burgess Checked by SRD			
Innovyze			Source Control 2020.1			
<u>Summary of Results for 100 year Return Period (+40%)</u>						
Storm Event		Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter		13.830	0.830	1.1	55.2	O K
60 min Winter		14.050	1.050	1.1	69.9	O K
120 min Winter		14.267	1.267	1.1	84.2	O K
180 min Winter		14.378	1.378	1.1	91.6	O K
240 min Winter		14.442	1.442	1.1	95.9	O K
360 min Winter		14.519	1.519	1.1	101.0	O K
480 min Winter		14.556	1.556	1.1	103.5	O K
600 min Winter		14.569	1.569	1.1	104.3	O K
720 min Winter		14.568	1.568	1.1	104.2	O K
960 min Winter		14.538	1.538	1.1	102.3	O K
1440 min Winter		14.469	1.469	1.1	97.7	O K
2160 min Winter		14.330	1.330	1.1	88.5	O K
2880 min Winter		14.179	1.179	1.1	78.4	O K
4320 min Winter		13.891	0.891	1.1	59.3	O K
5760 min Winter		13.652	0.652	1.1	43.4	O K
7200 min Winter		13.477	0.477	1.1	31.7	O K
8640 min Winter		13.388	0.388	1.1	25.8	O K
10080 min Winter		13.348	0.348	1.0	23.2	O K
Storm Event		Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
30 min Winter		86.178	0.0	36		
60 min Winter		55.250	0.0	64		
120 min Winter		34.177	0.0	122		
180 min Winter		25.410	0.0	180		
240 min Winter		20.436	0.0	238		
360 min Winter		15.037	0.0	354		
480 min Winter		12.081	0.0	468		
600 min Winter		10.185	0.0	578		
720 min Winter		8.854	0.0	686		
960 min Winter		7.093	0.0	876		
1440 min Winter		5.178	0.0	1096		
2160 min Winter		3.772	0.0	1544		
2880 min Winter		3.009	0.0	1988		
4320 min Winter		2.184	0.0	2768		
5760 min Winter		1.738	0.0	3512		
7200 min Winter		1.455	0.0	4104		
8640 min Winter		1.260	0.0	4664		
10080 min Winter		1.115	0.0	5352		
©1982-2020 Innovyze						

The Civil Engineering Practice		Page 4																				
11 Tungsten Building George Street Fishersgate BN41 1RA	Manor Nursery Angmering West Sussex																					
Date 23/09/2020 File Soakaway 1 Factor Safet...	Designed by S Burgess Checked by SRD																					
Innovyze Source Control 2020.1																						
<u>Model Details</u> Storage is Online Cover Level (m) 15.800 <u>Infiltration Trench Structure</u> <table> <tr> <td>Infiltration Coefficient Base (m/hr)</td> <td>0.00000</td> <td>Trench Width (m)</td> <td>3.5</td> </tr> <tr> <td>Infiltration Coefficient Side (m/hr)</td> <td>1.40400</td> <td>Trench Length (m)</td> <td>20.0</td> </tr> <tr> <td>Safety Factor</td> <td>6.5</td> <td>Slope (1:X)</td> <td>0.0</td> </tr> <tr> <td>Porosity</td> <td>0.95</td> <td>Cap Volume Depth (m)</td> <td>1.600</td> </tr> <tr> <td>Invert Level (m)</td> <td>13.000</td> <td>Cap Infiltration Depth (m)</td> <td>0.400</td> </tr> </table>			Infiltration Coefficient Base (m/hr)	0.00000	Trench Width (m)	3.5	Infiltration Coefficient Side (m/hr)	1.40400	Trench Length (m)	20.0	Safety Factor	6.5	Slope (1:X)	0.0	Porosity	0.95	Cap Volume Depth (m)	1.600	Invert Level (m)	13.000	Cap Infiltration Depth (m)	0.400
Infiltration Coefficient Base (m/hr)	0.00000	Trench Width (m)	3.5																			
Infiltration Coefficient Side (m/hr)	1.40400	Trench Length (m)	20.0																			
Safety Factor	6.5	Slope (1:X)	0.0																			
Porosity	0.95	Cap Volume Depth (m)	1.600																			
Invert Level (m)	13.000	Cap Infiltration Depth (m)	0.400																			
©1982-2020 Innovyze																						