NETWORK SERVING OUTFALL 1 (PUBLIC FOUL WATER NETWORK)

MANHOLE REFERENCE	LEVELS			TYPE				DOWNSTREAM MANHOLE REFERENCE
	COVER	INVERT	DEPTH	SFA TYPE	FEATURE	DIMENSIONS (⌀ OR LxW)	COVER LOAD CLASS	
F1.01	14.750	14.000	0.750	3A	-	450	B125	F1.02
F1.02	14.690	13.800	0.890	3A	-	450	B125	F1.03
F1.03	14.690	13.460	1.230	3A	-	450	B125	F1.04
F1.04	14.720	13.210	1.510	3A	-	450	B125	F1.05
F1.05	14.720	13.110	1.610	3B	-	450x600	B125	F1.06
F1.06	14.600	12.550	2.069	2	-	1200	D400	F1.07
F1.07	14.400	12.400	2.000	2	-	1200	D400	F1.08
F1.08	13.725	12.200	1.525	2	-	1200	D400	F1.09
F1.09	13.050	11.650	1.400	2	-	1200	D400	F1.10
F1.10	13.050	11.450	1.600	2	-	1200	D400	OUTFALL
F1.11	14.750	14.000	0.750	3A	-	450	B125	F1.02
F1.12	14.750	13.960	0.790	3A	-	450	B125	F1.13
F1.13	14.690	13.810	0.880	3A	-	450	B125	F1.03
F1.14	14.750	13.960	0.790	3A	-	450	B125	F1.15
F1.15	14.750	13.810	0.940	3A	-	450	B125	F1.03
F1.16	14.750	13.960	0.790	2	-	1200	B125	F1.15
F1.17	14.750	13.800	0.950	3A	-	450	B125	F1.03
F1.18	14.750	13.950	0.800	3A	-	450	B125	F1.03
F1.19	14.750	13.950	0.800	3A	-	450	B125	F1.04
F1.20	14.750	13.950	0.800	3A	-	450	B125	F1.04
F1.21	14.750	14.000	0.750	3A	-	450	B125	F1.22
F1.22	14.750	13.830	0.920	3A	-	450	B125	F1.04
F1.23	14.750	14.100	0.650	3A	-	450	B125	F1.06
F1.24	14.740	13.940	0.810	3A	-	450	B125	F1.25
F1.25	14.750	13.710	1.030	3A	-	450	B125	F1.26
F1.26	14.650	13.510	1.140	3A	-	450	B125	F1.27
F1.26A	14.750	13.970	0.780	2	-	1200	B125	F1.27
F1.27	14.650	13.350	1.300	3A	-	450	B125	F1.??
F1.28	14.650	13.160	1.490	3B	-	450x600	B125	F1.28
F1.28A	14.700	13.970	0.730	2	-	1200	B125	F1.28
F1.29	14.550	12.661	1.889	3A	-	450	B125	F1.06
F1.30	14.750	14.000	0.750	3A	-	450	B125	F1.31
F1.31	14.750	13.830	0.920	3A	-	450	B125	F1.27
F1.32	14.750	13.980	0.770	3A	-	450	B125	F1.27
F1.33	14.750	14.000	0.750	3A	-	450	B125	F1.28
F1.34	14.750	13.990	0.760	3A	-	450	B125	F1.35
F1.35	14.750	13.820	0.930	3A	-	450	B125	F1.29
F1.36	14.750	14.000	0.750	3A	-	450	B125	F1.37
F1.37	14.650	13.330	1.320	2	-	1200	D400	F1.29
F1.38	14.750	14.000	0.750	3A	-	450	B125	F1.37
F1.39	14.750	14.000	0.750	3A	-	450	D400	F1.37
F1.40	14.750	14.000	0.750	3A	-	450	B125	F1.41
F1.41	14.750	13.830	0.920	3A	-	450	B125	F1.06
F1.42	14.800	13.400	1.400	2	-	1200	B125	F1.07

NOTES:

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE DRAINAGE LAYOUT (REF PP-ISS-XX-XX-DR-C-3011 TO PP-ISS-XX-XX-DR-C-3013) AND THE DRAINAGE DETAILS (REF PP-ISS-XX-XX-DR-C-3201).
2. FEATURES LISTED IN HE MANHOLE SCHEDULE:
   CP1 = CATCHPIT TYPE 1
3. DOWNSTREAM MANHOLES REFERENCED AS 'BC' ARE BLIND CONNECTIONS BETWEEN CHAMBERS.

REV	DATE	DRAWN/CHK	REVISION INFO
P02	31.03.20	PL/PL	AMENDED AS CLOUDED
P01	20.11.19	KD/TW	FOR APPROVAL

STATUS: FOR CONSTRUCTION

CLIENT: SAVISTA DESIGN AND BUILD

PROJECT: POUND PLACE
ROUNDSTONE ROAD
ANGMERING

DRAWING TITLE: PROPOSED FOUL WATER MANHOLE SCHEDULE 62 BED LAYOUT

JOB NUMBER:	SCALE AT A1:	REV. STATUS:
SE1612	N/A	S4

DRAWING NUMBER: PP-ISS-XX-XX-DR-C-3111 REVISION: P02

iesis STRUCTURES
LONDON 20 IRONMONGER LANE | LONDON | EC2V 8EP | UK T: +44 (0)207 600 2912
BRISTOL 89-95 REDCLIFFE STREET | BRISTOL | BS1 6LU | UK T: +44 (0)117 922 7039
MANCHESTER COMMERCIAL WHARF | 6 COMMERCIAL STREET MANCHESTER, M15 4PZ | UK T: +44 (0)845 643 2741
www.iesisgroup.com

ARUN DISTRICT COUNCIL A1903900