

NOTES:


1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE DRAINAGE STANDARD NOTES DRAWING, REFERENCE PP-ISS-XX-XX-DR-C-3004.




INTERNAL WASTE




INTERNAL SVP/RWP




PIPEWORK UNDER SLABS




LINEAR DRAINAGE CHANNEL



PIPES CROSSING WITH MINIMAL SEPARATION




TYPICAL ROAD GULLY DETAIL



CROSS-SECTIONAL VIEW OF SEWER


PLAN VIEWED IN DIRECTION OF ARROW - A

CONNECTIONS TO SEWER




EXTERNAL RWP

ABOVE DETAIL IS ONLY TO BE USED WHERE SVP/RWP CONNECTS DIRECTLY TO ACCESS CHAMBER, INSPECTION CHAMBER OR MANHOLE




IF VOID IS PRE-FORMED THROUGH FOUNDATION USING A SLEEVE OR SIMILAR, REMAINING VOID BETWEEN PIPE AND SLEEVE TO BE COMPLETELY SEALED BOTH SIDES WITH RIGID SHEET MATERIAL OR FILLED USING WATERPROOF EXPANDING FOAM SEALANT OR SIMILAR APPROVED


PIPE/FOUNDATION JUNCTION




CLASS Z BEDDING (CONCRETE BED & SURROUND)



CLASS B BEDDING (GRANULAR BED & HAUNCH)



CLASS S BEDDING (GRANULAR BED & SURROUND)



SUB-BASE SURFACE WATER DIFFUSER TYPE DETAIL

REV	DATE	DRAWN/CHK	REVISION INFO
C02	28.03.20	PL/PL	NOTES AMENDED AS CLOUDED
C01	10.03.20	PL/PL	ISSUED FOR CONSTRUCTION

STATUS:

FOR CONSTRUCTION

CLIENT:

SAVISTA DESIGN AND BUILD

PROJECT:

POUND PLACE
ROUNDSTONE ROAD
ANGMERING

DRAWING TITLE:

PROPOSED DRAINAGE DETAILS (SHEET 2)

JOB NUMBER:	SCALE AT A1:	REV. STATUS:
SE1612	N.T.S.	S4

DRAWING NUMBER:	REVISION:
PP-ISS-XX-XX-DR-C-3202	C02

IESISTRUCTURES

LONDON 20 IRONMONGER LANE | LONDON | EC2V 8EP | UK T: +44 (0)207 600 2912
BRISTOL 89-95 REDCLIFFE STREET | BRISTOL | BS1 6LU | UK T: +44 (0)117 922 7039
MANCHESTER COMMERCIAL WHARF | 6 COMMERCIAL STREET MANCHESTER, M15 4PZ | UK T: +44 (0)845 643 2741
www.iesisgroup.com

ARUN DISTRICT COUNCIL A/1925/DOC