

From: Ian Stocks [REDACTED] **On Behalf Of** FRS Water and Access

Sent: 28 April 2022 11:08

To: Planning.Responses <Planning.Responses@arun.gov.uk>

Subject: Planning consultation - A/37/22/PL Manor Barn Ecclesden Lane Angmering

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

FAO: Hamish Evans

Dear Hamish,


Having viewed the plans for the planning application no. A/37/22/PL for Redevelopment of redundant agricultural outbuildings to form 2 No. holiday lets. This is a dual application with the South Down National Park, the nearest fire hydrant to the intended office is 235 metres away, 60 metres further than the 175 metres distance required for a domestic premises. If an alternative supply of water for firefighting is to be considered it will need to conform with the details identified in Approved Document – B (AD-B) Volume 1 2019 edition: B5 section 14.

Regards

Ian Stocks
Water & Access manager

Ian Stocks – Water and Access Manager
Water and Access Office
West Sussex Fire and Rescue Service West Sussex County Council
Location: Bognor Fire Station, West Meads Drive, Bognor, PO21 5TB

Living Our Values Every Day



LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
