VICTORIA HOLLAND
ARCHITECTURE

Proposed Single Storey Extension

at

Weavers Cottage,
Weavers Lane,
Angmering,
West Sussex
BN16 4BP

Job No: 1075


Schedule of Materials

March 2020

ARUN DISTRICT COUNCIL A/44/21/DOC

External walls

- 50mm handmade bricks from Imperial bricks for the quoins and the front elevation. REF: 2" Tudor Multi



- All flints have been salvaged for reuse.
- Lime mortar 1:1:1:1, building sand, silica sand, fine aggregate 5mm>, Hydraulic Lime NHL3.5 (unless otherwise specified by engineer for stronger).

Roof

- **Areas of roof tile:** Traditional clay roof tile co. developer ranger mix of Medium and Brown colours.



- **Areas of flat roof:** Profiled coated VMZincPlus standing seam roofing supplied by VM Zinc Ltd and installed by approved installers.
- **Rainwater goods:** All upvc rainwater & external Foul water goods to be replaced with new cast iron fittings and any existing cast iron to be refurbished and redecorated.

Hard surfacing

- 50mm handmade bricks from Imperial bricks also to be used for paviors. REF: 2" Tudor Multi
- Cathedral Grade yorkstone slab paving elsewhere.
- Enlarged driveway with new resin bound gravel surface finish.


Victoria Holland BA Hons Dip Arch RIBA · Victoria Holland Architecture
71 Peppering High Barn · Burpham · Arundel · West Sussex · BN18 9RN

[redacted]


ARUN DISTRICT COUNCIL A/44/21/DOC

Rooflights


- **Rooflight 01**: New aluminium & timber framed unit with seal-cleaning DG glass, automated opening lights with integrated rain sensors. By Christopher Cooper Ltd.



- **Rooflight 02 & 03**: 2no. Conservation Rooflights Type CR01-2 From the Conservation Rooflight Company set flush with Roof finish. Frame colour is Black RAL9005.



- **Rooflight 04: 1no**. Conservation Rooflight Type CR06-1 From the Conservation Rooflight Company over shower Room set flush with Roof finish. Frame colour is Black RAL9005.



Victoria Holland Architecture
March 2021

[redacted]

ARUN DISTRICT COUNCIL A/44/21/DOC