


|                                      |                            |                                                                                    |
|--------------------------------------|----------------------------|------------------------------------------------------------------------------------|
| <b>Photo No.</b><br><b>3</b>         | <b>Date:</b><br>12/03/2021 |  |
|                                      |                            |                                                                                    |
| <b>Description:</b><br>General views |                            |                                                                                    |

|                                      |                               |                                                                                     |
|--------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|
| <b>Photo No.</b><br><br>4            | <b>Date:</b><br><br>12/03/202 |  |
|                                      |                               |                                                                                     |
| <b>Description:</b><br>General views |                               |                                                                                     |

|                                      |                            |                                                                                    |
|--------------------------------------|----------------------------|------------------------------------------------------------------------------------|
| <b>Photo No.</b><br><b>5</b>         | <b>Date:</b><br>12/03/2022 |  |
|                                      |                            |                                                                                    |
| <b>Description:</b><br>General views |                            |                                                                                    |

|                                      |                            |                                                                                     |
|--------------------------------------|----------------------------|-------------------------------------------------------------------------------------|
| <b>Photo No.</b><br>6                | <b>Date:</b><br>12/03/2021 |  |
|                                      |                            |                                                                                     |
| <b>Description:</b><br>General views |                            |                                                                                     |

|                                      |                            |                                                                                    |
|--------------------------------------|----------------------------|------------------------------------------------------------------------------------|
| <b>Photo No.</b><br>7                | <b>Date:</b><br>12/03/2021 |  |
|                                      |                            |                                                                                    |
| <b>Description:</b><br>General views |                            |                                                                                    |

# APPENDIX I

## TECHNICAL BACKGROUND

---

### H1 Desk Study

#### **Aquifer designation and Source protection zones**

Principal aquifer: layers of rock or drift deposit that have high intergranular and/or fracture permeability (usually providing a high level of water storage). They may support water supply and/or river base flow on a strategic scale.

Secondary A aquifer: permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers.

Secondary B aquifer: predominantly lower permeability layers that may store and yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering.

Secondary undifferentiated aquifer: it has not been possible to attribute either a category A or B to a rock type. In most cases this means that it was previously designated as both a minor and non-aquifer in different locations owing to the variable characteristics.

Unproductive' strata: low permeability with negligible significance for water supply or river base flow.

The EA generally adopts a three-fold classification of source protection zones (SPZ) surround abstractions for public water supply. The Site is situated in an area defined as follows:

- Zone 1 or the 'inner protection zone' is located immediately adjacent to the groundwater source and is based on a 50-day travel time from any point below the water table to the source. It is designed to protect against the effects of human activity and biological/chemical contaminants that may have an immediate effect on the source
- Zone 2 or the 'outer protection zone' is defined by a 400-day travel time from a point below the water table to the source. The travel time is designed to provide delay and attenuation of slowly degrading pollutants
- Zone 3 or the 'total catchment' is the area around the source within which all groundwater recharge is presumed to be discharged at the source.

#### **Preliminary risk assessment methodology**

CLR11 outlines the framework to be followed for risk assessment in the UK. The framework is designed to be consistent with UK legislation and policies including planning. Under CLR11, three stages of risk assessment exist: preliminary, generic quantitative and detailed quantitative. An outline conceptual model should be formed at the preliminary risk assessment stage that collates all the existing information pertaining to a site in text, tabular or diagrammatic form. The outline conceptual model identifies potentially complete (termed possible) contaminant linkages (contaminant–pathway–receptor) and is used as the basis for the design of the site investigation. The outline conceptual model is updated as further information becomes available, for example as a result of the site investigation.

Production of a conceptual model requires an assessment of risk to be made. Risk is a combination of the likelihood of an event occurring and the magnitude of its consequences. Therefore, both the likelihood and the consequences of an event must be taken into account when assessing risk. RSK has adopted guidance provided in CIRIA C552 for use in the production of conceptual models.

The likelihood of an event can be classified on a four-point system using the following terms and definitions based on CIRIA C552:

- highly likely: the event appears very likely in the short term and almost inevitable over the long term or there is evidence at the receptor of harm or pollution
- likely: it is probable that an event will occur or circumstances are such that the event is not inevitable, but possible in the short term and likely over the long term
- low likelihood: circumstances are possible under which an event could occur, but it is not certain even in the long term that an event would occur and it is less likely in the short term
- unlikely: circumstances are such that it is improbable the event would occur even in the long term.

The severity can be classified using a similar system also based on CIRIA C552. The terms and definitions relating to severity are:

- severe: short term (acute) risk to human health likely to result in 'significant harm' as defined by the Environment Protection Act 1990, Part IIA. Short-term risk of pollution of sensitive water resources. Catastrophic damage to buildings or property. Short-term risk to an ecosystem or organism forming part of that ecosystem (note definition of ecosystem in 'Draft Circular on Contaminated Land', DETR 2000)
- medium: chronic damage to human health ('significant harm' as defined in 'Draft Circular on Contaminated Land', DETR 2000), pollution of sensitive water resources, significant change in an ecosystem or organism forming part of that ecosystem
- mild: pollution of non-sensitive water resources. Significant damage to crops, buildings, structures and services ('significant harm' as defined in 'Draft Circular on Contaminated Land', DETR 2000). Damage to sensitive buildings, structures or the environment
- minor: harm, not necessarily significant, but that could result in financial loss or expenditure to resolve. Non-permanent human health effects easily prevented by use of personal protective clothing. Easily repairable damage to buildings, structures and services.

Once the probability of an event occurring and its consequences have been classified, a risk category can be assigned according to the table below.

|             |                | Consequences |              |              |              |
|-------------|----------------|--------------|--------------|--------------|--------------|
|             |                | Severe       | Medium       | Mild         | Minor        |
| Probability | Highly likely  | Very high    | High         | Moderate     | Moderate/low |
|             | Likely         | High         | Moderate     | Moderate/low | Low          |
|             | Low likelihood | Moderate     | Moderate/low | Low          | Very low     |
|             | Unlikely       | Moderate/low | Low          | Very low     | Very low     |

Definitions of these risk categories are as follows together with an assessment of the further work that may be required:

- very high: there is a high probability that severe harm could occur or there is evidence that severe harm is currently happening. This risk, if realised, could result in substantial liability; urgent investigation and remediation are likely to be required
- high: harm is likely to occur. Realisation of the risk is likely to present a substantial liability. Urgent investigation is required. Remedial works may be necessary in the short term and are likely over the long term
- moderate: it is possible that harm could arise, but it is unlikely that the harm would be severe and it is more likely that the harm would be relatively mild. Investigation is normally required to clarify the risk and determine the liability. Some remedial works may be required in the longer term
- low: it is possible that harm could occur, but it is likely that if realised this harm would at worst normally be mild
- very low: there is a low possibility that harm could occur and if realised the harm is unlikely to be severe.