

[REDACTED]

From: southernwaterplanning [REDACTED]
Sent: 18 May 2021 11:36
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Subject: A/84/21/DOC:-Land South of Water Lane, Angmering.

Dear Sir/Madam,

Thank you for your letter regarding planning consent for the above site, we are presently unable to respond to your consultation and would therefore request an additional 10 working days to make a substantive response as it is under assessment.

Yours faithfully,

Growth Planning Team
Business Channels



from
Southern Water

This e-mail is intended solely for the person or organisation to which it is addressed. It may contain privileged and confidential information. If you are not the intended recipient, you are prohibited from copying, disclosing or distributing this e-mail or its contents (as it may be unlawful for you to do so) or taking any action in reliance on it. If you receive this e-mail by mistake, please delete it then advise the sender immediately. Without prejudice to the above prohibition on unauthorised copying and disclosure of this e-mail or its contents, it is your responsibility to ensure that any onward transmission, opening or use of this message and any attachments will not adversely affect your or the onward recipients' systems or data. Please carry out such virus and other such checks as you consider appropriate. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices. This e-mail is issued by Southern Water Services Limited, company number 2366670, registered in England and having its registered office at Southern House, Yeoman Road, Worthing, BN13 3NX, England. In sending this e-mail the sender cannot be deemed to have specified authority and the contents of the e-mail will have no contractual effect unless (in either case) it is otherwise agreed between Southern Water Services Limited and the recipient.

This message has been scanned for malware by Websense. www.websense.com