

The Civil Engineering Practice				Page 1																																																																																																																																																																																																																			
11 Tungsten Building George Street Fishersgate BN41 1RA		Manor Nursery Angmering West Sussex																																																																																																																																																																																																																					
Date 27/06/2019 File Soakaway 6.SRCX		Designed by S Burgess Checked by SRD																																																																																																																																																																																																																					
Innovyze		Source Control 2017.1.2																																																																																																																																																																																																																					
<u>Summary of Results for 100 year Return Period (+40%)</u> Half Drain Time : 249 minutes. <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>15 min Summer</td><td>13.900</td><td>0.700</td><td>2.1</td><td>27.9</td><td>O K</td></tr><tr><td>30 min Summer</td><td>14.126</td><td>0.926</td><td>2.1</td><td>36.9</td><td>O K</td></tr><tr><td>60 min Summer</td><td>14.343</td><td>1.143</td><td>2.1</td><td>45.6</td><td>O K</td></tr><tr><td>120 min Summer</td><td>14.515</td><td>1.315</td><td>2.1</td><td>52.5</td><td>O K</td></tr><tr><td>180 min Summer</td><td>14.564</td><td>1.364</td><td>2.1</td><td>54.4</td><td>O K</td></tr><tr><td>240 min Summer</td><td>14.568</td><td>1.368</td><td>2.1</td><td>54.6</td><td>O K</td></tr><tr><td>360 min Summer</td><td>14.559</td><td>1.359</td><td>2.1</td><td>54.2</td><td>O K</td></tr><tr><td>480 min Summer</td><td>14.533</td><td>1.333</td><td>2.1</td><td>53.2</td><td>O K</td></tr><tr><td>600 min Summer</td><td>14.496</td><td>1.296</td><td>2.1</td><td>51.7</td><td>O K</td></tr><tr><td>720 min Summer</td><td>14.454</td><td>1.254</td><td>2.1</td><td>50.0</td><td>O K</td></tr><tr><td>960 min Summer</td><td>14.363</td><td>1.163</td><td>2.1</td><td>46.4</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>14.185</td><td>0.985</td><td>2.1</td><td>39.3</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>13.958</td><td>0.758</td><td>2.1</td><td>30.3</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>13.794</td><td>0.594</td><td>2.1</td><td>23.7</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>13.644</td><td>0.444</td><td>1.9</td><td>17.7</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>13.570</td><td>0.370</td><td>1.6</td><td>14.8</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>13.518</td><td>0.318</td><td>1.3</td><td>12.7</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>13.482</td><td>0.282</td><td>1.2</td><td>11.2</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>13.453</td><td>0.253</td><td>1.1</td><td>10.1</td><td>O K</td></tr><tr><td>15 min Winter</td><td>13.988</td><td>0.788</td><td>2.1</td><td>31.4</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>15 min Summer</td><td>128.238</td><td>0.0</td><td>20</td></tr><tr><td>30 min Summer</td><td>86.178</td><td>0.0</td><td>34</td></tr><tr><td>60 min Summer</td><td>55.250</td><td>0.0</td><td>64</td></tr><tr><td>120 min Summer</td><td>34.177</td><td>0.0</td><td>122</td></tr><tr><td>180 min Summer</td><td>25.410</td><td>0.0</td><td>180</td></tr><tr><td>240 min Summer</td><td>20.436</td><td>0.0</td><td>208</td></tr><tr><td>360 min Summer</td><td>15.037</td><td>0.0</td><td>270</td></tr><tr><td>480 min Summer</td><td>12.081</td><td>0.0</td><td>336</td></tr><tr><td>600 min Summer</td><td>10.185</td><td>0.0</td><td>404</td></tr><tr><td>720 min Summer</td><td>8.854</td><td>0.0</td><td>472</td></tr><tr><td>960 min Summer</td><td>7.093</td><td>0.0</td><td>608</td></tr><tr><td>1440 min Summer</td><td>5.178</td><td>0.0</td><td>868</td></tr><tr><td>2160 min Summer</td><td>3.772</td><td>0.0</td><td>1236</td></tr><tr><td>2880 min Summer</td><td>3.009</td><td>0.0</td><td>1584</td></tr><tr><td>4320 min Summer</td><td>2.184</td><td>0.0</td><td>2252</td></tr><tr><td>5760 min Summer</td><td>1.738</td><td>0.0</td><td>2992</td></tr><tr><td>7200 min Summer</td><td>1.455</td><td>0.0</td><td>3680</td></tr><tr><td>8640 min Summer</td><td>1.260</td><td>0.0</td><td>4416</td></tr><tr><td>10080 min Summer</td><td>1.115</td><td>0.0</td><td>5144</td></tr><tr><td>15 min Winter</td><td>128.238</td><td>0.0</td><td>21</td></tr></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	13.900	0.700	2.1	27.9	O K	30 min Summer	14.126	0.926	2.1	36.9	O K	60 min Summer	14.343	1.143	2.1	45.6	O K	120 min Summer	14.515	1.315	2.1	52.5	O K	180 min Summer	14.564	1.364	2.1	54.4	O K	240 min Summer	14.568	1.368	2.1	54.6	O K	360 min Summer	14.559	1.359	2.1	54.2	O K	480 min Summer	14.533	1.333	2.1	53.2	O K	600 min Summer	14.496	1.296	2.1	51.7	O K	720 min Summer	14.454	1.254	2.1	50.0	O K	960 min Summer	14.363	1.163	2.1	46.4	O K	1440 min Summer	14.185	0.985	2.1	39.3	O K	2160 min Summer	13.958	0.758	2.1	30.3	O K	2880 min Summer	13.794	0.594	2.1	23.7	O K	4320 min Summer	13.644	0.444	1.9	17.7	O K	5760 min Summer	13.570	0.370	1.6	14.8	O K	7200 min Summer	13.518	0.318	1.3	12.7	O K	8640 min Summer	13.482	0.282	1.2	11.2	O K	10080 min Summer	13.453	0.253	1.1	10.1	O K	15 min Winter	13.988	0.788	2.1	31.4	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	128.238	0.0	20	30 min Summer	86.178	0.0	34	60 min Summer	55.250	0.0	64	120 min Summer	34.177	0.0	122	180 min Summer	25.410	0.0	180	240 min Summer	20.436	0.0	208	360 min Summer	15.037	0.0	270	480 min Summer	12.081	0.0	336	600 min Summer	10.185	0.0	404	720 min Summer	8.854	0.0	472	960 min Summer	7.093	0.0	608	1440 min Summer	5.178	0.0	868	2160 min Summer	3.772	0.0	1236	2880 min Summer	3.009	0.0	1584	4320 min Summer	2.184	0.0	2252	5760 min Summer	1.738	0.0	2992	7200 min Summer	1.455	0.0	3680	8640 min Summer	1.260	0.0	4416	10080 min Summer	1.115	0.0	5144	15 min Winter	128.238	0.0	21
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																		
15 min Summer	13.900	0.700	2.1	27.9	O K																																																																																																																																																																																																																		
30 min Summer	14.126	0.926	2.1	36.9	O K																																																																																																																																																																																																																		
60 min Summer	14.343	1.143	2.1	45.6	O K																																																																																																																																																																																																																		
120 min Summer	14.515	1.315	2.1	52.5	O K																																																																																																																																																																																																																		
180 min Summer	14.564	1.364	2.1	54.4	O K																																																																																																																																																																																																																		
240 min Summer	14.568	1.368	2.1	54.6	O K																																																																																																																																																																																																																		
360 min Summer	14.559	1.359	2.1	54.2	O K																																																																																																																																																																																																																		
480 min Summer	14.533	1.333	2.1	53.2	O K																																																																																																																																																																																																																		
600 min Summer	14.496	1.296	2.1	51.7	O K																																																																																																																																																																																																																		
720 min Summer	14.454	1.254	2.1	50.0	O K																																																																																																																																																																																																																		
960 min Summer	14.363	1.163	2.1	46.4	O K																																																																																																																																																																																																																		
1440 min Summer	14.185	0.985	2.1	39.3	O K																																																																																																																																																																																																																		
2160 min Summer	13.958	0.758	2.1	30.3	O K																																																																																																																																																																																																																		
2880 min Summer	13.794	0.594	2.1	23.7	O K																																																																																																																																																																																																																		
4320 min Summer	13.644	0.444	1.9	17.7	O K																																																																																																																																																																																																																		
5760 min Summer	13.570	0.370	1.6	14.8	O K																																																																																																																																																																																																																		
7200 min Summer	13.518	0.318	1.3	12.7	O K																																																																																																																																																																																																																		
8640 min Summer	13.482	0.282	1.2	11.2	O K																																																																																																																																																																																																																		
10080 min Summer	13.453	0.253	1.1	10.1	O K																																																																																																																																																																																																																		
15 min Winter	13.988	0.788	2.1	31.4	O K																																																																																																																																																																																																																		
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																				
15 min Summer	128.238	0.0	20																																																																																																																																																																																																																				
30 min Summer	86.178	0.0	34																																																																																																																																																																																																																				
60 min Summer	55.250	0.0	64																																																																																																																																																																																																																				
120 min Summer	34.177	0.0	122																																																																																																																																																																																																																				
180 min Summer	25.410	0.0	180																																																																																																																																																																																																																				
240 min Summer	20.436	0.0	208																																																																																																																																																																																																																				
360 min Summer	15.037	0.0	270																																																																																																																																																																																																																				
480 min Summer	12.081	0.0	336																																																																																																																																																																																																																				
600 min Summer	10.185	0.0	404																																																																																																																																																																																																																				
720 min Summer	8.854	0.0	472																																																																																																																																																																																																																				
960 min Summer	7.093	0.0	608																																																																																																																																																																																																																				
1440 min Summer	5.178	0.0	868																																																																																																																																																																																																																				
2160 min Summer	3.772	0.0	1236																																																																																																																																																																																																																				
2880 min Summer	3.009	0.0	1584																																																																																																																																																																																																																				
4320 min Summer	2.184	0.0	2252																																																																																																																																																																																																																				
5760 min Summer	1.738	0.0	2992																																																																																																																																																																																																																				
7200 min Summer	1.455	0.0	3680																																																																																																																																																																																																																				
8640 min Summer	1.260	0.0	4416																																																																																																																																																																																																																				
10080 min Summer	1.115	0.0	5144																																																																																																																																																																																																																				
15 min Winter	128.238	0.0	21																																																																																																																																																																																																																				
©1982-2017 XP Solutions																																																																																																																																																																																																																							

The Civil Engineering Practice				Page 2	
11 Tungsten Building George Street Fishersgate BN41 1RA		Manor Nursery Angmering West Sussex			
Date 27/06/2019 File Soakaway 6.SRCX		Designed by S Burgess Checked by SRD			
Innovyze		Source Control 2017.1.2			
<u>Summary of Results for 100 year Return Period (+40%)</u>					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter	14.243	1.043	2.1	41.6	O K
60 min Winter	14.494	1.294	2.1	51.6	O K
120 min Winter	14.699	1.499	2.1	59.8	O K
180 min Winter	14.767	1.567	2.1	62.5	O K
240 min Winter	14.777	1.577	2.1	62.9	O K
360 min Winter	14.749	1.549	2.1	61.8	O K
480 min Winter	14.708	1.508	2.1	60.2	O K
600 min Winter	14.650	1.450	2.1	57.9	O K
720 min Winter	14.584	1.384	2.1	55.2	O K
960 min Winter	14.443	1.243	2.1	49.6	O K
1440 min Winter	14.166	0.966	2.1	38.6	O K
2160 min Winter	13.839	0.639	2.1	25.5	O K
2880 min Winter	13.677	0.477	2.0	19.0	O K
4320 min Winter	13.559	0.359	1.5	14.3	O K
5760 min Winter	13.491	0.291	1.2	11.6	O K
7200 min Winter	13.446	0.246	1.0	9.8	O K
8640 min Winter	13.414	0.214	0.9	8.5	O K
10080 min Winter	13.390	0.190	0.8	7.6	O K
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
30 min Winter	86.178	0.0	34		
60 min Winter	55.250	0.0	62		
120 min Winter	34.177	0.0	120		
180 min Winter	25.410	0.0	176		
240 min Winter	20.436	0.0	230		
360 min Winter	15.037	0.0	290		
480 min Winter	12.081	0.0	366		
600 min Winter	10.185	0.0	442		
720 min Winter	8.854	0.0	516		
960 min Winter	7.093	0.0	660		
1440 min Winter	5.178	0.0	926		
2160 min Winter	3.772	0.0	1276		
2880 min Winter	3.009	0.0	1560		
4320 min Winter	2.184	0.0	2292		
5760 min Winter	1.738	0.0	3000		
7200 min Winter	1.455	0.0	3744		
8640 min Winter	1.260	0.0	4488		
10080 min Winter	1.115	0.0	5152		
©1982-2017 XP Solutions					

The Civil Engineering Practice		Page 4																				
11 Tungsten Building George Street Fishersgate BN41 1RA	Manor Nursery Angmering West Sussex																					
Date 27/06/2019 File Soakaway 6.SRCX	Designed by S Burgess Checked by SRD																					
Innovyze Source Control 2017.1.2																						
<u>Model Details</u> Storage is Online Cover Level (m) 16.000 <u>Infiltration Trench Structure</u> <table> <tr> <td>Infiltration Coefficient Base (m/hr)</td> <td>0.00000</td> <td>Trench Width (m)</td> <td>3.0</td> </tr> <tr> <td>Infiltration Coefficient Side (m/hr)</td> <td>0.89280</td> <td>Trench Length (m)</td> <td>14.0</td> </tr> <tr> <td>Safety Factor</td> <td>2.0</td> <td>Slope (1:X)</td> <td>0.0</td> </tr> <tr> <td>Porosity</td> <td>0.95</td> <td>Cap Volume Depth (m)</td> <td>1.600</td> </tr> <tr> <td>Invert Level (m)</td> <td>13.200</td> <td>Cap Infiltration Depth (m)</td> <td>0.500</td> </tr> </table>			Infiltration Coefficient Base (m/hr)	0.00000	Trench Width (m)	3.0	Infiltration Coefficient Side (m/hr)	0.89280	Trench Length (m)	14.0	Safety Factor	2.0	Slope (1:X)	0.0	Porosity	0.95	Cap Volume Depth (m)	1.600	Invert Level (m)	13.200	Cap Infiltration Depth (m)	0.500
Infiltration Coefficient Base (m/hr)	0.00000	Trench Width (m)	3.0																			
Infiltration Coefficient Side (m/hr)	0.89280	Trench Length (m)	14.0																			
Safety Factor	2.0	Slope (1:X)	0.0																			
Porosity	0.95	Cap Volume Depth (m)	1.600																			
Invert Level (m)	13.200	Cap Infiltration Depth (m)	0.500																			
©1982-2017 XP Solutions																						