




On Behalf Of

Sent: 04 January 2018 11:08
To: Planning.Responses
Subject: RE: Planning Consultation on: BE/135/17/PL

Good morning

Thank you for your email below. I have checked our records and I cannot find a licensed explosives site in the vicinity of the proposed planning application. Can you please advise me which site you think it is close to, regards.

Ann-Marie Eckersall
CEM7 Business Support (Explosives Inspectorate)
Health and Safety Executive
Desk 72, 5S.2 Redgrave Court
Merton Road, Bootle
Merseyside, L20 7HS
[REDACTED]

From: Explosives Planning
Sent: 21 December 2017 11:49
To: Explosives Licensing
Cc: Explosives Planning
Subject: FW: Planning Consultation on: BE/135/17/PL

Ann-Marie

Please see below for your action.

Thanks, Di

Diane Thomas
Operational Policy and Strategy (Explosives)
Chemicals, Explosives and Microbiological Hazards Division 7
Health & Safety Executive,
Redgrave Court,
Merton Road,
Bootle.
L20 7HS
[REDACTED]
[REDACTED]



HSE is engaging with stakeholders to shape a new strategy for occupational safety and health in Great Britain, with seven roadshow events across the country. [Find out more^{\[3\]}](#) and join the conversation #HelpGBWorkWell

HSE website: www.hse.gov.uk

Please consider the environment before printing this e-mail

From: planning.responses@arun.gov.uk [mailto:planning.responses@arun.gov.uk]

Sent: 21 December 2017 11:19

To: Explosives Planning

Subject: Planning Consultation on: BE/135/17/PL

To: **HSE Exposives Team**

NOTIFICATION FROM ARUN DISTRICT COUNCIL

Town & Country Planning Act 1990 (as amended)

Town and Country Planning (Development Management Procedure) (England) Order

2015 - Articles 16 & 18 Consultation before the grant of permission

Planning Permission

APPLICATION NO: BE/135/17/PL

Registered: 8th December
2017

Site Address: Shripney Garden Caravan Site Shripney Lane Bersted PO22
9NS

Grid Reference: 493573 102404

Description of Works: Continuance of use without compliance with condition 4
imposed under BE/151/11/ relating to occupancy.

The Council have received the above application. I shall be pleased to receive any observations you may wish to make.

[Click here to view the application details](#)

Should you have any comments to make, these should be sent by replying to this email by 01-FEB-18.

You can also monitor the progress of this application through the Council web site:

www.arun.gov.uk/planning

Please be aware that any comments you may make will be available on our website so please do not insert personal details or signatures on your reply.

In the absence of a reply within the period stated, I shall assume that you have no observations to make.

The officer dealing with this application is Richard Temple who can be contacted on telephone number 01903 737591.

Regards
Planning Officer

consultee_email

<http://www.arun.gov.uk>

NLPG UPRN 100062237016

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

Please note : Incoming and outgoing email messages are routinely monitored for compliance with our policy on the use of electronic communications and may be automatically logged, monitored and / or recorded for lawful purposes by the GSI service provider.

Interested in Occupational Health and Safety information?

Please visit the HSE website at the following address to keep yourself up to date

www.hse.gov.uk
