




Please upload the email below from the applicant onto Ocella for BE/21/20/DOC - Land At Salt Box West Of Shripney Road, Bersted.

Thanks,

Michael




'Arun is a CIL Charging Authority, for more information go to www.arun.gov.uk/cil'

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.



Hi Michael,

As discussed, see below our response to the EA's comments.

For clarity, information to discharge the planning condition was split into two parts. One for Unit 2 and the Estate Roads, and the other for Units 4,5 and 8.

In response to the EA's comments I have extracted from the reports the relevant information which advises how surface water will be treated prior to discharge into the watercourse.

Unit 2 and the Estate Roads:

Extract from report: **SAL-HYD-XX-ZZ-RP-C-0010-Rev 05**

2.7 Water Quality

Due to the higher risk of pollution from Unit 2 and the Estate Road Class I Full Retention interceptors have been specified and sized in accordance with Environment Agency Document PPG3 (withdrawn but still referenced).

Porous paving has been utilised within the Unit 2 car park to provide treatment of surface water run-off.

Heavy Metals held within the suspended solids in the surface water run-off will be captured by silt traps, catchpits and gully pots which are to be checked and sediment removed as part of a site-specific maintenance regime and disposed of in accordance with current regulatory requirements.

In accordance with the above our drainage drawings allow for the inclusion of Class I full retention interceptors, catch-pits, silt traps etc. The specific maintenance requirements of these items have been noted in our O+M document, also issued for planning.

Units 4,5 and 8:

Extract from report: **SAL-HYD-PH2-ZZ-RP-C-0020-Rev 01**

2.6 Water Quality

Due to the higher risk of pollution from Units 4,5 and 8 Class I Full Retention interceptor have been specified and sized in accordance with Environment Agency Document PPG3 (withdrawn but still referenced).

Porous paving has been utilised within the Units 4,5 and 8 car park to provide treatment of surface water run-off.

Heavy Metals held within the suspended solids in the surface water run-off will be captured by silt traps, catchpits and gully pots which are to be checked and sediment removed as part of a site-specific maintenance regime and disposed of in accordance with current regulatory requirements.

Again, in accordance with the above our drainage drawings allow for the inclusion of Class I full retention interceptors, catch-pits, silt traps etc. The specific maintenance requirements of these items have been noted in our O+M document, also issued for planning.

I would trust that the above, along with the information which has already been sent for planning, will be sufficient to satisfy the EA and allow them to remove their objection to the development.

If any further information is required, or clarification on the above, then please do not hesitate in contacting me.

Kind Regards

Mike Griffin

Principal Infrastructure Engineer

Following government advice, I am currently working from home. If we need to speak, drop me a line and I'll get straight back to you. For wider information on working with Hydrock during COVID-19 visit hydrock.com/coronavirus.



Six consecutive years in the 'Sunday Times 100 Best Companies to Work For' listing, and winner of the NCE100 'Health and Wellbeing Leader of the Year' award, 2019.



Hydrock Consultants Limited, company number 3118922 registered in England and Wales at Over Court Barns, Over Lane, Almondsbury, Bristol, BS32 4DF. Before printing this e-mail, please think about the environment. Disclaimer: The information in this e-mail is confidential and may be read, copied or used only by the intended recipients. If you are not the intended recipient you are hereby notified that any perusal, use, distribution, copying or disclosure is strictly prohibited. If you have received this e-mail in error please advise us immediately by return e-mail to bristol@hydrock.com and delete the e-mail document without making a copy. Whilst every effort has been made to ensure this email is virus free, no responsibility is accepted for loss or damage arising from viruses or changes made to this message after it was sent.

Michael and Mike,

Please find attached the consultation response from the Environment Agency **OBJECTING** to **BE/21/20/DOC – Salt Box**.

I look forward to receiving your reply.

Kind regards,

Michael



Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

Dear Michael,

Please find attached our response to BE/21/20/DOC.

Kind regards,


Phoebe Nelson

Sustainable Places Advisor | Environmental Planning and Engagement | Solent and South Downs
Chichester Office, Oving Road, Chichester, West Sussex, PO20 2AG

In light of recent developments regarding the Coronavirus (COVID-19) we expect delays in responding to emails. This is likely to continue to a number of weeks.

We are currently prioritising our work and will try and respond to you as soon as we can.

Creating a better place
for people and wildlife



Dear Suz,

Please could I have your consultation response to the discharge of condition application
BE/21/20/DOC for Land At Salt Box West Of Shripney Road, Bersted.

It would be good if you could send me your consultation response by the end of today, i.e. **Friday 3rd April 2020**.

Regards,

Michael



Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

This message has been sent using TLS 1.2 Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.
