







SECTION A-A
TYPICAL DESIGN LAYOUT FOR PROPOSED
FLOW CONTROL IN CIRCULAR MANHOLE
SCALE 1:25

SECTION B-B


NOTE:- A CUT LENGTH OF 150mm
SUPERSLEVE PIPE AND A 150mm COUPLING
INSERTED BETWEEN THE HOPPER AND THE
BASE CAN BE USED TO INCREASE THE
GULLY DEPTH TO A MAXIMUM OF 600mm.



DETAIL PG: PAVED GULLY
SCALE 1:10

Technical Specification		
Control Point	Head (m)	Flow (l/s)
Primary Design	1.055	3.010
Flush-Flo™	0.323	3.005
Kick-Flo	0.695	2.464
Mean Flow		2.757


Hydro-Brake Optimum Flow Control including:
3 mm grade 304L stainless steel
Integral stainless steel pivoting bypass
door allowing clear flow of depth through to
sump. The stainless steel pivoting door
is fixed in place to maintain corrosion
resistance.
Stainless steel flange
Rubber gasket to seal outlet




UNIT 4, 5 AND 8 FC-401
DETAIL FROM HYDRO INTERNATIONAL
SCALE 1:20
(REFER TO C-7020 FOR LOCATION)

UNIT 4-8 FC-401
FLOW CONTROL IN CIRCULAR MANHOLE
SCALE 1:20

NOTE:
FLOW CONTROL MANHOLES TO BE
READ IN CONJUNCTION WITH TYPE 2
MANHOLE DETAIL ON DRAWING 7100




T JUNCTION TYPICAL ACCESS
REFER TO AT-201 & AT-202 & AT-401
SCALE 1:25
(REFER TO C-7010 FOR LOCATION)



SECTION 1-1
CROSS SECTION THROUGH AT-401
SCALE 1:25
(REFER TO C-7010 FOR LOCATION)

NOTE:
TO BE DESIGNED ACCORDING TO SDS
DETAILS AND SPECIFICATIONS

GRANULAR BEDDING
MATERIAL
GRANULAR BEDDING MATERIAL
COMPACTED OVER FULL WIDTH OF TRENCH.
THICKNESS (MIN):
100mm MIN FOR PIPES ≤ 100mmØ
150mm MIN FOR PIPES > 100mmØ



SECTION 2-2
SECTION THROUGH AT-401
SCALE 1:25
(REFER TO C-7010 FOR LOCATION)

NOTE:
TO BE DESIGNED ACCORDING TO SDS
DETAILS AND SPECIFICATIONS

KEY PLAN

NOTES

- All dimensions are to be checked on site before the commencement of works. Any discrepancies are to be reported to the Architect & Engineer for verification. Figured dimensions only are to be taken from this drawing.
- The DWG file is issued for the purposes of coordination only and do not represent formal drawing issue and are not to be reprinted in any form. Formal issue of drawings is via DWF, Adobe PDF files and/or hard copies and their associated information issue sheets.
- Note that all care has been taken with the export of DWG files and their content, but we recommend that you make due dimensional checks before using any DWG file information. Any errors found are to be reported to Hydrock immediately.

P06	ISSUED FOR CONTRACT	D. GALLIMORE	15/05/20	D. GALLIMORE	15/05/20	M. GRIFFIN	15/05/20
P05	ISSUED FOR CONTRACT	D. GALLIMORE	04/05/20	D. GALLIMORE	04/05/20	M. GRIFFIN	04/05/20
P04	ISSUED FOR CONTRACT	R. HUNT	13/03/20	D. GALLIMORE	13/03/20	M. GRIFFIN	13/03/20
P03	DRAWING TITLE CHANGED	R. HUNT	24/02/20	D. GALLIMORE	24/02/20	M. GRIFFIN	24/02/20
P02	TENDER ISSUE	R. HUNT	19/02/20	D. GALLIMORE	19/02/20	M. GRIFFIN	19/02/20
P01	TENDER ISSUE	R. HUNT	20/12/19	D. GALLIMORE	20/12/19	M. GRIFFIN	20/12/19
REV	REVISION NOTES/COMMENTS	DRAWN BY	DATE	CHECKED BY	DATE	APPROVED BY	DATE

Hydrock
Merchants' House North
Wapping Road
Bristol
BS1 4RW
T: +44 (0)117 945 9225
e: bristolcentral@hydrock.com

CLIENT
LANDLINK ESTATES

PROJECT
SALTBOX
BOGNOR REGIS

TITLE
UNIT 4, 5 AND 8 DRAINAGE DETAILS
SHEET 2

HYDROCK PROJECT NO. C-13319-C	SCALE @ A1 AS SHOWN	STATUS ISSUED FOR CONTRACT	REVISION D2
DRAWING NO. (PROJECT CODE-ORIGINATOR-ZONE-LEVEL-TYPE-ROLE-NUMBER) SAL-HYD-PH2-ZZ-DR-C-7101		STATUS D2	REVISION P06