













- General Notes:
1. Do not scale from this drawing.
 2. All dimensions in metres.
 3. Extent of outlet protection to be the greater of 1500mm or pipe diameter + 1200mm spanning the outlet pipe.
 4. All exposed pipework to be UV stable.
 5. Headout Council detail in accordance with West Assisi County Council drawing no. 5278/38/24 revision A.



1. All steel used in the construction of the grillies to be grade S275 to BS EN 10025/2 and not hot galvanised in accordance with BS EN ISO 1461.
2. The grillies shall be fabricated and tested to the requirements of BS 5950-2.
3. Anchor bolts shall be stainless steel through bolts complying with BS EN ISO 3506-1 with an anchor length of less than 100mm and suitable for use with the materials from which the rebar/pile is constructed.
4. Grille to be constructed of 12mm round bars of 125mm max. centres.



PRELIMINARY - FOR APPROVAL				
B	10/05/19	Updated to new trial date		55
Q	06/01/19	Existing remedial details updated, proposed remedial grille revised		JNY
REV	No.	DATE	DESCRIPTION	INITIALS
			 LINDEN CIVIL & STRUCTURAL ENGINEERS 10000 Mountain View Business Appleton, WI 54912-3803 Fax: (920) 552-9226 	
			Project New BGR Jan North Bersted Existing 39 Unit Scheme	
			Site As shown @ 0	
			Date: Agt '18 Design JNY	
			Drawing No. LHS22-3012	
			Rev B	