

From: Simon Davis
Sent: 03 May 2019 12:58
To: John Preston [REDACTED]
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Dear John,

Thank you for your email. I also now have comments from the Environment Agency (attached). I note your points made already but have to ask whether you will provide the Flood Risk Assessment as requested?

I have also just been talking to my Team Leader regarding the case and the consultation comments received thus far. Instead of the removal of the condition, would you be willing to accept a variation to say 65 caravans?

Kind Regards

Simon J Davis MRTPI | Principal Planning Officer, Planning Department, Directorate of Place, Arun District Council |
Location: Planning, First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37874 | External: +44 (0) 1903 737874 | E-mail: simon.davis@arun.gov.uk
Please note that I typically work from home on Thursdays when I am unreachable on my work phone

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

From: John Preston [REDACTED]
Sent: 29 April 2019 15:18
To: Simon Davis <Simon.Davis@arun.gov.uk>
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Simon

I consider that déjà vu may be at work.

This is an application to remove a condition, and is not a planning application.

The particular condition was not imposed for any reason concerned with flooding.

The material within the application BE/11/14 on this matter is clearly relevant, as were the e-mails with you.

The removal of the bungalow, and its extended existing footprint and roof areas and its replacement by four caravans that would be raised above their bases, rather than three already agreed, is not considered likely to make a material difference to flood risk at this part of the site.

It appears the figures given previously suggested 200 square m for the bungalow footprint (which has solid foundations at ground level if there were to be a flood) and some 180 square m for three twin unit caravans.

As we have not finalised a layout I cannot at this stage give you a clear up to date figure for comparison.

Kind regards

John Preston.

From: Simon Davis [mailto:Simon.Davis@arun.gov.uk]
Sent: 24 April 2019 12:49
To: John Preston
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Dear John,

I have spoken with Stephen and he has said he will try to contact you tomorrow. I will forward this to him. Please also note that our drainage engineers have commented on the application (attached).

Kind Regards

Simon J Davis MRTPI | Principal Planning Officer, Planning Department, Directorate of Place, Arun District Council |
Location: Planning, First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37874 | External: +44 (0) 1903 737874 | E-mail: simon.davis@arun.gov.uk
Please note that I typically work from home on Thursdays when I am unreachable on my work phone
Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.

From: John Preston [redacted]
Sent: 24 April 2019 10:54
To: Simon Davis <Simon.Davis@arun.gov.uk>
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Simon

In the present absence of contact with Stephen Garrard, perhaps the following will assist. I am conscious that Government guidance expects prompt decisions on applications to vary or remove conditions.

The site is a long standing residential caravan park, although now run for those who are retired or near retired. (The 2018 site rules restrict new occupants to a minimum of 50 years of age.) Their vehicle ownership and use rates will be less, and probably particularly during traffic peaks.

It follows that the highway impacts of the caravans and the bungalow are now likely to be less than if the caravans could be occupied by families with children or younger individuals who are regular commuters.

The site has internal access roads intended to limit traffic speeds. Signs indicate a 10 mph limit.

The main access is a T junction with Shripney Road, and is of a width that allows some exiting traffic not to interfere with traffic entering the site.

For traffic entering the site there is no gate or restriction that would mean that a vehicle towing a caravan would obstruct the highway.

Shripney Road is the A29 and is subject to a 40 mph speed limit. It has double white lines in the centre of the carriageway. It has street lighting and some of the highway furniture nearby would appear to include traffic or speed monitoring. There is a speed camera sign on one lamppost nearby.

There is reasonable visibility to the left on exiting the site and to the right (there is a bend in the road when approaching the site from the Bognor direction and which is of sufficient radius to be marked by chevron signs in both directions.) Those various features would probably assist the 85th percentile traffic speeds to be close to 40 mph.

The site is opposite the Robin Hood which is a Premier Inn site with an on-site restaurant and pub.

The application seeks the removal of the present limit of 60 caravans.

In the first instance this is to enable the removal of the bungalow which is a large property used previously by a manager of the site, and which would generate some traffic movements.

Permission already exists to remove that building and to replace it with 3 caravans. That would only generate marginally more traffic.

Removal of the 60 limit would enable the bungalow to be replaced with 4 caravans. That would generate the traffic of one further caravan.

Removal of the 60 limit might enable further capacity at the site. If an existing unit comes to be removed and is not taken by a larger unit (which is a clear trend) then some additional units might be achieved, but any additional units have to comply with the density and layout restrictions in the site licence and the aerial photos of the site do not suggest much more capacity.

Accordingly the extra traffic generations of very few more units is marginal compared to the existing situation, and it is not considered that any of the highway characteristics described above would not be able to safely cope. It is strongly suggested that the traffic generation would not warrant refusal of a planning application if that was what was being considered.

I am happy for this to be considered by Stephen Garrard.

Thank you.

John Preston.

From: Simon Davis [mailto:Simon.Davis@arun.gov.uk]
Sent: 17 April 2019 10:54
To: John Preston
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Dear John,

Thanks for your email.

I know that Steven has read the statement already and I think it best if you contact him - [REDACTED]

I have today also written to SGN to ask them to reconsider the advice.

Kind Regards

Simon J Davis MRTPI | Principal Planning Officer, Planning Department, Directorate of Place, Arun District Council |
Location: Planning, First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37874 | External: +44 (0) 1903 737874 | E-mail: simon.davis@arun.gov.uk
Please note that I typically work from home on Thursdays when I am unreachable on my work phone
Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.

From: John Preston [REDACTED]
Sent: 17 April 2019 10:39
To: Simon Davis <Simon.Davis@arun.gov.uk>
Subject: RE: BE/46/19/PL - The Marigolds, Shripney Road

Good morning Simon

I am not sure that Steven has understood what the application is for, and whether he has seen the supporting statement. I attach a copy for transmission to him, and will be happy to speak with him if I can have that contact detail.

Whilst writing, I note that the HSE have responded to the application, but perhaps without realising that if the 60 limit condition is removed, and the bungalow is removed that we may then end up with 64 units on the site; hence the number of units would not be likely to increase by 10%, which appears to be their threshold. Will this be conveyed to them please?

Kind regards

John Preston.

From: Simon Davis [<mailto:Simon.Davis@arun.gov.uk>]
Sent: 17 April 2019 10:08
[REDACTED]
Subject: BE/46/19/PL - The Marigolds, Shripney Road


Dear Mr Preston,

Please see attached response from County Highways with a request for more information/clarification.

Kind Regards


Simon J Davis MRTPI | Principal Planning Officer, Planning Department, Directorate of Place, Arun District Council |
Location: Planning, First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37874 | External: +44 (0) 1903 737874 | E-mail: simon.davis@arun.gov.uk
Please note that I typically work from home on Thursdays when I am unreachable on my work phone
Visit Arun's web site at www.arun.gov.uk  Save the environment - think before you print.

Wyldecrest House, 857 London Road, West Thurrock, Essex RM20 3AT



Take a look at our Magazine [here](#)
To donate please [click here](#)

Please consider the environment before printing this e-mail



ISO 9001 Certified


This message (and any associated files) is intended only for the use of the individual or entity to which it is addressed and may contain information that is confidential, subject to copyright or constitutes a trade secret. If you are not the intended recipient you are hereby notified that any dissemination, copying or distribution of this message, or files associated with this message, is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer. Messages sent to and from us may be monitored. Internet communications cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. Therefore, we do not accept responsibility for any errors or omissions that are present in this message, or any attachment, that have arisen as a result of e-mail transmission. If verification is required, please request a hard-copy version. Whilst this message has been checked for viruses it is recommended that the recipient undertakes their own checks and the sender accepts no responsibility for any viruses that may have become attached to this message or its attachments or for the results of such a virus. We are registered with the ICO registration numbers Z3156454, Z3156621 and Z3156467 and Best Park Finance Z3156635.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.




Wyldecrest House, 857 London Road, West Thurrock, Essex RM20 3AT



Take a look at our Magazine [here](#)
To donate please [click here](#)

Please consider the environment before printing this e-mail




ISO 9001 Certified


This message (and any associated files) is intended only for the use of the individual or entity to which it is addressed and may contain information that is confidential, subject to copyright or constitutes a trade secret. If you are not the intended recipient you are hereby notified that any dissemination, copying or distribution of this message, or files associated with this message, is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer. Messages sent to and from us may be monitored. Internet communications cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. Therefore, we do not accept responsibility for any errors or omissions that are present in this message, or any attachment, that have arisen as a result of e-mail transmission. If verification is required, please request a hard-copy version. Whilst this message has been checked for viruses it is recommended that the recipient undertakes their own checks and the sender accepts no responsibility for any viruses that may have become attached to this message or its attachments or for the results of such a virus. We are registered with the ICO registration numbers Z3156454, Z3156621 and Z3156467 and Best Park Finance Z3156655.

<http://www.arun.gov.uk>
DX 57406 Littlehampton
You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.



Wyldecrest House, 857 London Road, West Thurrock, Essex RM20 3AT



Take a look at our Magazine [here](#)
To donate please [click here](#)

Please consider the environment before printing this e-mail



ISO 9001 Certified

This message (and any associated files) is intended only for the use of the individual or entity to which it is addressed and may contain information that is confidential, subject to copyright or constitutes a trade secret. If you are not the intended recipient you are hereby notified that any dissemination, copying or distribution of this message, or files associated with this message, is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer. Messages sent to and from us may be monitored. Internet communications cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. Therefore, we do not accept responsibility for any errors or omissions that are present in this message, or any attachment, that have arisen as a result of e-mail transmission. If verification is required, please request a hard-copy version. Whilst this message has been checked for viruses it is recommended that the recipient undertakes their own checks and the sender accepts no responsibility for any viruses that may have become attached to this message or its attachments or for the results of such a virus. we are registered with the ICO registration numbers Z3156484, Z3156621 and Z3156467 and Fleet Park Finance Z3156635.