[redacted]

From: Martyn White <Martyn.White@arun.gov.uk>
Sent: 03 December 2019 16:56
To: Amy Myer <Amy.Myer@arun.gov.uk>
Subject: RE: Dove Cottage - BE/73/19/PL - PROPOSED BOUNDARY TREATMENT

Hi Amy,

I have reviewed the plan which was provided as part of your e-mail, and can confirm that I believe that the boundary treatment is acceptable. It is considered that it will not harm the setting of the listed building.

Kind Regards

Martyn

Martyn White | Principal Conservation Officer, Planning Policy, Directorate of Place, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37717 | External: +44 (0) 1903 737717 | E-mail: Martyn.white@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk Save the environment - think before you print.

From: Amy Myer <Amy.Myer@arun.gov.uk>
Sent: 03 December 2019 16:44
To: Martyn White <Martyn.White@arun.gov.uk>
Subject: Dove Cottage - BE/73/19/PL - PROPOSED BOUNDARY TREATMENT

Hi Martyn,

As discussed, please see attached plan from applicant showing proposed boundary treatment of Yew Hedge 1.8m between new dwelling and existing listed building garden.

Please confirm by return of email that, as discussed, the boundary treatment would be acceptable in that it would protect the setting of the listed Dove Cottage.

Thanks
Amy