

Nicola Moore

From: Michael Whitwell [REDACTED]
Sent: 16 June 2021 12:23
To: Nicola Moore
Subject: RE: BE/92/21/DOC further information request

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Nicola,

I spoke with Michael and he suggested submitting what I have, so I have just added the CCTV surveys and resubmitted the application, so you should be getting something through soon.

Kind regards

Michael

Michael Whitwell
Associate Director

[REDACTED]

[REDACTED]

From: Michael Whitwell
Sent: 16 June 2021 11:19

Subject: RE: BE/92/21/DOC further information request

Nicola,


Could you please give me a call on the mobile number below when you get a chance please, to discuss the below.

Thanks

Kind regards

Michael

Michael Whitwell
Associate Director



From: Michael Whitwell
Sent: 07 June 2021 07:53
To: [REDACTED]
Subject: BE/92/21/DOC further information request

Nicola,

I hope you are well.

With regard to the letter we have received requesting further information, condition 38 has already been discharged based on the same information submitted for condition 41. Having spoken to Michael Eastham regarding condition 38, he suggested resubmitting the same information for condition 41.

I am still awaiting the final drainage report, but I wanted to get the application in.

As soon as I have received this information I will let you know and add it to the submission online.

Kind regards

Michael

Michael Whitwell
Associate Director

