




NEXT PHASE

PLANNING & DEVELOPMENT

Planning Application

Arun District Council

**For permission for the delivery of a Dan-wood House on land adjoining Springfields,
Chichester Road, Bersted.**

On behalf of Mr C Thorne

FOUL AND SURFACE DRAINAGE STATEMENT

May 2018



RICS

0520/01

Springfields – Foul and Surface Water Drainage

1.0 FOUL AND SURFACE WATER DRAINAGE STATEMENT

1.1 This statement is provided in accordance with Arun districts Council, Local Validation Requirements, to accompany the application for the delivery of Dan-wood House on land adjacent to Springfields, Chichester Road, Bersted.

1.2 Supplementary Requirements for Surface Water Drainage Proposals

1.3 The council advised that any proposed surface water scheme must consider sustainable drainage principles.

1.4 The following destinations must be considered for surface runoff in order of preference:

1. Discharge into the ground (infiltration);
2. Controlled discharge to a surface water body;
3. Controlled discharge to a surface water sewer.

Surface water must not be discharged into the foul sewer system. Infiltration structures include soakaways, basins, swales and permeable paving. Discharge to surface water bodies and surface water sewers must be restricted to an agreed rate.


1.5 As advised by the SuDs selection surface water will be discharged into the ground via a soakaway. Details of the soakaway specification and location will be provided in further detail by planning condition.

1.6 The infiltration rate for the soakaway structure will be based on a percolation test that is to be carried out in the winter period at the depth and location of the proposed structure. Due to timing of the submission the percolation test cannot be carried out. The applicant

agrees to a condition outlining that the percolation test will be undertaken once permission has been granted.

- 1.7 Foul water will be connected to the mains public sewer. Further details to be secured by planning condition.

(This page is intentionally blank)



www.nextphasedevelopment.co.uk

Head Office: Vantage Suite, Virage Point, Green Lane, Cannock, Staffs, WS11 0NH

London Office: 16 Upper Woburn Place, London, WC1H 0BS


Company No: 7525574. | VAT No: 156185595 | Registered in England and Wales



NEXT PHASE
PLANNING & DEVELOPMENT

HEAD OFFICE:

NextPhase Development Ltd
Vantage Suite, Virage Point
Green Lane, Cannock
Staffs, WS11 0NH



LONDON OFFICE:

NextPhase Development Ltd
16 Upper Woburn Place
London
WC1H 0BS



MANCHESTER OFFICE:

NextPhase Development Ltd
Peter House
Oxford Street
Manchester, M1 5AN

