

Arun Tree Company Ltd

arboricultural contractors

28 Choller Cottage Barnham Lane, Wotton, Arundel, West Sussex BN18 0AY

Planning
Arun District Council
Arun Civic Centre
Maltravers Rd
Littlehampton

03, 05, 2018

Dear Planning Ref: Barnham Court, Church lane, Barnham

Further to my site visit, with Mark your Tree Officer today I understand that we require a section 211 notice for the following works in a conservation area.

There are seven trees which I have identified as T1 to T7

Here is a list of works required.

T1: Mature Lombardy Poplar. This tree has a large cavity at its base. Due to its location and structural condition, (in range of an occasionally habituated building and well used garden) I wish to fell this tree.

T2: Cankered Horse Chestnut. Fell due to extensive decay in its main trunk.

T3: Suppressed/light seeking Monterey. This tree has grown out for the light and hangs low over the grave stones. The tip snapped off this winter. We wish to fell this tree.

T4: Mature Ilex Oak tree. We wish to crown lift the lower growth to allow 1.5 meters' clearance above the boundary Hornbeam hedge. This will give an average head clearance under the tree of approximately 4 to 4.5 meters from ground level.

T5: Mature Monterey Pine tree. Remove the large easterly limb which is resting in the Horsechestnut tree (T2) This limb has not got the cambial development which a limb of this size would normally have. This may be a result of it having rested in the Horsechestnut. We also wish to crown lift the low growth leaving head room/ground clearance of 2.5 meters.

T6: Dead Semi mature Deodar cedar, Fell

T7: Pink top grafted Horsechestnut. Due to the bleeding canker, the tree has extensive dead wood and some weak laterals. I wish to remove the major deadwood and prune back one large lateral which grows out to the east by approximately 2 meters. There are also two to three minor limbs which protrude beyond the trees general canopy spread. This will involve removing no more than 1.5 meters of growth and leave pruning cuts less than 100mm.

I attach a sketch map to help locate the trees.

If you require more details, please get in touch.

Yours sincerely

John Bentley