

From: Siobhan Strudwick [REDACTED]
Sent: Wednesday, February 15, 2023 11:19 AM
To: Simon Davis <Simon.Davis@arun.gov.uk>
Subject: Re: 2023-01-31 Visibility Assessment and Survey Results.pdf

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Hi Simon

Thanks for getting back to us.

Yes we are fine with an extension to the 17th if it means we get an answer by the weekend!

Many thanks, we look forward to hearing from you.

Best wishes
Siobhan & Oli

Sent from my iPhone

On 15 Feb 2023, at 10:51, Simon Davis <Simon.Davis@arun.gov.uk> wrote:

Hi Siobhan,

Thanks. I have seen the consultation response this morning and have just now finalised the report. It is now with my team leader. However, could you agree an extension of time until 17/02/23 so that we can determine it within an agreed period?

Simon.

Simon J Davis MRTPI
Principal Planning Officer, Directorate of Growth
T: 01903 737874
E: simon.davis@arun.gov.uk
Arun District Council, Civic Centre, Maltravers Rd
Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

To register to receive notification of planning applications in your area please go to
<https://www1.arun.gov.uk/planning-application-finder>

<image001.jpg>

<image002.jpg>

<image003.jpg>

<image004.jpg>

From: Siobhan Strudwick [REDACTED]
Sent: Wednesday, February 15, 2023 8:52 AM
To: Simon Davis <Simon.Davis@arun.gov.uk>
Cc: Folkes Architects [REDACTED]
Subject: Re: 2023-01-31 Visibility Assessment and Survey Results.pdf

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Good morning Simon

We are very pleased to see the response from WSCC Highways on our application yesterday who are now in support of our proposals following the speed survey.

We believe this is last outstanding matter for us to address, therefore please can you advise when you expect to implement the final decision on our application.

Just to note, the additional groundwater monitoring that was requested is underway, but from our previous discussions we understand this issue will be addressed with a condition on approval.

Many thanks and best wishes
Siobhan & Oli Strudwick

Sent from my iPhone