

From: Simon Davis
Sent: 28 January 2019 10:10
To: 'Nicholas Lack'
Subject: RE: BN/52/18/DOC Lake Lane Barnham, discharge of Planning Conditions.

Dear Nicholas,

Thanks for your email. I have noted that we have not had responses from our tree or landscape officer re conditions 3, 9. I have therefore just chased both. We have consultee agreement to conditions 4, 5, 6, 7, 8, 14, 15. I can do discharge some conditions now or wait until everything has been agreed before issuing decisions?

Kind Regards

Simon J Davis MRTPI | Principal Planning Officer, Planning Department, Directorate of Place, Arun District Council |
Location: Planning, First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF
Internal: 37874 | External: +44 (0) 1903 737874 | E-mail: simon.davis@arun.gov.uk
Please note that I typically work from home on Thursdays when I am unreachable on my work phone

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

From: Nicholas Lack
Sent: 25 January 2019 10:51
To: Simon Davis <Simon.Davis@arun.gov.uk>
Subject: BN/52/18/DOC Lake Lane Barnham, discharge of Planning Conditions.

Dear Mr Davis

On behalf of the applicant I enquire as to the status of the discharge of planning conditions please?
As far as I am aware all the additional information requested has been submitted and the only outstanding requirement is the 'materials samples' which have been organised and will hopefully be with you shortly.

I look forward to your reply and if you are in a position to indicate timescales for determination it would be appreciated.

Kind regards
Nicholas
Studio Lack Ltd